Journal of the American College of Cardiology
© 2004 by the American College of Cardiology Foundation
Published by Elsevier Inc.

Vol. 43, No. 12, 2004
ISSN 0735-1097/04/$30.00

Author Index: Volume 43

Abdo A, 1565
Abdul-Karim A, 1004
Abizaid A, 1118
Abizaid AS, 1118
Aböu-Chebl A, 1358, 1596
Abraham WT, 61
Abrams J, 2150
Acar C, 386
Achard JM, 1343
Achenbach S, 840, 842
ACUTE Investigators, 1217
Adams R, 534
Adawi S, 346
Adler Y, 2149
Agatiello C, 698
Agnoletti G, 1082
Aguilar D, 2015
Ahmed A, 1333
Aichner H, 100
Airaksinen KEJ, 1027
Airoldi F, 1154
Ajluni SC, 8
Akehi N, 55
Akhrass R, 994
Akiyama T, 1201
Aknay N, 2022
Ako J, 1959
Al Kadhi Y, 1062
Albers GW, 929
Alberta M, 1118
Albiero R, 943
Alderman MH, 1047
Aletras AH, 2253
Alexander JH, 2153
Alfonso F, 1964
ALIVE Investigators, 1211
Al-Khalidi H, 39
Al-Khalidi HR, 1211
Allen KB, 2365
Allue C, 1654
Alvie CJ, 505
Amado LC, 1291
Ambrose JA, 1731
Ambrosio G, 2329
American College of Cardiology Foundation's Cardiovascular Imaging Committee, 2108
American College of Cardiology Foundation's Cardiovascular Training Directors Committee, 2108
American College of Cardiology Guidelines Applied in Practice Steering Committee, 2166
Amin MG, 1276
Amlani M, 2166
Amplatzer Muscular Ventricular Septal Defect Investigators, 1257
Amsterdam EA, 725, 1515
Anand I, 295, 2022
Anavekar NS, 1511
Andersen HR, 2072
Anderson FP, 958
Andres R, 1388
Andrews ML, 1459
Angelini GD, 1630
Angiolillo DJ, 1964
Antelli A, 2000
Antman EM, 1170
Antoranz JC, 1654
Antzelevitch C, 1494
Anway R, 295
Anzai T, 125
Aoki J, 1954
Apperson-Hansen C, 1217
Arai AE, 2253
Arampatzis C, 1954
Arampatzis CA, 704
Arant CB, 2009
Arbogast PG, 2036
Aretz HT, 287
Armstrong PW, 542
Arnaout S, 77
Arnold AM, 187
Aronow HD, 972
Arques S, 925
Asada A, 2116
Asano R, 1925
Ascione R, 1630
Ashton CM, 778
Askari A, 1908
Asmar RG, 92
Assali A, 966
Atay AE, 1943
Atwood JE, 1503
Auer J, 713
Auge JM, 943
Aukrust P, 2326
Auricchio A, 239
Avvedimento EV, 1992
Awad M, 1062
Ay T, 257
Aymong E, 1368, 1780
Aymong ED, 1348
Azcona L, 1964

Baba A, 1090
Bach FH, 950
Bader H, 248
Badimon JJ, 464, 966
Bafi AS, 752
Bailey KR, 194, 2242
Bailey N, 2166
Bajzer C, 1596
Bajzer CT, 1358
Baker B, 1542
Baker PL, 2166
Bakhai A, 513
Bakoula C, 649
Bal dit Sollier C, 162
Balasubramaniam M, 8
Baldwin C, 1542
Ball SG, 1453
Balzer D, 1257
Bank AJ, 179
Bañuelos C, 1964
Baran K, 549
Baras P, 649
Barbato E, 85
Barbosa MM, 393
Barlassina C, 265
Barlera S, 2022
Barnard MR, 2319
Barrea C, 1902
Barrett-Connor E, 1405
Barsamian M, 1943
Bartholomew BA, 1161
Bartunek J, 85
Barua RS, 1731
Barzilai B, 1399
Barzilay JI, 2236
Bash A, 698
Bash D, 1004, 1715
Batsford WP, 2293
Battaglia S, 943
Battler A, 691, 966
Baudet E, 1283
Bauer F, 698
Baughman KL, 410
Baum U, 842
Baumgartner RA, 764
Bauters C, 1584
Bax J, 2102
Bax JJ, 1027
Bax M, 534
Beauvais F, 635
Becker A, 1241
Becker C, 1241
Becker ER, 1217
Bednarz JE, 1412
Beek AM, 27
Beevers G, 1047
Beheiry S, 1715
Behr J, 764
Behrendt D, 629
Belder R, 854
Beller GA, 209
Beloshapko GG, 483
Benammar N, 826
Bennett E, 557
Benson LN, 107
Ben-Yehuda O, 133, 276, 2174
Benza RL, 1973
Berent R, 713
Berger PB, 714
Berger RD, 1843
Bergeron S, 2242
Bergfeldt L, 234
Berglund L, 1828
Bergmann SR, 328
Berkowitz R, 1432
Berlin JA, 985
Berman DS, 200, 1663, 1797
Bermejo J, 1654
Berthet M, 826
Bertog SC, 1445
Bertrand A, 353
Bessou J-P, 698
Bestehorn H-P, 2160
Bettencourt R, 1405
Betz P, 2160
Bevilacqua S, 1670
Beye P, 1823
Beyne P, 635
Bhalla MA, 1873
Bhargava M, 1004, 1715
Bhatt D, 1596
Bhatt DL, 972, 1127, 1358
Biagini A, 1670
Biagini E, 1489
Bianchi F, 1494
Bianchi G, 265
Biblo LA, 994
Bigatti G, 265
Bijou R, 1432
Billinger K, 302
Billups K, 179
Bilnoski W, 1943
Binggeli C, 2147
Bittl JA, 936, 1168
Blackstone EH, 1445
Blanchard DG, 133
Blanco-Colio LM, 1188
Blann AD, 423
Blatt CM, 1132
Block G, 1439
Block PC, 1868
Bobbink IWG, 2183
Bocchi EA, 393
Bode C, 2191
Boden WE, 1752
Boekstegers P, 1241
Boersma E, 2102
Boixel C, 152
Boland J, 2183
Boldt A, 2364
Bollwein H, 734
Bomma CS, 1843
Bongiorni MG, 234
Bonhoeffer P, 1082
Bonizzoni E, 1154
Bonneau HN, 1959
Bonnet D, 1082
Bonnet J, 248
Bonvicini M, 1886
Booth JE, 542
Borggrefe M, 1494
Bortone A, 943
Bosch J, 2200
Boshoff DE, 107
Bosker HA, 241
Boston RC, 1291
Bøtker HE, 445
Boudjemline Y, 1082
Boura J, 1765, 1943
Boura JA, 1161, 1773
Bourge RC, 1973
Bourque T, 2166
Bouvier E, 635
Bowles NE, 811
Boyce SW, 752
Bozio A, 826
Brachmann J, 1715
Brady TJ, 842
Brambilla G, 2149
Braunwald E, 1170
Brendorp B, 771
Brignole M, 234, 1013
Briguori C, 1154
Brinton EA, 717, 2233
Brochet E, 386
Brodie B, 1780
Brodie BR, 1951
Brodsky MA, 1201
Bronzetti G, 1886
Brown EJ Jr, 1432
Brown JW, 1383
Brown MW, 1459
Brown R, 1973
Brucato A, 2149
Bruemmer D, 1698
Brugada R, 1494
Brum J, 39
Brum JM, 1211
Brunken RC, 592
Brunn J, 831
Buch AN, 1270
Bücker A, 2083
Buggins P, 2075
Buller CE, 1606
Bunch TJ, 1236
Burchardt H, 771
Burgstahler C, 831
Burke GL, 2236
Burke M, 2260
Burke RP, 1264
Burkhardt D, 1004
Burkhardt JD, 1715
Burnett MS, 474
Butany J, 68
Butler J, 61, 787, 2036
Büttner HJ, 2160
Byrne A, 526
Byrne JG, 794

Cademartiri F, 2265
Caine GJ, 423
Califf RM, 542, 936, 972, 1170, 2153
Calkins H, 1843
Callans DJ, 1861
Callister TQ, 1663
Calò L, 1494
Cameron DA, 1894
Camm AJ, 1211
Canistro D, 2000
Cannon CP, 1170
Cao Q-L, 1257
Caplan LR, 1168
Capra AM, 429
Carabello BA, 384
Carlier SG, 670
Carlino M, 1154
Carlson M, 2236
Carneiro O, 2225
Carreras F, 77
Carretero OA, 1473
Carroll ER, 1459
Carrozza JP Jr, 1116
Case C, 2102
Case RB, 1459
Cassimatis DC, 1503
Castaigne A, 1423
Castillo E, 1291
Cates AW, 858
Cauchemez B, 1853
Caulin-Glaser TL, 2293
Cavendish JJ, 133
Cecchi E, 1042
Celestini A, 979
Cernigliaro C, 943
César LAM, 1743
Chaitman BR, 1375
Chan KA, 1132
Chan K-L, 1135
Chan MCY, 1034
Chandra HR, 169
Chandrasekaran K, 1236
Chandrashekhar Y, 295
Chang C-M, 858
Chang R-K, 113
Changezi HU, 2166
Chaplin WF, 464
Chapman MJ, 2225
Charron MJ, 1690
Chau AKT, 120

Chavelas C, 635
Chayama K, 818
Chazal RA, 893
Cheitlin MD, 185, 402
Chen A, 1873
Chen LS, 858
Chen MS, 1004
Chen P-S, 858
Chen S-A, 1639, 2300
Chen W-H, 1122
Cheng TO, 505
Chen-Scarabelli C, 865
Cheung P, 2057
Cheung Y-f, 120
Chew DP, 936
Chiariello M, 1992
Chieffo A, 1154
Chimenti C, 2305
Chittams J, 985
Chiu A, 1873
Cho L, 1358
Choi Y-S, 2097
Chomsky DB, 787
Chong AY, 423
Chopin C, 2348
Choudhary N, 169
Choudhoru A, 1134
Choussat R, 162
Chowdhary S, 1270
Christian TF, 194
Chugh A, 2057
Chugh SS, 1625
Cicchitelli G, 2000
Clancy JF, 2293
Claussen CD, 831
Clementy J, 248, 2290
Clerc J, 1853
Climent V, 152
Clopton P, 1873
Coats AJS, 1423
Cohen DJ, 513, 1368
Cohen EA, 1110
Cohen I, 200
Cohn JN, 1430, 2022
Cokkinos DV, 649
Collet J-P, 162
Collins AR, 1698
Colombo A, 24, 943, 1154
Coman JA, 1315
Connolloy CG-CDL, 1134
Conway DSG, 2075
Cook DJ, 1565
Cooper JV, 665
Coote JH, 1270
COPERNICUS Study Group, 1423
Coplan NL, 926
Corbucci GG, 1992
Cordain L, 2142
Cordeiro P, 2091
Cormier B, 386
Corpus RA, 8
Corso PJ, 752
Corti R, 464
Corvaja N, 1154
Costa MA, 1118
Couëtil J-P, 386
Couper G, 1834
Couper GS, 794
Cox D, 526, 1765
Cox DA, 1368, 1780, 1927
Crater S, 549
Creager MA, 629
Crean P, 526
Cremonesi A, 943
Cribier A, 698
Crijns HJGM, 241
Cronin L, 169
Crosson J, 1843
Crow RS, 565
C-SIRIUS Investigators, 1110
Cujec B, 1135, 1333
Cullen S, 100
Culler SD, 1217
Culliford AT, 557
Cummings J, 1004, 1715
Cummings JE, 994
Curtis AB, 44
Curtis JP, 991
Cusi D, 265

Daemen J, 704
Dagorn J, 1584
Dahdah NS, 1677
Dahlöf B, 1047
Dai W, 284
Dalby M, 162
Damás JK, 2326
Dambrink J-HE, 1363
D'Ambrosio A, 35
Dangas GD, 1348
Daniel WG, 842
Danielson GK, 271
Daoud E, 1466
Daugherty J, 2036
Davila DF, 1723
Dávila-Román VG, 1399
Davis EA, 1823
Davis RC, 1134
Davis SF, 787
Dawson D, 1617
de Boer M-J, 1363
De Bruyne B, 85
De Caterina R, 1670
de Feyter P, 704
de Feyter PJ, 1954, 2265
de Groote P, 1584
de Grooth GJ, 854
de Lemos JA, 1170
De Luca G, 1363
De Raedt H, 85
de Talence N, 353
de Winter RJ, 534
De Wolf I, 85
Deanfield J, 100
DeCara JM, 1412
Decker RS, 2124
DeFranco A, 2166
Degertekin M, 1954
Dehmer GJ, 343, 893
Dekker JM, 565
Del Rosso A, 234
Delafontaine P, 519
Delagrange D, 629
D'Elia JA, 1614
DeMaria AN, 149, 276, 709, 1130, 1500, 1923, 2359
Demarie D, 1042
Demichelis B, 1042
Deng MC, 803
Denjoy I, 826, 1853
Denne J, 2150
Dens J, 107
Deo D, 1161
Depontieu F, 2348
Derrick G, 100
Dery MA, 994
Desco MM, 1654
Deswal A, 778
Devaney JM, 474
Devereux RB, 1047
Deville C, 1283
Devlin WH, 8
Dhein S, 2364
D'hondt A-M, 257
Di Fusco S, 1853
Di Mario C, 943
Di Sciascio G, 35
Di Tullio MR, 1828
Diamond GA, 1929
DIAMOND Study Group, 771
Díaz C, 1188
DiCorleto PE, 1908
Dicuonzo G, 35
Diderholm E, 585
Dietz R, 2148
Díez J, 2028
Dill T, 2148
Dimayuga C, 1828
Ding I, 764
Ding Y-A, 1639
Dinges DF, 678
Dirschinger J, 734
Dixon SR, 8, 875
Djaballah K, 353
Djaballah W, 353
Djurdjev O, 1606
Dobrecky-Mery I, 346
Dobrina A, 35
Dobrolet NC, 1264
Domanski M, 1396
Domanski MJ, 1723
Donato G, 1992
Donti A, 1886
Dote K, 818
Douglas JG, 1047
Douskou M, 649
Dowling RD, 2365
Drazner MH, 2207
Dries DL, 2207
Drobinski G, 162
Drouet L, 162
Dukkipati S, 1161
Dullum MKC, 752
Dumesnil JG, 1135
Duncan AM, 1524
Duncan JA, 1606
Dzavik V, 337

Eagle KA, 665, 2166
Eber B, 713
Edelman JM, 1047
Edmunds LH Jr, 377
Edwards NM, 1553
Egert S, 1690
Egido J, 1188
Ehrlich JR, 47
Eid Fawzy M, 1062
Einbinder L, 1542
Eisen HJ, 1562
Elayda MA, 742
Elkington AG, 2260
Ellenbogen KA, 2066
Ellis SG, 1908
Elsässer A, 2191
Eltchaninoff H, 698
Emmick JT, 2150
Engblom E, 1027
Engler RM, 1503
Enomoto Y, 377
Entman ML, 811
Epistolato MC, 1670
Epstein AJ, 1755
Epstein L, 1466
Epstein LM, 1834
Epstein SE, 474
EPT-1000 XP Cardiac Ablation System Investigators, 1466
Erciyes D, 1004
Ernst N, 1363
Escaned J, 1964
Eskandarian M, 68
Essop MR, 1925
Estes NAM III, 2066
Esteves WA, 393
Exner M, 950
Extramiana F, 1853

Fadley F, 1062
Fahy M, 1348
Fair R, 1315
Fallon JT, 464
Fananapazir L, 1133
Fang J, 665
Fang JC, 151, 629, 794
Fasseas P, 714
Fathi R, 616
Fattal P, 2166
Fattori R, 665
Faul J, 2166
Faxon DP, 1788
Fedorov VV, 483
Feld G, 1466
Feld GK, 1201, 2054
Fenrich AL Jr, 438
Feres F, 1118
Ferguson TB, 2365
Fernández C, 1964
Fernandez L, 1343
Ferrari R, 2000
Ferraro M, 1154
Ferreira R, 2329
Fieno DS, 2124
Finn AV, 287
Firth BG, 507
Fishbein MC, 858, 1698
Fisher ML, 1542
Fitzgerald DJ, 526
Fitzgerald PJ, 1959
Flachskampf FA, 842
Flaker GC, 1617
Flavell CM, 794
Fletcher J, 1270
Fogarty A, 416
Foley B, 1973
Folsom AR, 565
Fonarow GC, 642, 1019, 1439
Fondard O, 386
Fontaine V, 152
Force T, 1103
Ford ES, 1791
Forman DE, 61
Formigari R, 1886
Foster E, 405, 1420
Fournier A, 1343
Fowler MB, 1423
Fox RS, 1606
Fraga CG, 2329
Francis DP, 1524
Francolini G, 2000
Franke A, 2083
Franzosi MG, 1646
Frasheri A, 943
Freestone B, 423
Frelinger AL III, 2319
Fressart V, 826
Friberg J, 353
Friedman JD, 200
Friedman RA, 438
Friedmann E, 1542
Friedrich M, 2148
Friehling T, 1466
Frishman WH, 532
Fritz LM, 958
Froelicher VF, 606
Frohlich ED, 1590, 2216
Frustaci A, 2305
Fuchs D, 1132
Fuchs S, 15
Fujii H, 1299
Fujii K, 1799
Fujikura K, 1090
Fujioka D, 2219
Fukazawa R, 653
Fukuda D, 18
Fukuda K, 1915
Fukuda Y, 1090
Fukuhara S, 1299
Fukushima H, 1177, 2219
Funahashi T, 1195
Fung MM, 1405
Furberg CD, 1738
Furmán MI, 2319
Fuster V, 464, 2108

Gadler F, 234
Gailbazzi N, 925
Gaita F, 1494
Galema TW, 1489
Gallois V, 162
Gallup DS, 1534
Gammage M, 234
Gangasani SR, 169
Gantt DS, 343
Ganz P, 629
Gao S-Z, 1034
Garbade J, 2364
Garbarz E, 386
Garcia E, 1368, 1780
García-Fernández MA, 1654
Gardien M, 2183
Gardin J, 865
Gardin JM, 2207
Garg R, 1807
Garrigue S, 248
Garson A Jr, 1
Gaschino G, 1042
Gasparini G, 234
Gattis WA, 1534
Gauvreau K, 1068
Gawaz M, 734
Gaziano JM, 2015
Gazzaniga PP, 979
Gelder ICV, 241
Geltman EM, 2015
Gelzer-Bell R, 410
Gemelli F, 1817
Gentile F, 1646
George PB, 8, 169
Gerber BL, 1291
Gerber IL, 1420
Gersh BJ, 360, 1236, 1743
Geva T, 1068
Gewillig M, 107
Ghali JK, 1723
Gheorghiade M, 1534

Ghisio A, 1042
Gianetti J, 1670
Giannuzzi P, 1646
Giardini A, 1886
Gibbons RJ, 194
Gibson CM, 549, 1170
Gibson DG, 1524
Giedd KN, 328
Giles WH, 1791
Gill I, 994
Gillinov AM, 1004
Gimbel JR, 1325
Giorgi G, 35
Girard SE, 77
GISSI-3 Echo Substudy Investigators, 1646
Gitti G, 865
Giuggia M, 1042
Giugliano RP, 549, 1170
Giustetto C, 1494
Givertz MM, 794
Glauber M, 1670
Glazer R, 2022
Glukhov AV, 483
Go AS, 429, 1225
Goette A, 2363
Gold HK, 287
Gold JP, 557
Goldman CK, 1908
Goldman L, 1617, 2066
Goldstein JA, 169
Goldstein M, 606
Gong Q, 1625
González A, 2028
Gonzalez-Gomez I, 858
Good E, 2057
Gorman JH III, 377
Gorman RC, 377
Gosslink ATM, 1363
Gottdiener JS, 2207, 2236
Gottlieb SS, 61, 1542
Gotto AM Jr, 717
Grabenstein JD, 1503
Graham LN, 1453
Graham M, 1943
Graham TP Jr, 2132
Grana DR, 2329
Granger CB, 2153
Gray W, 1868
Gray WA, 1602
Grayzel J, 1291
Greaves S, 1511
Green CL, 549
Green DJ, 1823
Greenberg BH, 1145
Greenberg D, 513
Greenberg H, 1459
Greenberg M, 549
Greene HL, 1201
Greenspon A, 2066
Greenspon AJ, 1617
Griffin BP, 592
Griffin JJ, 1368, 1780
Griffin MR, 2036
Griffith JL, 1276
Grimm RA, 1217
Grines CL, 1368, 1765, 1773, 1780, 1943
Grines L, 1765
Grines LL, 1773, 1943
Grönefeld G, 47
Gropler RJ, 1399
Grunwald GK, 1517
Guagliumi G, 1368, 1780
Gubens M, 1019
Guenther J, 1715
Guetta V, 542
Guicheney P, 826, 1853
Gummert JF, 2364
Gurm HS, 542
Gustafsson I, 771
Guy TS IV, 377

Hachamovitch R, 200, 213
Hagens VE, 241
Hagiwara Y, 1090
Hainque B, 826
Haïssaguerre M, 248, 1494, 2290
Haley JH, 271
Halkin A, 1780
Hall B, 2057
Halon DA, 346
Halperin HR, 1843
Haluska B, 616, 848
Hamilton AJ, 453
Hamm C, 2191
Hammermeister KE, 1517
Hammill SC, 1236
Hammond HK, 125
Hanatani A, 1299
Handberg E, 2009
Hanley P, 1375
Hanna IR, 1868
Hannan EL, 557
Hannan K, 549
Hannan PJ, 565
Hannan RL, 1264
Hanrath P, 2083
Hao S, 1715
Hare JM, 410
Hariharan R, 742
Harjai KJ, 1161, 1765, 1773
Harrington RA, 549, 972, 1170, 2153
Harris BC, 1590
Harris KE, 1047
Harris KR, 2124
Harris L, 1894
Harris WH, 2142
Hart RG, 1617
Hartley LH, 2015
Hartman A, 557
Hasdai D, 966
Hasegawa S, 224
Hassan AHM, 1959
Hassan W, 1062
Hassan-Sebbag N, 353
Hasselblad V, 1534
Hatazawa J, 224
Hatem S, 152
Hauser AM, 169
Havranek EP, 436, 1927
Hayes SW, 200
Hayflick SJ, 1625
HEART Investigators, 1511
Hebert DA, 1375
Heerey AM, 1217
Heidenreich PA, 405, 1019
Hellkamp AS, 1617, 2066
Helou EF, 410
Henein M, 928
Henein MY, 1524
Hennekens C, 1511
Henry PD, 1940
Henthorn R, 39
Hermida J-S, 1853
Hernández G, 1188
Hernández R, 1964
Hester A, 2022
Heuschmid M, 831
Heyndrickx GR, 85
Higa S, 1639
Hijazi ZM, 1088, 1257
Hildebrandt P, 771
Hill PC, 752
Hillenbrand HB, 2124
Hillis GS, 360, 599
Hirai N, 1177, 1880
Hirao H, 818
Hiraoka H, 1195
Hirayama S, 2337
Hisaka Y, 1915
Hjortdal V, 445
Hlatky M, 1225
Hlatky MA, 583
Ho MHK, 120
Ho PM, 1517
Ho SY, 2260
Hocini M, 2290
Hodge DO, 194, 1236
Hoffman JIE, 662
Hoffmann U, 842
Hofma SH, 704, 1954
Hofman MBM, 27
Hogg K, 317
Hohnloser SH, 47
Hokamaki J, 1880
Holcslaw TL, 1423
Hollenbach S, 287
Holmes DR, 1335
Holmes DR Jr, 507
Holroyde M, 39
Holroyde MJ, 1211
Holzapfel M, 764
Holzer R, 1257
Homma S, 1134, 1828
Honda O, 1177, 2219
Honda Y, 1959
Hoorntje JCA, 1363
Hopkins PN, 2233
Hori M, 55, 224
Horlick EM, 1892
Hornberger LK, 1902
Horton SC, 1574
Horvath K, 302
Horwich T, 1439
Horwich TB, 642
Hosoda S, 1925
Hougaku H, 1388
Houghtaling PL, 1445
House JA, 8
Howard PA, 519
Hoye A, 704, 1954
Hsueh WA, 1698
Hu B, 854
Huang B-H, 1639
Huang J-L, 1639, 2300
Huang S-L, 453
Huang S-P, 854
Hubbard M, 1973
Hueb W, 1743, 2225
Hughes E, 2075
Huikuri HV, 757, 2278
Hunt SA, 1034
Hutfless R, 1873
Hutter AM, 2150
Hvass U, 386
Hyson DA, 725
Ibrahim B, 2066
Ieda M, 1915
Igoumenidis NE, 1013
Ikegami E, 653
Ikonomidis I, 1075
Imazio M, 1042
IMPACT-HF Investigators Coordinators, 1534
Indolfi C, 1992
Ingkanisorn WP, 2253
INTEGRITI Investigators, 549
Investigators AFFIRM, 1201
Investigators of the Multicenter Aspirin Study in Infective Endocarditis, 1135
Irukayama-Tomobe Y, 1481
Isbel N, 616
Ishida M, 818, 1299
Ishikawa K, 1195
Isom OW, 557
Israel CW, 47
Isselbacher EM, 665
Ito H, 1799
Iung B, 386
Iwakura K, 1799
Iwanochko RM, 1807
Iwase M, 1034
Iwashima Y, 1195
Iwata M, 125, 1090

Jablonski KA, 752
Jackson BM, 377
Jackson G, 2150
Jacob M-P, 152
Jain MK, 2036
Jaïs P, 248, 2290
James C, 1843, 1873
Jamorski M, 1807
Janardhanan R, 2247
Jang I-k, 842
Januzzi JL, 665
Jarcho JA, 151, 794
Jarry G, 1853
Jaskowiak J, 985
Jasper SE, 1217
Jenkins K, 1315
Jensvold NG, 429
Jesse RL, 958
Jia G, 542
Jilma B, 1332
Jimenez S, 811
Jneid H, 464
John AS, 2148
John R, 1553
Johnson BD, 2009
Johnson D, 1333
Johnston JD, 1943
Jokinen E, 2149
Jollis JG, 576
Jones J, 1828
Jones RH, 557, 1706
Jones TW, 1823
Jorgenson D, 1228
Jourdain P, 635
Joynt KE, 1550
Judd RM, 2124
Jue J, 1135
Jukema JW, 854
Julius S, 1047

Kahn JK, 1161
Kaiser DR, 179
Kajiwara I, 1880
Kaklamanis PG, 1075
Kaklis S, 649
Kalahasti V, 592
Kalantar-Zadeh K, 1439
Kalliokoski R, 1027
Kalman J, 1432
Kamisago M, 653
Kamp O, 241
Kanal E, 1325
Kandzari DE, 972
Kane B, 453
Kannel WB, 749
Kappagoda CT, 725
Kar B, 742
Karagueuzian HS, 858
Karanasios E, 649
Karcher G, 353
Karha J, 1170
Karjalainen J, 2149
Karlsson G, 2314
Kasegawa H, 1925
Kasper EK, 410
Kastelein JJP, 854
Kastrati A, 734
Kato T, 1034
Katoh M, 2083
Katsube Y, 653
Katsuya T, 1195
Katus HA, 1423
Katz SD, 1432
Katzen S, 1542
Kaufman ES, 53
Kaul S, 461, 1929
Kawai M, 2337
Kawamoto T, 1195
Kawano H, 1177, 1880
Kawano S, 1799
Kawarabayashi T, 18
Kawashima S, 2337
Kaykha A, 606
Kazanegra R, 1873
Kearney D, 526
Kellman P, 2253
Keramati S, 133, 684
Kernis SJ, 1773
Kerr CR, 1623
Kertesz NJ, 438
Khadim G, 787
Khafagi F, 1248
Khan A, 68
Khan AH, 1236
Khan N, 1630
Khatta M, 1542
Khaw B-A, 1683
Khaykin Y, 1004
Khodaverdian R, 1574
Khudairi T, 1683
Khunnawat C, 2044
Kihara S, 1195
Kilicaslan F, 1715
Kim RJ, 2124
Kim S, 1698
Kim Y-J, 2097
Kimmel SE, 985
Kimura R, 1799
Kingma JH, 241
Kinlay S, 629
Kinnaird T, 474
Kipshidize N, 1118
Kirchgessner T, 854
Kirklin JK, 1973
Kirkpatrick JN, 1412
Kishel L, 985

Kishida K, 1195
Kitahara K, 1925
Kitamura S, 1299
Kitzman DW, 2207
Kjeldsen SE, 1047
Klapholz M, 1432
Klauss V, 943
Kleber FX, 2177
Klegerman M, 453
Kleiman NS, 972, 1989
Klein AL, 416, 926, 1217, 1445
Klerkx AHEM, 854
Klocke FJ, 2124
Kloner RA, 284, 2150
Klootwijk P, 2183
Klouche K, 1228
Knez A, 1241
Knight R, 865
Knuuti J, 1027
Kobayashi Y, 1348
Køber L, 771
Koch KT, 534
Kochiadakis GE, 1013
Koide S, 1177, 2219
Koistinen J, 1027
Kojima S, 1177, 1880
Kolbe T, 764
Kolm P, 1868
Kong DF, 936, 972
Konstam MA, 1019, 1103
Kontos MC, 958
Kopp AF, 831
Kornowski R, 15, 966
Kosai K-i, 1915
Kosar E, 2044
Kostin S, 2191
Kowey PR, 1209
Kraitchman DL, 1291
Krams R, 670
Krausz T, 1412
Krestin GP, 2265
Krieger DW, 1596
Kristiansen SB, 445
Kronenberg MW, 787
Kronmal RA, 2236
Krucoff MW, 549
Krueger LA, 2319
Krum H, 1423
Krumholz HM, 61, 991, 1755
Krumsdorf U, 302
Kuch J, 1375
Kuettner A, 831
Kugiyama K, 1177, 2219
Kühl HP, 2083
Kukin M, 1432
Kumada M, 1195
Kumagai K, 2281
Kunichika H, 276
Kunichika N, 276
Kuntz RE, 1110, 1959
Kuo C, 410
Kuramochi Y, 653
Kure J, 2166
Kusuoka H, 224

Labèque J-N, 1283
Lafitte S, 248, 276, 1283
Lagerqvist B, 585
Lahav J, 966
Lai AC, 858
Lai S, 606
Lakatta EG, 187, 1388
Laks H, 113
Lamas GA, 1617, 2015, 2066
Lamblin N, 1584
Lampert R, 2293
Lan Y-T, 113
Lancel S, 2348
Lancey RA, 557
Lang RM, 1412, 2091
Lansky AJ, 1348, 1368, 1780
Lanzani C, 265
Laplace G, 1283
Larman M, 2028
LaTarte M, 2166
Latchman D, 865
Latini R, 1646, 2022
Lau C-P, 1122
Lauer MS, 925, 1445
Lavie CJ, 1056
Law RE, 1698
Lawrence K, 865
Le Jemtel TH, 1432
Leano R, 848, 1248
Leber AW, 1241
Lee CW, 474
Lee D, 542
Lee KL, 1617, 2066
Lee P-C, 1639, 2300
Lee P-Y, 1122
Lee V-V, 742
Leenhardt A, 1853
Lehner T, 1690
Lehtonen LA, 2177
Leinbach RC, 287
Lekakis J, 1075
Lemos PA, 704, 1954, 2225, 2265
Lendeckel U, 2363
Lensing AWA, 2183
Leon MB, 698, 1118, 1348, 1959
Leong-Poi H, 1807
Leppäluoto J, 757
Lerman A, 1335
Lettieri B, 1992
Leuchte HH, 764
Lev EI, 966
Levai L, 2160
Levi DS, 310
Levin A, 1606
Levy D, 749
Lew DC, 1943
Lewis BS, 346
Lewis EF, 151, 794, 2015
Li J, 2314
Li Y-G, 47
Liao JK, 1132
Lieber EA, 1217
Lietz K, 1553
Lim Y-J, 55
Lima JAC, 1291
Limacher MC, 1532
Lin Y-J, 1639, 2300
Lincoff AM, 542
Lindahl B, 585
Linden MD, 2319
Lindgren KS, 757
Lindner JR, 461, 1814
Link MS, 2066
Linz PE, 1503
Lip GYH, 152, 423, 1134, 2075
Little WC, 928
Litzler PY, 698
Liu BC, 742
Liu P, 1103
Liu T-Y, 1639, 2300
Liu Y-H, 1473
Lock JE, 1068
Lock K, 1257
Logeart D, 635
Loh E, 61
London GM, 92
Long JW, 1574
Lonn E, 2200
López B, 2028
Lopez JA, 742
Lotfi M, 337, 2153
Lowe AM, 1432
Ludwig J, 842
Lundberg JL, 179
Lupoglazoff J-M, 826
Luz PL, 1743
Lytle BW, 1445

Macaya C, 1964, 2091
Macdonald JE, 155
Mackie K, 337
Mackintosh AF, 1453
MacLellan WR, 642
MacLeod B, 1276
MacNeill B, 842
Macrì G, 2000
Madani M, 1873
Madani MM, 133
MADIT-II Investigators, 1459
Maeda K, 2116
Maeda N, 1195
Maekawa Y, 125
Maggioni AP, 1646
Magi A, 2200
Mahaffey KW, 2153
Mahara K, 125
Mahenthiran J, 2314
Mahmud E, 133, 684
Mahomed Y, 1383
Mahoney DW, 599
Maisel AS, 1873
Majmundar H, 213
Majumdar SR, 1738
Mäkikallio TH, 757
Malagutti P, 2000
Malmberg K, 585
Mancini D, 1432
Mancini DM, 1553
Mancini GBJ, 624
Manginas A, 649
Manhapra A, 924
Manios EG, 1013
Mankad S, 2009
Mannarino E, 1817
Mannhalter C, 950
Mano T, 55
Manolio TA, 187, 2207
Mansi IA, 1133
Maranhão RC, 2225
Marcello SR, 1211
March KL, 1383, 2314
Marchesi S, 1817
Marchlinski FE, 1861
Marcovitz PA, 169
Marechal X, 2348
Marie P-Y, 353
Marin F, 152
Marino EK, 187, 2207
MARISA Investigators, 1375
Mark DB, 576
Markomihelakis N, 1075
Marrouche NF, 1004, 1715
Marshall J, 1542
Martensen J, 831
Martin DO, 1004, 1715
Martin ET, 1315
Martin M, 416
Martin R, 1868
Martinez EM, 1743
Martinoff S, 734
Martín-Ventura JL, 1188
Maruyama K, 224
Marwick TH, 616, 848, 1248, 2102
Mary DASG, 1453
Maseri A, 2305
Mason C, 179
Masoudi FA, 436, 1517
Massel D, 1926
Massie BM, 61
Massumi A, 742
Mastrorilli F, 2000
Masuyama T, 55, 1799
Matsumoto S, 1195
Matsumura T, 1925
Matsuzawa Y, 1195
Mattos LA, 1118
Maurer M, 1432
Mavrikakis M, 1075
Mavrogeni S, 649
Mazzone A, 1670
McAlister FA, 1738
McCarthy PM, 1565
McCrohon J, 1248
McCullough PA, 924
McCully RB, 599, 2242
McFadden E, 704, 1584, 1954
McFadden EP, 2265
McGiffin DC, 1973
McKenzie J, 2044
McLean D, 2166
McMurray J, 317
McPherson CA, 2293
McPherson DD, 453
Meaney JFM, 1453
Mega S, 35
Mehilli J, 734
Mehra MR, 806, 1056, 1145, 1590
Mehran R, 1118, 1348, 1368, 1780
Mehta RH, 665, 1765, 2166
Meier-Ewert HK, 678
Meisner C, 831
Meisner JS, 1432
Melin JA, 257
Meluzin J, 1375
Mendoza CE, 713
Merli E, 2000
Mertens L, 107
Mertes PM, 353
Merz CNB, 2009
Messerli FH, 1343
Messineo F, 1432
Metter EJ, 1388
Meuwissen M, 534
Meyer T, 1399
Michel J-B, 152
Michelson AD, 2319
Middledauff HR, 1724
Milani RV, 505, 1056
Milei J, 2329
Miller TD, 194
Milliez P, 1853
Minar E, 950
Minshall S, 1542
Minson CT, 2147
Mintz GS, 1348
Miró J, 1677
Mishima M, 55
Misra V, 1973
Misu K, 1925
Mitamura H, 1090
Mitchell J, 1432
Mitchell MI, 2150
Miura F, 818
Miyagawa M, 1690
Miyamoto MI, 213
Miyamoto S, 1880
Miyatake K, 1299
Miyauchi T, 1481
Miyazaki C, 368
Miyoshi S, 1090
Mizsei G, 464
Mlekusch W, 950
Moainie SL, 377
Moe GW, 68
Moe RM, 2142
Mohacsi P, 1423
Moher D, 1135
Mohiddin SA, 1133
Mokdad AH, 1791
Møller JE, 360
Mollet NR, 2265
Möllmann H, 2191
Monassier JP, 2160
Montalescot G, 162
Montorfano M, 1154
Montoye CK, 2166
Moon JCC, 2260
Moore JW, 310
Moore SA, 1574
Morady F, 2057
Mordon S, 2348
Morehead A, 416
Morello AP III, 213
Moreno M, 1654
Moreno R, 1964
Morgan C, 1228
Morice M-C, 943
Morino Y, 1959
Morrow DA, 1170
Morrow J, 629
Mosca L, 900
Moses J, 1118
Moses JW, 1348, 1959
Moskowitz R, 1432
Moss AJ, 1459
MOST Study Investigators, 1617, 2066
Motta MS, 393
Mottram PM, 848
Moyé LA, 2015
Mudge GH, 151, 794
Mulder KJJ, 534
Muller DC, 1388
Mullington JM, 678
Müllner M, 950
Mulvagh SL, 271
Murohara T, 1034
Murphy SA, 1170
Murray RD, 1217
Musso G, 234
Myers J, 606

Nademanee K, 2044
Nagaraj A, 453
Nagaretani H, 1195
Nagayama M, 1925
Nagayoshi Y, 1880

Nagle DJ, 2166
Najjar SS, 1388
Nakamura M, 2116
Nakamura S, 1177, 2219
Nakamura T, 1195, 1915
Nakano Y, 818
Nakashima H, 2281
Nakatani T, 1299
Nanjee MN, 2233
Narasimhan C, 1149
Nardone DA, 2366
Nasir K, 1843
Natale A, 1004, 1715
Nath J, 405
Naum A, 1027
Nef H, 2191
Negrão CE, 1724
Nekolla S, 734
Nekolla SG, 1027
Nelson C, 1248
Nelson CL, 576
Nelson JJ, 1375
Nelson KE, 1574
Nesbitt S, 1047
Neumann F-J, 734, 2160
Neurohr C, 764
Neviere R, 2348
New G, 1118
New York Heart Failure Consortium, 1432
Newby LK, 2153
Ng W, 1122
Ngarmukos T, 2044
Nguyen AT, 1383
Nguyen N, 1690
Niazi I, 39
Nicholas S, 1698
Nicolosi GL, 1646
Nielsen JC, 2072
Nieman K, 2265
Nienaber CA, 665
Niida S, 818
Nikolaidou P, 649
Nikolaou K, 1241
Nili N, 68
Nishimura T, 224
Nishizawa H, 1195
Noda A, 1034
Nogareda JG, 1606
Noguchi H, 2281
Nohira A, 151
Nohria A, 794
Nohtomi Y, 368
Noll G, 2147
Noon GP, 811
Norhammar A, 585
Nusimovici D, 698
Nykanen DG, 1264

O'Callaghan P, 928
O'Connor CM, 61, 1534, 1550
O'Driscoll G, 1823
Ogata T, 1481
Ogawa H, 1177, 1880, 2219
Ogawa M, 2281
Ogawa S, 125, 653, 1090, 1915
Ogihara T, 1195
Oh JK, 271, 360, 599, 2242
Ohashi K, 1195
Ohishi M, 1195
Ohkubo T, 653
Ohman EM, 542
Ohtaki E, 1925
Ohtsu Y, 1299
Ojito J, 1264
Okamoto Y, 1195
Okamura A, 1799
O'Keefe JH Jr, 2142
Okin PM, 572
Oliveira SA, 1743
Olivier P, 353
Olshansky B, 1201, 2063
Olson MB, 2009
Ommen SR, 360, 1133, 2242
O'Neill CS, 169
O'Neill G, 1201
O'Neill W, 1765
O'Neill WW, 8, 169, 875, 1161, 1368, 1773
Ong ATL, 704
Oota K, 1090
Oral H, 2057
Orav EJ, 2066
Orford JL, 714, 1335
Orlic D, 1154
Ornato JP, 958
O'Rourke MF, 92
Osende JI, 464
Ostermayer S, 302
Otto CM, 176
Ouchi N, 1195
Ozaydin M, 2057
Ozduran V, 1445
Özkan M, 77

Pache J, 734
Pacifico A, 1940
Packer DL, 1236
Packer M, 1423
Palmeri ST, 549
Panchal VR, 1383, 2314
Paolini M, 2000
Papadopoulos G, 649
Pape LA, 665
Parakh K, 1445
Park MH, 806, 1590
Park Y-B, 2097
Parker JO, 1375
Parker MA, 2124
Parmley WW, 1101
Parrini I, 1042
Parvathaneni L, 2314
Pasini E, 865
Pasquet A, 257
Patti G, 35
Pattynama PMT, 2265
Paul KM, 787
Paul P, 1565
Peel GK, 752
Pelkonen PM, 2149
Pellikka PA, 360, 599, 1236, 2242
Pellizzon GG, 1368
Pelosi F Jr, 2057
Peltier M, 257
Penicka M, 85
Penn IM, 1606
Penn MS, 1908
Pennell DJ, 2260
Penny WF, 133
PENTUA Investigators, 2183
Pepine CJ, 313, 711, 891, 1375, 1727, 2009
Pereira JJ, 416
Perez de Isla L, 2091
Perez-Lugones A, 1004
Pérez-Vizcayno MJ, 1964
Perricone A, 133
Perrino C, 1992
Perron J-M, 1283
Peters B, 276
Petersen NJ, 778
Peterson ED, 927, 1517, 2365
Peterson LR, 1399
Petro KR, 752
Petrou M, 2260
Pfeffer MA, 1511, 2015
Phillips RA, 1432
Picano E, 315
Picchio FM, 1886
Piek JJ, 534
Pieroni M, 2305
Pierson RN III, 787
Piette E, 1677
Pignatelli P, 979
Pinderski LJ, 1973
Pirro M, 1817
Pitt B, 1723
Plappert T, 377
Platia E, 1201
Plumb V, 1466
Pohle K, 842
Poldermans D, 2102
Pomerantsev E, 842
Pontes SC Jr, 77
Poornima IG, 194
Popma JJ, 1110
Porcellati C, 1817
Potenza M, 1542
Powell AJ, 1068
Powers A, 1574
Prandstraller D, 1886
Pratt CM, 1211
Pressman GS, 151
Price NJ, 678
Primary Angioplasty in Myocardial Infarction (PAMI) Investigators, 1765
Prior DL, 416
Proschan M, 1396
Prosthetic Valve Thrombolysis-Role of Transesophageal Echocardiography (PRO-TEE) Registry Investigators, 77
Pu M, 592
Puggioni E, 234
Puig LB, 1743
Pulcinelli FM, 979
Pulling CC, 1315

Quan KJ, 994
Querejeta R, 2028
Quinn MJ, 972
Quintella E, 2225

Raatikka M, 2149
Rabbat M, 453
Raboisson M-J, 1677
RACE Study Group, 241
Racz MJ, 557
Raggi P, 1663
Rahimtoola SH, 491
Rahman JE, 410
Raj E, 2166
Rakugi H, 1195
Ramanathan K, 1606
Rame JE, 2207
Ramires JAF, 1743, 2225
Ranchor AV, 241
Randall OS, 1047, 2015
Rasekh A, 742
Rasmusson B, 1574
Rathore SS, 1755
Ratliff NB, 1565
Ravid S, 1132
Raviele A, 1715
Ray WA, 2036
Rayburn B, 1973
Razeghi P, 315
REASON Project Investigators, 92
Reddy NK, 1149
Reder S, 1690
Redington A, 445
Redington AN, 100
Reed E, 2260
Reeder GS, 360
Reeves BC, 1630
Reeves F, 1110
Regan MM, 678
Reginelli JP, 1358, 1596
Rehman J, 1383, 2314
Rehwald WG, 2124
Reichek N, 2113
Reilly M, 985
Reimers B, 943
Reis G, 393
Reis SE, 2009
Reiser M, 1241
Reisman M, 1868
Ren J-F, 1861
Renlund DG, 1574
RESCUT Investigators, 943
Reuter S, 248
Revenaugh J, 1574
Rey J-L, 1853
Rezaei E, 68
Rhoads KL, 2253
Ricchi A, 1992
Ricci DR, 1606
Rich MW, 61
Richards AM, 416
Richenbacher W, 2365
Ridker PM, 678
Rieger T, 831
Rifai N, 629, 678
Riondino S, 979
Rist C, 1241
Ritchie D, 2271
Rizo-Patron C, 2066
Roach D, 2271
Robinson S, 1542
Robinson TI, 1135
Robles de Medina EO, 1137
Rockson SG, 929
Rodriguez D, 592
Rodríguez E, 2091
Rodriguez ER, 410
Roe MT, 549, 1170, 2153
Roecker EB, 1423
Roelandt JRTC, 1489
Roelants V, 257
Roffi M, 1358
Rogers WJ, 2009
Roguin A, 1843
Rojo-Álvarez JL, 1654
Roldán V, 152
Ropers D, 842
Roques X, 1283
Rose EA, 557
Rose S, 1248
Rosenfeld LE, 1201, 2293
Rosenshtraukb LV, 483
Roskamm H, 2160
Ross RS, 1698
Rossillo A, 1004, 1715
Roubin GS, 1118
Roudaut R, 77, 248, 1283
Rouleau JL, 1423, 1511, 2015
Rousseau-Paziaud J, 386
Routledge HC, 1270
Roux E, 925
Roveda F, 1724
Rozenman Y, 1331
Rubartelli P, 943
Rubenstein MH, 287
Rulands D, 2083
Rumsfeld JS, 1517
Ruo B, 429
Rutberg J, 1843
Rutherford BD, 1780
Rutherford JD, 2015
Ruzyllo W, 2183
Ryan TJ, 557
Rydén L, 585

Saad E, 1004
Sabaté M, 1964
Sachar R, 1358
Sachdev M, 576
Sackner-Bernstein JD, 785
Sacks FM, 854
Sadeghi HM, 1161
Safar ME, 92
Sagie A, 77
Saia F, 704, 1954, 2265
Sakai S, 1481
Sakamoto K, 368
Sakamoto T, 1177, 1880, 2219
Sakata Y, 55
Sakoda T, 2337
Saku K, 2281
Salem DN, 1276
Salerno JC, 438
Sales AE, 1517
Saliba W, 1004, 1715
Sampson CH, 213
Sánchez E, 2028
Sanders P, 2290
Sanders WP, 1161
Sandweiss BM, 1068
Sanfilippo AJ, 1135
Sangiorgi G, 24, 1154
Sankey SS, 1473
Santo K, 1630
Santos RD, 2225
Saoudi N, 1010
Sapp JL, 1834
Sapp S, 972
Saravolatz L, 865
Sarnak MJ, 1276
Sasaki S, 1880
Sastry BKS, 1149
Satomi-Kobayashi S, 2337
Savage PJ, 2236
Savoy S, 2166
Sawada S, 2102
Sbrana S, 1670
Scapa E, 966
Scarabelli T, 865
Schaefer S, 1515
Schäfer W, 2083
Schaff HV, 271
Schampaert E, 1110

Schaper J, 2191
Scharf C, 2057
Schechtman KB, 1399
Scherhag A, 1423
Scherpereel A, 2348
Schillaci G, 1817
Schillinger M, 950
Schimpf R, 1494
Schinkel AFL, 1489
Schlüter M, 1110
Schmidt MR, 445
Schnee J, 1698
Schoebel W, 831
Schoenhagen P, 1445
Schofer J, 943
Schömig A, 734
Schotborgh CE, 534
Schouten EG, 565
Schreckenberg M, 2083
Schroeder JS, 1034
Schroeder S, 831
Schron E, 1617
Schühlen H, 734
Schulman KA, 6
Schulz-Menger J, 2148
Schummers G, 2083
Schwab M, 2044
Schwaiblmair M, 764
Schwaiger M, 734, 1690
Schwartz PJ, 1211
Schweikert R, 1004, 1715
Sciacca RR, 1828
Scott RL, 806, 1590
Scuteri A, 187, 1388
Sebagh L, 698
Sehhat K, 1432
Seibæk M, 771
Seidelin PH, 337
Seimenis I, 649
Selbmann H-K, 831
Selwyn AP, 629, 1834
Sen S, 295
Senashova O, 1625
Senior R, 2247
Serruys PW, 670, 704, 1954, 2265
Seyfarth M, 734
Shaddinger DE, 1943
Shah N, 713
Shah PM, 1725
Shah R, 958
Shahid MSA, 77
Shaikh AZ, 1943
Shaikholeslami R, 2200
Sharaf BL, 2009
Sharifov OF, 483
Sharma A, 1201
Sharrif S, 2166
Shaw LJ, 213, 1663
Shekelle PG, 1019
Sheldon R, 2271
Shellock FG, 1315
Sheppard MN, 2260
Shesely EG, 1473
Shimada K, 18
Shimomura H, 1880
Shingu T, 818
Shioji I, 1880
Short L, 616
Shou M, 474
Shoukri M, 1062
Shuros A, 295
Siafarikas A, 1823
Sianos G, 704, 1954
Sidi D, 1082
Sievert H, 302
Sigler B, 1542
Silber S, 943
Silva J, 1654
Silver M, 1617
Simantirakis EN, 234, 1013
Simmons T, 39
Simões MV, 1690
Simon F, 826
Simoons ML, 2183
Sinclair N, 1943
Singer I, 39
Singh KP, 2153
Singh SN, 1211
Singhi SJ, 1943
Sipido K, 691
SIRIUS Investigators, 1959
Siscovick DS, 2207
Siu SC, 1807, 1894
Skali H, 2015
Sketch MH Jr, 2153
Skettino SL, 1375
Sklenar J, 1814
Skopicki HA, 785
Skorcz S, 2166
Skwara W, 2191
Skyba DM, 1807
Sleeper LA, 1432
Sloggett C, 1807
Smallhorn JF, 1902
Smerup M, 445
Smiseth OA, 691
Smith DE, 665
Smith KM, 2009
Smith NL, 2236
Smith PA, 1453
Smits PC, 704, 1954
Snyder D, 1228
Soares PR, 1743
Soejima H, 1177, 1880
Soejima K, 1834
Sohn D-W, 2097
Sol JM, 1188
Solal AC, 635
Soldati E, 234
Solomon AJ, 1201
Solomon SD, 1511, 2015
Solum NO, 2326
Soma Raju B, 1149
Soni A, 1432
Sonntag S, 2177
Sonoda S, 1959
Sopko G, 2009
Sorajja P, 1133
Sørensen K, 445
Souchek J, 778
Soudan B, 1584
Soukhomovskaia O, 2000
Soulat T, 162
Sousa AGMR, 1118
Sousa JE, 1118
Souther J, 1943
Souza SF, 393
Specchia S, 1886
Spencer KT, 1412
Sperner-Unterweger B, 1132
Spevak PJ, 1843
Spin JM, 606
Sposito AC, 2225
St. John-Sutton MG, 377
Stabile E, 474
Staico R, 1118
Stainback RF, 77
Stamatelopoulos K, 1075
Stamou SC, 752
Stankovic G, 1154
Stark PC, 1276
Starling RC, 416, 1565
Staszewsky L, 2022
Steg PG, 691
Steinbeck G, 1241
Steinberg JS, 1001
Steingart R, 1432
Stella P, 265
Stephanou A, 865
Stetson SJ, 811
Stevens LA, 1606
Stevenson LW, 61, 151, 794, 1019
Stevenson WG, 1834
Stoker JB, 1453
Stolen KQ, 1027
Stone GW, 1348, 1368, 1765, 1773, 1780, 1927
STOPAMI-3 Study Investigators, 734
Storti S, 1670
Strauss BH, 68
Strom BL, 985
Struthers AD, 155
Stuckey T, 1368
Stürzenhofecker P, 2160
Subramanian VA, 557
Suda K, 1677
Sueda T, 818
Sugeng L, 1412, 2091
Sugiyama S, 1177, 1880, 2219
Sullivan B, 2200
Sumitsuji S, 1195
Sumiyoshi T, 1925
Sun JL, 576
Sun S, 1228
Sundberg S, 2177
Sundell J, 1027
Sunsaneewitayakul B, 2044
Suryapranata H, 1363
Swedberg K, 317
Swissa M, 858

Tabata T, 926
Taegtmeyer H, 315
Tai C-T, 1639, 2300
Tajik AJ, 271
Takahashi T, 125
Takanashi M, 1481
Takenaka S, 818
Taketazu M, 1902
Takeuchi M, 368
Tallaj J, 1973
Tam SCF, 120
Tanabe K, 1954
Tanaka A, 18
Tanaka K, 1799, 1925
Tandri H, 1843
Tang W, 1228
Tang WHW, 542
Tanganelli P, 1670
Tanimoto K, 1090
Tanser P, 2200
Tapanainen JM, 757
Tatum JL, 958
Tavazzi L, 1646
Taylor AJ, 2108
Tcheng JE, 1331, 1368, 1780
Tchou P, 39
Temm CJ, 2314
Temporelli PL, 1646
ten Berg JM, 27
ten Cate FJ, 27, 670, 1489
Tendera M, 1423
Terashima M, 1959
Thabut G, 635
Thadhani R, 77
Thambidorai SK, 1445
Themistoclakis S, 1715
Théroux P, 1982
Thomas D, 162
Thomas GS, 213
Thomas JD, 416, 592, 1908, 2102
Thomas JJ, 213
Thomas SA, 1542
Thompson RE, 410
Thornton PL, 1333
Tichnell C, 1843
Tighiouart H, 1276
Tijssen JGP, 241, 534
TIMI Study Group, 1170
Timmis GC, 8
Tinckam KJ, 1606
Ting C-T, 2300
Tissier S, 2348
Title LM, 1110
Titus JL, 1625
Tizzoni L, 265
Tobar A, 966
Toh R, 2337
Tohbaru T, 1925
Tomasi C, 234
Tomita S, 1299
Tong AT, 77
Topol EJ, 542, 936, 972, 1332, 1908
Torp-Pedersen C, 771
Torre-Amione G, 811
Towbin JA, 811
Townend JN, 1270
Townsend P, 865
Trabold T, 831
Traboulsi M, 1110
Tracy R, 2236
Tran PT, 1625
Trepels T, 302
Trinchero R, 1042
Trollinger K, 549
Tron C, 698
Troncone G, 1992
Troughton RW, 416
Tsang SW, 151, 794
Tse H-F, 1122
Tsiatis AA, 576
Tsimikas S, 133
Tsuchihashi Z, 854
Tsujita K, 1880
Tulppo M, 2278
Tulua-Tata A, 1873
Turco M, 1368, 1780
Turco MA, 1943
Turek MA, 1135
Turrentine MW, 1383
Tuzcu EM, 1565
Twisk JWR, 27

Uber PA, 806, 1590
Uchikoba Y, 653
Udelson JE, 2108
Uematsu M, 1724
Ueyama T, 2337
Umans VAWM, 2183
Umemura J, 1925
Underwood D, 592
Unzek S, 1908

Vahanian A, 386, 2183
Valantine HA, 1034
Valgimigli M, 2000
Van de Werf F, 542, 2183
van der Giessen WJ, 704, 1954
van der Steen AFW, 670
van Dockum WG, 27
van Domburg RT, 704, 1954
van Rossum AC, 27
Van Sonderen E, 241
Vancraeynest D, 257
Vanoverschelde J-LJ, 257
van't Hof AWJ, 1363
Vardakis KE, 1013
Vardas P, 234
Vardas PE, 1013
Varshneya N, 1432
Vasavakul T, 2044
Vatta M, 811
Vaudo G, 1817
Veerareddy S, 2057
Ventura HO, 806, 1590
Verdun A, 2160
Verma A, 1004, 1715
Vernalis MN, 1503
Vetrovec GW, 1355
Vicaut E, 162
Villain E, 826
Villareal RP, 742
Vinagre CGC, 2225
Violi F, 979
Virani S, 713
Virmani R, 287
Vishnupad P, 854
Visser CA, 27
Vittorini S, 1670
Vletter WB, 1489
Vogel M, 100, 445
Vogel R, 2142
Vogeser M, 764
Vogt AM, 2191
Volpp KGM, 1755
von Hodenberg E, 2160
Vos J, 27
Voskuil M, 534
Vuolteenaho O, 757

Waggoner AD, 1399
Wagner O, 950
Waldo AL, 53
Walker F, 1894
Wallentin L, 585
Wang W, 1375, 1698
Wang Y, 61
Ward RP, 1412
Warner AL, 1201
Warnick D, 453
Watanabe M, 653
Watanabe T, 2116
Waters RE II, 2153
Watson DD, 209
Watts A, 1625
Watts K, 1823
Wazni O, 1004, 1715
Webb GD, 1892, 1894

Weber T, 713
Weil MH, 1228
Weinberg SL, 731
Weiner DE, 1276
Weinert L, 1412, 2091
Weinrauch LA, 1614
Weintraub WS, 1217
Werner P, 2166
Wessel TR, 2009
Wetterling R, 179
Wever EFD, 1137
Weyman AE, 140
Wharton M, 1466
Wharton TP Jr, 1943
White C, 1241
White P, 445
White PA, 100
Wickline SA, 1185
Wicky S, 842
Wijns W, 85
Wilcox R, 542
Williams-Andrews M, 1004
Wilson GJ, 1902
Wilson JM, 742
Wilson JR, 787
Wilson SH, 714
Wilson W, 2271
Wirleitner B, 1132
Witztum JL, 629
Wolff AA, 1375
Wolk MJ, 1328, 1721
Wolpert C, 1494
Wong BJ, 2147
Wong M, 2022
Wong ND, 1797
Wong T, 1412
Wood DL, 507
Woods S, 1894
Wray NP, 778
Wright JT Jr, 1047
Wright RS, 360
Wright SD, 464
Wu HD, 1828

Xiao Z, 1982

Yadav JS, 1358, 1596
Yamaguchi H, 55
Yamaguchi I, 1481
Yamamoto K, 55
Yamani MH, 1565
Yamazaki T, 606
Yandle TG, 416
Yang H, 592
Yang X-P, 1473
Yano A, 1799
Yasuda T, 2281
Yasunari K, 2116
Yerkey MW, 1161
Yeung AC, 1763
Yi Q, 2200
Ylitalo A, 1027
Yock PG, 1959
Yokota M, 1034
Yokoyama M, 2337
Yoshida J, 55
Yoshikawa J, 18, 368, 2116
Yoshikawa T, 125, 1090
Yoshimura M, 1177, 1880, 2219
Yoshitani H, 368
Yoshiyama M, 18
Yoshizumi M, 818
Yotti R, 1654
Young JB, 61, 416, 1565
Young-Xu Y, 1132
Yousufuddin M, 1565
Yu EHC, 1807
Yuda S, 848
Yung T-c, 120
Yuniadi Y, 1639
Yushmanova AV, 483
Yusuf S, 2200
Yutani C, 1299

Zadan E, 302
Zahn EM, 1264
Zamorano J, 2091
Zannad F, 353
Zardi DM, 35
Zardi EM, 35
Zerba KE, 854
Zeymer U, 2183
Zhou S, 858
Zhou Z, 1625
Ziegler F, 1241
Ziegler S, 1690
Zijlstra F, 1363
Zipes DP, 1306
Zoghbi GJ, 1973
Zoghbi WA, 77
Zwinderman AH, 854

Journal of the American College of Cardiology
© 2004 by the American College of Cardiology Foundation
Published by Elsevier Inc.

Vol. 43, No. 12, 2004
ISSN 0735-1097/04/$30.00

Subject Index: Volume 43

Ablation
See also Surgery
Ablation for atrial fibrillation: are cures really achieved, 1940
Catheter ablation of atrial fibrillation: what is the best technique for achieving a high cure rate with acceptable risk?, 2054
Characteristics of virtual unipolar electrograms for detecting isthmus block during radiofrequency ablation of typical atrial flutter, 2300
Combining ablation of atrial fibrillation with atrial flutter: are we there yet?, 2063
Endocardial and epicardial radiofrequency ablation of ventricular tachycardia associated with dilated cardiomyopathy, 1834
Functional characterization of the crista terminalis in patients with atrial flutter: implications for radiofrequency ablation, 1639
Left atrial thrombus associated with ablation for atrial fibrillation: identification with intracardiac echocardiography, 1861
Mode of initiation and ablation of ventricular fibrillation storms in patients with ischemic cardiomyopathy, 1715
New approach for catheter ablation of atrial fibrillation: mapping of the electrophysiological substrate, 2044
Radiofrequency catheter ablation of type 1 atrial flutter using large-tip 8- or 10-mm electrode catheters and a high-output radiofrequency energy generator, 1466
ACC News
Convocation address: put your heart into ACC fellowship: a vision for growth and achievement, 1328
Newly elected members of the college, 922
President's page: continuing investment in "state-of-the-art" physician education—an ACCF program of high net worth, 313
President's page: fellow physicians: read, respond, repeat, 891
President's page: members' benevolence stretches the ACC mission well beyond U.S. borders, 711
President's Page: Strategic framework: how does the ACC meet its members' needs? Demonstrating how college processes generate organizational plans and decisions, 2361
President's page: strengthening our house of cardiology, 1721
Actin polymerization
Release of soluble CD40 ligand from platelets is regulated by GP IIb/IIIa and actin polymerization, 2319
Acute coronary syndromes
Administration of eptifibatide to acute coronary syndrome patients receiving enoxaparin or unfractionated heparin, 966
Aspirin dose and six-month outcome after an acute coronary syndrome, 972
Clopidogrel inhibits platelet-leukocyte interactions and TRAP-induced platelet activation in patients with an acute coronary syndrome, 1982
Dose finding study of fondaparinux in patients with non ST-segment elevation acute coronary syndromes: the PENTUA study, 2183
Implication of different cardiac troponin I levels for clinical outcomes and prognosis of acute chest pain patients, 958
Importance of increasing age on the presentation and outcome of acute coronary syndromes in elderly patients, 346
Severe ostial saphenous vein graft disease leading to acute coronary syndromes following proximal aorto-saphenous anastomoses with the Symmetry Bypass Connector device, 133
Year in interventional cardiology, 875
Acute myocardial infarction
See Myocardial infarction
Adamantiades-Behcet's disease
Aortic elastic properties and left ventricular diastolic function in patients with Adamantiades-Behcet's disease, 1075
Adiponectin I164T
Adiponectin I164T mutation is associated with the metabolic syndrome and coronary artery disease, 1195
Adiposity
Exercise training normalizes vascular dysfunction and improves central adiposity in obese adolescents, 1823
Adolescents
Exercise training normalizes vascular dysfunction and improves central adiposity in obese adolescents, 1823
Long-term outcome (up to 15 years) of balloon angioplasty of discrete native coarctation of the aorta in adolescents and adults, 1062
Adrenergic stimulation
Roles of adrenergic and cholinergic stimulation in spontaneous atrial fibrillation in dogs, 483
African Americans
See also Race
Cardiovascular risk reduction in hypertensive black patients with left ventricular hypertrophy, 1047
Heart rate-corrected QT interval prolongation predicts risk of coronary heart disease in black and white middle-aged men and women, 565
High lipoprotein(a) levels and small apolipoprotein(a) sizes are associated with endothelial dysfunction in a multiethnic cohort, 1828
Racial variation in the prevalence of atrial fibrillation among patients with heart failure, 429
What we're talking about when we talk about race (editorial), 436
Age
See also Elderly
Influence of age, gender, and race on the prevalence of depression in heart failure patients, 1542
Akinesia
Akinesia becoming dyskinesia after exercise testing: prevalence and relationship to clinical outcome, 599
Alcohol
Alcohol consumption and prognosis in patients with left ventricular systolic dysfunction after a myocardial infarction, 2015
Aldosterone
Acute aldosterone antagonism improves cardiac vagal control in humans, 1270
Aldosterone synthase gene
Association between aldosterone synthase (CYP11B2) polymorphism and left ventricular mass in human essential hypertension, 265
Allograft vasculopathy
Impact of mode of donor brain death on cardiac allograft vasculopathy, 806
Palliation of allograft vasculopathy with transluminal angioplasty: a decade of experience, 1973
Allografts
Outcomes in cardiac transplant recipients using allografts from older donors versus mortality on the transplant waiting list, 1553
Amlodipine
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116
Amplatzer septal occluder
Device closure of muscular ventricular septal defects using the Amplatzer muscular ventricular septal defect occluder, 1257
Reversible atrioventricular block associated with closure of atrial septal defects using the Amplatzer device, 1677
Amyloidosis
Noninvasive diagnosis of biopsy-proven cardiac amyloidosis, 410
Anastomoses
Severe ostial saphenous vein graft disease leading to acute coronary syndromes following proximal aorto-saphenous anastomoses with the Symmetry Bypass Connector device, 133
Angina pectoris
Angina pectoris prior to myocardial infarction protects against subsequent left ventricular remodeling, 1511
Anti-ischemic effects and long-term survival during ranolazine monotherapy in patients with chronic severe angina, 1375
Impaired intravascular triglyceride lipolysis constitutes a marker of clinical outcome in patients with stable angina under secondary prevention treatment: a long-term follow-up, 2225
Multislice spiral CT coronary angiography in patients with stable angina pectoris, 2265
Angiogenesis
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299
Powerful and controllable angiogenesis by using gene-modified cells expressing human hepatocyte growth factor and thymidine kinase, 1915
Angiogenic cells
Exercise acutely increases circulating endothelial progenitor cells and monocyte/macrophage derived angiogenic cells, 2314
Angiography
See also Coronary angiography; Magnetic resonance angiography, 831
Diagnostic accuracy of multidetector computed tomography coronary angiography in patients with angiographically proven coronary artery disease, 831
Do we have a gold standard yet? (editorial), 662
Magnetic resonance angiography is equivalent to x-ray coronary angiography for the evaluation of coronary arteries in Kawasaki disease, 649

Angioplasty
See also Balloon angioplasty; Percutaneous transluminal coronary angioplasty; Primary angioplasty
Impact of delays to cardiac surgery after failed angioplasty and stenting, 337
Importance of mitral regurgitation in patients undergoing percutaneous coronary intervention for acute myocardial infarction, 1368
Preprocedural TIMI flow and mortality in patients with acute myocardial infarction treated by primary angioplasty, 1363
Primary angioplasty in acute myocardial infarction at hospitals with no surgery on-site (PAMI No SOS) versus transfer to surgical centers for primary angioplasty, 1943
Surgery, angioplasty, or medical therapy for symptomatic multivessel coronary artery disease (editorial), 1752
Angiopoietin-1
Plasma angiopoietin-1, angiopoietin-2, and angiopoietin receptor tie-2 levels in congestive heart failure, 423
Angiopoietin-2
Plasma angiopoietin-1, angiopoietin-2, and angiopoietin receptor tie-2 levels in congestive heart failure, 423
Angiopoietin receptor tie-2
Plasma angiopoietin-1, angiopoietin-2, and angiopoietin receptor tie-2 levels in congestive heart failure, 423
Angiotensin II
Cerebroprotection mediated by angiotensin II, 1343
Osteopontin modulates angiotensin II-induced fibrosis in the intact murine heart, 1698
Angiotensin II receptors
Angiotensin II receptors from peritransplantation through first-year post-transplantation and the risk of transplant coronary artery disease, 1565
Expression of angiotensin II receptors in human left and right atrial tissue in atrial fibrillation with and without underlying mitral valve disease (letter), 2363
Role of angiotensin II type 2 receptors and kinins in the cardioprotective effect of angiotensin II type 1 receptor antagonists in rats with heart failure, 1473
Angiotensin receptor blocker
Angiotensin receptor blockade improves myocardial beta-adrenergic receptor signaling in postinfarction left ventricular remodeling, 125
Angiotensin-converting enzyme inhibitors
Angiotensin-converting enzyme inhibitors, beta-blockers, and mortality in systolic heart failure (letter), 1333
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92
Outpatient utilization of angiotensin converting enzyme inhibitors among heart failure patients after hospital discharge, 2036
Animal models
See also Porcine models; Murine models
Autoimmunity against the second extracellular loop of the $beta_1$-adrenergic receptors induces early afterdepolarization and decreases in K-channel density in rabbits, 1090
Long-term subthreshold electrical stimulation of the left stellate ganglion and a canine model of sudden cardiac death, 858
Roles of adrenergic and cholinergic stimulation in spontaneous atrial fibrillation in dogs, 483
Anterior fat pad
Preservation of the anterior fat pad paradoxically decreases the incidence of postoperative atrial fibrillation in humans, 994
Antiarrhythmic drugs
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39
Filling the need for new antiarrhythmic drugs to prevent shocks from implantable cardioverter defibrillators (editorial), 44
Anticoagulation
See also Aspirin; Heparin
Comparing the guidelines: anticoagulation therapy to optimize stroke prevention in patients with atrial fibrillation, 929
Antioxidants
Long-term effect of combined vitamins E and C on coronary and peripheral endothelial function, 629
Aortic dissection
Characterizing the young patient with aortic dissection: from the International Registry of Aortic Dissection (IRAD), 665
Aortic elastance
Aortic elastic properties and left ventricular diastolic function in patients with Adamantiades-Behcet's disease, 1075
Aortic regurgitation
Year in valvular heart disease, 491
Aortic sclerosis
Adverse outcomes in aortic sclerosis is associated with coronary artery disease and inflammation, 169
Why is aortic sclerosis associated with adverse clinical outcomes? (editorial), 176
Aortic stenosis
Early experience with percutaneous transcatheter implantation of heart valve prosthesis for the treatment of end-stage inoperable patients with calcific aortic stenosis, 698
Magnetic resonance to assess the aortic valve area in aortic stenosis (letter), 2148
Neoangiogenesis, T-lymphocyte infiltration, and heat shock protein-60 are biological hallmarks of an immunomediated inflammatory process in end-stage calcified aortic valve stenosis, 1670
Aortic valve area
Magnetic resonance to assess the aortic valve area in aortic stenosis (letter), 2148
Aorto-saphenous anastomoses
Severe ostial saphenous vein graft disease leading to acute coronary syndromes following proximal aorto-saphenous anastomoses with the Symmetry Bypass Connector device, 133
Apolipoprotein(a)
High lipoprotein(a) levels and small apolipoprotein(a) sizes are associated with endothelial dysfunction in a multiethnic cohort, 1828
Apoptosis
Human hibernating myocardium is jeopardized by apoptotic and autophagic cell death, 2191
Long-term caspase inhibition ameliorates apoptosis, reduces myocardial troponin-I cleavage, protects left ventricular function, and attenuates remodeling in rats with myocardial infarction, 295
Arrhythmias
See also Atrial fibrillation; Atrial flutter; Ventricular fibrillation; Ventricular tachycardia
Effects of biphasic waveform design on post-resuscitation myocardial function, 1228
Gender differences in ventricular arrhythmias in patients with coronary artery disease and implantable cardioverter-defibrillators, 2293
Prognostic significance of exercise-induced atrial arrhythmias, 1236
The year in congenital heart disease, 2132
Arrhythmogenic right ventricular dysplasia/cardiomyopathy
Histologic findings in patients with clinical and instrumental diagnosis of sporadic arrhythmogenic right ventricular dysplasia, 2305
Implantable cardioverter-defibrillators in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 1843
Arterial duct
Stenting the neonatal arterial duct in duct-dependent pulmonary circulation: new techniques, better results, 107
Arterial hypertrophy
Prevalence of specific variant carotid geometric patterns and incidence of cardiovascular events in older persons, 187
Arteriography
Association of a pulsatile blood flow pattern on coronary arteriography and short-term clinical outcomes in acute myocardial infarction, 1170
Aspirin
Aspirin dose and six-month outcome after an acute coronary syndrome, 972
Aspirin resistance: more than just a laboratory curiosity (editorial), 1127
Aspirin resistance is associated with a high incidence of myonecrosis after non-urgent percutaneous coronary intervention despite clopidogrel pretreatment, 1122
Case for an adverse interaction between aspirin and non-steroidal anti-inflammatory drugs (editorial), 991
Effects of nonselective non-aspirin non-steroidal anti-inflammatory medications on the risk of nonfatal myocardial infarction and their interaction with aspirin, 985
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162
Inhibition of platelet aggregation by aspirin progressively decreases in long-term treated patients, 979
Optimal suppression of thromboxane A_2 formation by aspirin during percutaneous transluminal coronary angioplasty: no additional effect of a selective cyclooxygenase-2 inhibitor, 526
Randomized trial of aspirin on the risk of embolic events in patients with infective endocarditis (letter), 1134
Therapeutic failure or resistance to aspirin (letter), 1332
Atenolol
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92
Atherectomy
Meta-analysis of randomized trials of percutaneous transluminal coronary angioplasty versus atherectomy, cutting balloon atherotomy, or laser angioplasty, 936
Atheroma
Intravascular ultrasound molecular imaging of atheroma components in vivo, 453
Atherosclerosis
See also Coronary artery disease

Accuracy of multidetector spiral computed tomography in identifying and differentiating the composition of coronary atherosclerotic plaques, 1241
Assessment of coronary remodeling in stenotic and nonstenotic coronary atherosclerotic lesions by multidetector spiral computed tomography, 842
Decreased circulating Fas ligand in patients with familial combined hyperlipidemia or carotid atherosclerosis, 1188
Echolucent carotid plaques predict future coronary events in patients with coronary artery disease, 1177
Plaque characterization: surrogate markers or the real thing? (editorial), 1185
Selective peroxisomal proliferator-activated receptor-gamma agonist has an additive effect on plaque regression in combination with simvastatin in experimental atherosclerosis, 464
Visualizing coronary atherosclerosis in vivo: thinking big, imaging small (editorial), 461

Atria
See also Left atrium; Right atrium
Cardiac atria are chambers of active remodeling and dynamic collagen turnover during evolving heart failure, 68

Atrial ectopic tachycardia
Clinical course of atrial ectopic tachycardia is age-dependent: results and treatment in children 3 or 3 years of age, 438

Atrial ectopy
Prognostic significance of exercise-induced atrial arrhythmias, 1236

Atrial fibrillation
Ablation for atrial fibrillation: are cures really achieved, 1940
Acute comparative effect of right and left ventricular pacing in patients with permanent atrial fibrillation, 234
Atrial Fibrillation Follow-up Investigation of Rhythm Management (AFFIRM) study, 1201
Catheter ablation of atrial fibrillation: what is the best technique for achieving a high cure rate with acceptable risk?, 2054
Clinical significance of inducible atrial flutter during pulmonary vein isolation in patients with atrial fibrillation, 2057
Combining ablation of atrial fibrillation with atrial flutter: are we there yet?, 2063
Comparing the guidelines: anticoagulation therapy to optimize stroke prevention in patients with atrial fibrillation, 929
Economic analysis of a transesophageal echocardiography-guided approach to cardioversion of patients with atrial fibrillation, 1217
Economic implications of transesophageal echocardiography-guided cardioversion of atrial fibrillation (editorial), 1225
Effect of rate or rhythm control on quality of life in persistent atrial fibrillation, 241
Efficacy of azimilide in the treatment of atrial fibrillation in the presence of left ventricular systolic dysfunction, 1211
Expression of angiotensin II receptors in human left and right atrial tissue in atrial fibrillation with and without underlying mitral valve disease (letter), 2363
Impact of asymptomatic atrial fibrillation (editorial), 53
Left atrial thrombus associated with ablation for atrial fibrillation: identification with intracardiac echocardiography, 1861
Left ventricular mechanics during right ventricular apical or left ventricular-based pacing in patients with chronic atrial fibrillation after atrioventricular junction ablation, 1013
Long-term risk of recurrent atrial fibrillation as documented by an implantable monitoring device, 47
Matrix metalloproteinase-9 contributes to human atrial remodeling during atrial fibrillation, 818
Matrix metalloproteinases in atrial fibrillation (letter), 152
New approach for catheter ablation of atrial fibrillation: mapping of the electrophysiological substrate, 2044
Postoperative atrial fibrillation: a billion-dollar problem (editorial), 1001
Postoperative atrial fibrillation and mortality: do the risks merit changes in clinical practice? (editorial), 749
Postoperative atrial fibrillation and mortality after coronary artery bypass surgery, 742
Preservation of the anterior fat pad paradoxically decreases the incidence of postoperative atrial fibrillation in humans, 994
Pulmonary vein isolation for atrial fibrillation in low ejection fraction patients: the market is growing (editorial), 1010
Pulmonary vein isolation for the treatment of atrial fibrillation in patients with impaired systolic function, 1004
Pulmonary veins in the substrate for atrial fibrillation: the "venous wave" hypothesis (editorial), 2290
Racial variation in the prevalence of atrial fibrillation among patients with heart failure, 429
Relationship of interleukin-6 and C-reactive protein to the prothrombotic state in chronic atrial fibrillation, 2075
Roles of adrenergic and cholinergic stimulation in spontaneous atrial fibrillation in dogs, 483
You only get so many heartbeats. . . (editorial), 1209

Atrial flutter
Characteristics of virtual unipolar electrograms for detecting isthmus block during radiofrequency ablation of typical atrial flutter, 2300
Clinical significance of inducible atrial flutter during pulmonary vein isolation in patients with atrial fibrillation, 2057
Combining ablation of atrial fibrillation with atrial flutter: are we there yet?, 2063
Functional characterization of the crista terminalis in patients with atrial flutter: implications for radiofrequency ablation, 1639
Radiofrequency catheter ablation of type 1 atrial flutter using large-tip 8- or 10-mm electrode catheters and a high-output radiofrequency energy generator, 1466

Atrial remodeling
Matrix metalloproteinase-9 contributes to human atrial remodeling during atrial fibrillation, 818

Atrial septal defect
Incidence and clinical course of thrombus formation on atrial septal defect and patent foramen ovale closure devices in 1,000 consecutive patients, 302
Transcatheter closure of atrial shunts (editorial), 310

Atrial septal defects
Determinants of cardiopulmonary functional improvement after transcatheter atrial septal defect closure in asymptomatic adults, 1886
Lessons from cardiopulmonary testing after device closure of secundum atrial septal defects (editorial), 1892
Reversible atrioventricular block associated with closure of atrial septal defects using the Amplatzer device, 1677

Atrioventricular block
Long QT syndrome in neonates, 826
Reversible atrioventricular block associated with closure of atrial septal defects using the Amplatzer device, 1677

Atrioventricular junction ablation
Left ventricular mechanics during right ventricular apical or left ventricular-based pacing in patients with chronic atrial fibrillation after atrioventricular junction ablation, 1013

Autoimmunity
Autoimmunity against the second extracellular loop of the beta$_1$-adrenergic receptors induces early afterdepolarization and decreases in K-channel density in rabbits, 1090

Autophagic cell death
Human hibernating myocardium is jeopardized by apoptotic and autophagic cell death, 2191

Azimilide
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39
Efficacy of azimilide in the treatment of atrial fibrillation in the presence of left ventricular systolic dysfunction, 1211

Balloon angioplasty
Combined stenting versus balloon angioplasty in small vessels, 1964
Heme oxygenase-1 genotype and restenosis after balloon angioplasty: a novel protective factor, 950
Long-term outcome (up to 15 years) of balloon angioplasty of discrete native coarctation of the aorta in adolescents and adults, 1062
Randomized trial comparing myocardial salvage achieved by coronary stenting versus balloon angioplasty in patients with acute myocardial infarction considered ineligible for reperfusion therapy, 734

Baroreflex sensitivity
Acute aldosterone antagonism improves cardiac vagal control in humans, 1270

Bayesian approaches
Prior convictions: Bayesian approaches to the analysis and interpretation of clinical megatrials, 1929

Beta-adrenergic receptor
Angiotensin receptor blockade improves myocardial beta-adrenergic receptor signaling in postinfarction left ventricular remodeling, 125

Beta$_1$-adrenergic receptors
Autoimmunity against the second extracellular loop of the beta$_1$-adrenergic receptors induces early afterdepolarization and decreases in K-channel density in rabbits, 1090

Beta-blockers
See also specific drug
Angiotensin-converting enzyme inhibitors, beta-blockers, and mortality in systolic heart failure (letter), 1333
Beta-blocker therapy and primary angioplasty (editorial), 1788
Does beta-blocker therapy improve clinical outcomes of acute myocardial infarction after successful primary angioplasty?, 1773
Exercise release of cardiac natriuretic peptides is

markedly enhanced when patients with coronary artery disease are treated medically by beta-blockers, 353
Impact of intravenous beta-blockade before primary angioplasty on survival in patients undergoing mechanical reperfusion therapy for acute myocardial infarction, 1780
Influence of pretreatment systolic blood pressure on the effect of carvedilol in patients with severe chronic heart failure, 1423
Myocardial positron emission computed tomographic images obtained with fluorine-18 fluoro-2-deoxyglucose predict the response to idiopathic dilated cardiomyopathy patients to beta-blockers, 224
Natriuretic peptides as predictors of non-sudden and sudden cardiac death after acute myocardial infarction in the beta-blocking era, 757
Predischarge initiation of carvedilol in patients hospitalized for decompensated heart failure, 1534
Sustained ventricular tachycardia or fibrillation in the cardiac catheterization laboratory among patients receiving primary percutaneous coronary intervention, 1765

17-Beta-estradiol–eluting stent
First human experience with the 17-beta-estradiol–eluting stent, 1118

Biopsy
Noninvasive diagnosis of biopsy-proven cardiac amyloidosis, 410

Biopyrrins
Urinary biopyrrins levels are elevated in relation to severity of heart failure, 1880

Biphasic waveform
Effects of biphasic waveform design on post-resuscitation myocardial function, 1228

Blood pressure
Blood pressure and the therapy of advanced heart failure (editorial), 1430
Cardiology management improves secondary prevention measures among patients with coronary artery disease, 1517
Influence of pretreatment systolic blood pressure on the effect of carvedilol in patients with severe chronic heart failure, 1423
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92

Bone marrow cell transplantation
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299

Brachial artery reactivity
Relative importance of vascular structure and function in predicting cardiovascular events, 616

Brain death
Impact of mode of donor brain death on cardiac allograft vasculopathy, 806

Brain natriuretic peptide
Clinical significance of brain natriuretic peptide in primary pulmonary hypertension, 764
Elevation of plasma brain natriuretic peptide is a hallmark of diastolic heart failure independent of ventricular hypertrophy, 55

Brugada syndrome
Hydroquinidine therapy in Brugada syndrome, 1853

B-type natriuretic peptide
B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure, 1584
Cost-effectiveness of screening with B-type natriuretic peptide to identify patients with reduced left ventricular ejection fraction, 1019
Obesity and suppressed B-type natriuretic peptide levels in heart failure, 1590
Plasma B-type natriuretic peptide levels in systolic heart failure, 416
Predischarge B-type natriuretic peptide assay for identifying patients at high risk of re-admission after decompensated heart failure, 635
Utility of B-type natriuretic peptide in predicting postoperative complications and outcomes in patients undergoing heart surgery, 1873

Bundle-branch block
Limitation of exercise tolerance in chronic heart failure: distinct effects of left bundle-branch block and coronary artery disease, 1524

Calcific aortic stenosis
Early experience with percutaneous transcatheter implantation of heart valve prosthesis for the treatment of end-stage inoperable patients with calcific aortic stenosis, 698

Cardiac allograft vasculopathy
Impact of mode of donor brain death on cardiac allograft vasculopathy, 806

Cardiac amyloidosis
Noninvasive diagnosis of biopsy-proven cardiac amyloidosis, 410

Cardiac catheterization
CathKIT: improving quality in the cardiac catheterization laboratory, 893
Sustained ventricular tachycardia or fibrillation in the cardiac catheterization laboratory among patients receiving primary percutaneous coronary intervention, 1765
The year in congenital heart disease, 2132

Cardiac function
Glucose-insulin infusion improves cardiac function during fetal tachycardia, 445
Understanding the impact of abnormal cardiac activation on cardiac function (editorial), 1532

Cardiac masses
Differential diagnosis of cardiac masses using contrast echocardiographic perfusion imaging, 1412
Masses of the heart: perfusing the "good" from the bad (editorial), 1420

Cardiac rehabilitation
Reduction in C-reactive protein through cardiac rehabilitation and exercise training, 1056

Cardiac resynchronization therapy
Cardiac resynchronization therapy: caveat medicus!, 1145
Effects of cardiac resynchronization therapy on left ventricular function, myocardial energetics, and metabolic reserve in patients with dilated cardiomyopathy and heart failure, 1027
Pacing the left ventricle: does underlying rhythm matter? (editorial), 239

Cardiac surgery
Impact of delays to cardiac surgery after failed angioplasty and stenting, 337

Cardiac vagal control
Acute aldosterone antagonism improves cardiac vagal control in humans, 1270

Cardiac volume
High-resolution transthoracic real-time three-dimensional echocardiography: quantification of cardiac volumes and function using semi-automatic border detection and comparison with cardiac magnetic resonance imaging, 2083

Cardiologists
Cardiologist's toolbox: improving care, 2174
Platelets, the cardiologist, and coronary artery disease: moving beyond aggregation, 1989

Cardiology
Cardiology management improves secondary prevention measures among patients with coronary artery disease, 1517
President's page: strengthening our house of cardiology, 1721
Self-referral in cardiology, 1500

Cardiomyopathy
See also Dilated cardiomyopathy; Hypertrophic cardiomyopathy; Ischemic cardiomyopathy
Implantable cardioverter-defibrillators in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 1843
Mode of initiation and ablation of ventricular fibrillation storms in patients with ischemic cardiomyopathy, 1715

Cardioplegia
Ultrastructural evidence of increased tolerance of hibernating myocardium to cardioplegic ischemic-reperfusion injury, 2329

Cardiopulmonary testing
Lessons from cardiopulmonary testing after device closure of secundum atrial septal defects (editorial), 1892

Cardiotrophin-1
Transplantation of cardiotrophin-1-expressing myoblasts to the left ventricular wall alleviates the transition from compensatory hypertrophy to congestive heart failure in Dahl salt-sensitive hypertensive rats, 2337

Cardiovascular disease
Erectile dysfunction: the earliest sign of generalized vascular disease? (editorial), 185
Evidence-based guidelines for cardiovascular disease prevention in women, 900
Impaired brachial artery endothelium-dependent and -independent vasodilation in men with erectile dysfunction and no other clinical cardiovascular disease, 179
From knowledge to practice in chronic cardiovascular disease: a long and winding road, 1738
Pathophysiology of cigarette smoking and cardiovascular disease, 1731
What is the optimal serum potassium level in cardiovascular patients?, 155

Cardiovascular events
Relative importance of vascular structure and function in predicting cardiovascular events, 616

Cardiovascular medicine
Paradigm shifts in cardiovascular medicine, 507

Cardiovascular surgery
Year in cardiovascular surgery, 1706

Cardioversion
Economic analysis of a transesophageal echocardiography-guided approach to cardioversion of patients with atrial fibrillation, 1217
Economic implications of transesophageal echocardiography-guided cardioversion of atrial fibrillation (editorial), 1225

Carotid artery
Prevalence of specific variant carotid geometric patterns and incidence of cardiovascular events in older persons, 187

Carotid artery stenting
Intracranial hemorrhage and hyperperfusion

syndrome following carotid artery stenting, 1596
Carotid atherosclerosis
Decreased circulating Fas ligand in patients with familial combined hyperlipidemia or carotid atherosclerosis, 1188
Carotid endarterectomy
Cardiologist in the carotids, 1602
Severe bilateral carotid stenosis, 1358
Carotid plaque
Echolucent carotid plaques predict future coronary events in patients with coronary artery disease, 1177
Carotid stenting
Severe bilateral carotid stenosis, 1358
Carvedilol
Influence of pretreatment systolic blood pressure on the effect of carvedilol in patients with severe chronic heart failure, 1423
Predischarge initiation of carvedilol in patients hospitalized for decompensated heart failure, 1534
Caspase
Minocycline inhibits caspase activation and reactivation, increases the ratio of XIAP to Smac/DIABLO, and reduces the mitochondrial leakage of cytochrome C and Smac/DIABLO, 865
Caspase inhibition
Long-term caspase inhibition ameliorates apoptosis, reduces myocardial troponin-I cleavage, protects left ventricular function, and attenuates remodeling in rats with myocardial infarction, 295
Catheter(s)
Electrophysiological properties of pulmonary veins assessed using a multielectrode basket catheter, 2281
Catheter ablation
Catheter ablation of atrial fibrillation: what is the best technique for achieving a high cure rate with acceptable risk?, 2054
New approach for catheter ablation of atrial fibrillation: mapping of the electrophysiological substrate, 2044
Catheterization
Interventional catheterization performed in the early postoperative period after congenital heart surgery in children, 1264
CathKIT
CathKIT: improving quality in the cardiac catheterization laboratory, 893
CD40 ligand
Release of soluble CD40 ligand from platelets is regulated by GP IIb/IIIa and actin polymerization, 2319
Soluble CD40 ligand and platelets—self-perpetuating pathogenic loop in thrombosis and inflammation?, 2326
Cerebroprotection
Cerebroprotection mediated by angiotensin II, 1343
Cerebrovascular accidents
Characteristics of cerebrovascular accidents after percutaneous coronary interventions, 1161
Chagas' disease
Sympathetic nervous system activation in Chagasic patients with congestive heart failure (letter), 1723
Chest pain
Hemoglobin level is an independent predictor of adverse cardiovascular outcomes in women undergoing evaluation for chest pain: results from the NHLBI WISE study, 2009
Implication of different cardiac troponin I levels for clinical outcomes and prognosis of acute chest pain patients, 958
Children
Characterizing the young patient with aortic dissection: from the International Registry of Aortic Dissection (IRAD), 665
Clinical course of atrial ectopic tachycardia is age-dependent: results and treatment in children 3 or 3 years of age, 438
Estimation of myocardial hemodynamics before and after intervention in children with Kawasaki disease, 653
Interventional catheterization performed in the early postoperative period after congenital heart surgery in children, 1264
Novel and traditional cardiovascular risk factors in children with Kawasaki disease, 120
Cholesterol
See also Hypercholesterolemia
Assessing low levels of high-density lipoprotein cholesterol as a risk factor in coronary heart disease, 717
Cholesteryl ester transfer protein
Cholesteryl ester transfer protein (CETP) TaqIB polymorphism in the Cholesterol and Recurrent Events Study: no interaction with the response to pravastatin therapy and no effects on cardiovascular outcome, 854
Cholinergic stimulation
Roles of adrenergic and cholinergic stimulation in spontaneous atrial fibrillation in dogs, 483
Chronic kidney disease
Why is chronic kidney disease the "spoiler" for cardiovascular outcomes: an alternative take from a generalist (letter), 924
Cigarette smoking
Pathophysiology of cigarette smoking and cardiovascular disease, 1731
Clinical trials
Medicine, Angioplasty, or Surgery Study (MASS-II): a randomized, controlled clinical trial of three therapeutic strategies for multivessel coronary artery disease, 1743
Prior convictions: Bayesian approaches to the analysis and interpretation of clinical megatrials, 1929
Clopidogrel
Aspirin resistance is associated with a high incidence of myonecrosis after non-urgent percutaneous coronary intervention despite clopidogrel pretreatment, 1122
Clopidogrel inhibits platelet-leukocyte interactions and TRAP-induced platelet activation in patients with an acute coronary syndrome, 1982
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162
For how long should treatment with clopidogrel be continued after coronary stent implantation (letter), 1331
Coarctation of the aorta
Long-term outcome (up to 15 years) of balloon angioplasty of discrete native coarctation of the aorta in adolescents and adults, 1062
COCATS2
Cardiac magnetic resonance imaging and Core Cardiology Training II (COCATS-2): can we get there from here?, 2113
Training cardiovascular fellows in cardiovascular magnetic resonance and vascular imaging: current status following the Core Cardiovascular Training Symposium (COCATS-2) guidelines, 2108
Collagen
Cardiac atria are chambers of active remodeling and dynamic collagen turnover during evolving heart failure, 68
Effects of loop diuretics on myocardial fibrosis and collagen type I turnover in chronic heart failure, 2028
Collateral circulation
Reduced pericardial levels of endostatin correlate with collateral development in patients with ischemic heart disease, 1383
Common carotid artery
Prevalence of specific variant carotid geometric patterns and incidence of cardiovascular events in older persons, 187
Community settings
Technetium ^{99m} sestamibi myocardial perfusion imaging predicts clinical outcome in the community outpatient setting, 213
Comorbidity
Comorbidity and outcome in patients with coronary artery disease (editorial), 583
Depression: are we ignoring an important comorbidity in heart failure? (editorial), 1550
Prognostic importance of comorbidity for mortality in patients with stable coronary artery disease, 576
Computed tomography
See also Multidetector computed tomography; Single-photon emission computed tomography
Accuracy of multidetector spiral computed tomography in identifying and differentiating the composition of coronary atherosclerotic plaques, 1241
Assessment of coronary remodeling in stenotic and nonstenotic coronary atherosclerotic lesions by multidetector spiral computed tomography, 842
Detection of coronary stenoses by multidetector computed tomography: it's all about resolution (editorial), 84
Diagnostic accuracy of multidetector computed tomography coronary angiography in patients with angiographically proven coronary artery disease, 831
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Congenital heart disease
See also specific disorder
Determinants of cardiopulmonary functional improvement after transcatheter atrial septal defect closure in asymptomatic adults, 1886
Long-term outcomes of cardiac pacing in adults with congenital heart disease, 1894
Outcome of patients with double-inlet left ventricle or tricuspid atresia with transposed great arteries, 113
Stenting the neonatal arterial duct in duct-dependent pulmonary circulation: new techniques, better results, 107
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100
The year in congenital heart disease, 2132
Congenital heart surgery
Interventional catheterization performed in the early postoperative period after congenital heart surgery in children, 1264

Constrictive pericarditis
Constrictive pericarditis: etiology and cause-specific survival after pericardiectomy, 1445
Transient constrictive pericarditis: causes and natural history, 271
Contractile function
Myocardial wall thickness predicts recovery of contractile function after primary coronary intervention for acute myocardial infarction, 1489
Contrast echocardiography
Accuracy of dipyridamole myocardial contrast echocardiography for the detection of residual stenosis of the infarct related artery and multivessel disease early after acute myocardial infarction, 2247
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Differential diagnosis of cardiac masses using contrast echocardiographic perfusion imaging, 1412
Effects of glycoprotein IIb/IIIa inhibition on microvascular flow after coronary reperfusion, 276
Incremental value of parametric quantitative assessment of myocardial perfusion by triggered low-power myocardial contrast echocardiography, 1807
Myocardial contrast echocardiography with a new calibration method can estimate myocardial viability in patients with myocardial infarction, 1799
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299
Placing faith in numbers: quantification of perfusion with myocardial contrast echocardiography (editorial), 1814
Contrast-enhanced magnetic resonance imaging
Myocardial infarction after percutaneous transluminal septal myocardial ablation in hypertrophic obstructive cardiomyopathy: evaluation by contrast-enhanced magnetic resonance imaging, 27
Coronary angiography
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Diagnostic accuracy of multidetector computed tomography coronary angiography in patients with angiographically proven coronary artery disease, 831
Do we have a gold standard yet? (editorial), 662
Magnetic resonance angiography is equivalent to x-ray coronary angiography for the evaluation of coronary arteries in Kawasaki disease, 649
Multislice spiral CT coronary angiography in patients with stable angina pectoris, 2265
Coronary arteries
Canadian study of the sirolimus-eluting stent in the treatment of patients with long de novo lesions in small native coronary arteries (C-SIRIUS), 1110
Magnetic resonance angiography is equivalent to x-ray coronary angiography for the evaluation of coronary arteries in Kawasaki disease, 649
Short-term intravenous eptifibatide infusion combined with reduced dose recombinant tissue plasminogen activator inhibits platelet recruitment at sites of coronary artery injury, 287
Tissue Doppler imaging predicts recovery of left ventricular function after recanalization of an occluded coronary artery, 85
Coronary arteriography
Association of a pulsatile blood flow pattern on coronary arteriography and short-term clinical outcomes in acute myocardial infarction, 1170
Coronary artery bypass grafting
Chronologic distribution of stroke after minimally invasive versus conventional coronary artery bypass, 752
Comparison of short- and long-term outcomes after off-pump and on-pump coronary artery bypass graft surgery with sternotomy, 557
Coronary intervention at hospitals without on-site cardiac surgery: are we pushing the envelope too far? (editorial), 343
Postoperative atrial fibrillation and mortality after coronary artery bypass surgery, 742
Coronary artery calcium
Prognostic value of coronary artery calcium screening in subjects with and without diabetes, 1663
Coronary artery disease
See also Atherosclerosis; Coronary heart disease
Adiponectin I164T mutation is associated with the metabolic syndrome and coronary artery disease, 1195
Adverse outcomes in aortic sclerosis is associated with coronary artery disease and inflammation, 169
Angiotensin II receptors from peritransplantation through first-year post-transplantation and the risk of transplant coronary artery disease, 1565
Anti-ischemic effects and long-term survival during ranolazine monotherapy in patients with chronic severe angina, 1375
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Cardiology management improves secondary prevention measures among patients with coronary artery disease, 1517
Comorbidity and outcome in patients with coronary artery disease (editorial), 583
Cyclooxygenase inhibition in patients with coronary artery disease (editorial), 532
Diabetes mellitus: the major risk factor in unstable coronary artery disease even after consideration of the extent of coronary artery disease and revascularization, 585
Diagnostic accuracy of multidetector computed tomography coronary angiography in patients with angiographically proven coronary artery disease, 831
Echolucent carotid plaques predict future coronary events in patients with coronary artery disease, 1177
Exercise release of cardiac natriuretic peptides is markedly enhanced when patients with coronary artery disease are treated medically by beta-blockers, 353
Gender differences in ventricular arrhythmias in patients with coronary artery disease and implantable cardioverter-defibrillators, 2293
Glucose intolerance as reflected by hemoglobin A_{1c} level, is associated with the incidence and severity of transplant coronary artery disease, 1034
Limitation of exercise tolerance in chronic heart failure: distinct effects of left bundle-branch block and coronary artery disease, 1524
Long-term effect of combined vitamins E and C on coronary and peripheral endothelial function, 629
Medicine, Angioplasty, or Surgery Study (MASS-II): a randomized, controlled clinical trial of three therapeutic strategies for multivessel coronary artery disease, 1743
Platelets, the cardiologist, and coronary artery disease: moving beyond aggregation, 1989
Prognostic importance of comorbidity for mortality in patients with stable coronary artery disease, 576
Prognostic value of remnant-like lipoprotein particles levels in patients with coronary artery disease and type 2 diabetes mellitus, 2219
Stress myocardial perfusion single-photon emission computed tomography is clinically effective and cost effective in risk stratification of patients with a high likelihood of coronary artery disease (CAD) but no known CAD, 200
Surgery, angioplasty, or medical therapy for symptomatic multivessel coronary artery disease (editorial), 1752
Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results, 1154
Understanding the impact of abnormal cardiac activation on cardiac function (editorial), 1532
Coronary flow velocity
Enhanced coronary flow velocity during intra-aortic balloon pumping assessed by transthoracic Doppler echocardiography, 368
Coronary heart disease
See also Coronary artery disease
Assessing low levels of high-density lipoprotein cholesterol as a risk factor in coronary heart disease, 717
Distribution of 10-year risk for coronary heart disease among U.S. adults, 1791
Heart disease in diabetes—resist the beginnings (letter), 315
Heart disease risk factors predict erectile dysfunction 25 years later, 1405
Heart rate-corrected QT interval prolongation predicts risk of coronary heart disease in black and white middle-aged men and women, 565
Implications of estimating coronary heart disease risk in the U.S. population (editorial), 1797
Ischemic preconditioning in coronary heart disease: a therapeutic golden fleece? (editorial), 1515
Coronary lesions
First human experience with the 17-beta-estradiol–eluting stent, 1118
Coronary microcirculation
Diastolic coronary vascular reserve: a new index to detect changes in the coronary microcirculation in hypertrophic cardiomyopathy, 670
Coronary surgery
Predictors of new malignant ventricular arrhythmias after coronary surgery, 1630
Coronary vascular reserve
Diastolic coronary vascular reserve: a new index to detect changes in the coronary microcirculation in hypertrophic cardiomyopathy, 670
C-reactive protein
Effect of sleep loss on C-reactive protein, an inflammatory marker of cardiovascular risk, 678
Reduction in C-reactive protein through cardiac rehabilitation and exercise training, 1056
Relationship of interleukin-6 and C-reactive protein to the prothrombotic state in chronic atrial fibrillation, 2075

Crista terminalis
Functional characterization of the crista terminalis in patients with atrial flutter: implications for radiofrequency ablation, 1639
Cutting balloon atherotomy
Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis, 949
Meta-analysis of randomized trials of percutaneous transluminal coronary angioplasty versus atherectomy, cutting balloon atherotomy, or laser angioplasty, 936
Cyclooxygenase
Nonsteroidal anti-inflammatory drugs and cardiovascular risk, 519
Cyclooxygenase-2 inhibitors
Cyclooxygenase inhibition in patients with coronary artery disease (editorial), 532
Optimal suppression of thromboxane A_2 formation by aspirin during percutaneous transluminal coronary angioplasty: no additional effect of a selective cyclooxygenase-2 inhibitor, 526
Cytoskeleton-specific immunoliposomes
Preservation of ischemic myocardial function and integrity with targeted cytoskeleton-specific immunoliposomes, 1683
Decompensation
Predischarge initiation of carvedilol in patients hospitalized for decompensated heart failure, 1534
Defibrillators
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39
Filling the need for new antiarrhythmic drugs to prevent shocks from implantable cardioverter defibrillators (editorial), 44
Deoxycorticosterone acetate-salt hypertensive rats
Myocardial fibrosis and diastolic dysfunction in deoxycorticosterone acetate-salt hypertensive rats is ameliorated by the peroxisome proliferator-activated receptor-alpha activator fenofibrate, partly by suppressing inflammatory responses associated with the nuclear factor-kappa-B pathway, 1481
Depression
Depression: are we ignoring an important comorbidity in heart failure? (editorial), 1550
Influence of age, gender, and race on the prevalence of depression in heart failure patients, 1542
Statins to reduce risk of depression (letter), 1132
Diabetes mellitus
Association of fasting glucose levels with congestive heart failure in diabetic adults >65 years: the Cardiovascular Health Study, 2236
Diabetes mellitus: the major risk factor in unstable coronary artery disease even after consideration of the extent of coronary artery disease and revascularization, 585
Heart disease in diabetes—resist the beginnings (letter), 315
Influence of diabetes and diabetes-gender interaction on the risk of death in patients hospitalized with congestive heart failure, 771
Optimal glycemic control is associated with a lower rate of target vessel revascularization in treated type II diabetic patients undergoing elective percutaneous coronary intervention, 8
Optimization of glycemic control and restenosis prevention in diabetic patients undergoing percutaneous coronary interventions (editorial), 15
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542
Prognostic value of coronary artery calcium screening in subjects with and without diabetes, 1663
Prognostic value of remnant-like lipoprotein particles levels in patients with coronary artery disease and type 2 diabetes mellitus, 2219
Short- and long-term results after multivessel stenting in diabetic patients, 1348
Diastolic function
Aortic elastic properties and left ventricular diastolic function in patients with Adamantiades-Behcet's disease, 1075
Assessment of diastolic function using myocardial velocity gradient (letter), 1724
Patients with a hypertensive response to exercise have impaired systolic function without diastolic dysfunction or left ventricular hypertrophy, 848
Diastolic heart failure
Elevation of plasma brain natriuretic peptide is a hallmark of diastolic heart failure independent of ventricular hypertrophy, 55
Diet
Diet–heart hypothesis: a critique, 731
Low-carbohydrate–high-protein diets, 724
Dilated cardiomyopathy
Cellular, but not direct, adenoviral delivery of vascular endothelial growth factor results in improved left ventricular function and neovascularization in dilated ischemic cardiomyopathy, 1908
Effects of cardiac resynchronization therapy on left ventricular function, myocardial energetics, and metabolic reserve in patients with dilated cardiomyopathy and heart failure, 1027
Endocardial and epicardial radiofrequency ablation of ventricular tachycardia associated with dilated cardiomyopathy, 1834
Myocardial positron emission computed tomographic images obtained with fluorine-18 fluoro-2-deoxyglucose predict the response to idiopathic dilated cardiomyopathy patients to beta-blockers, 224
Dipyridamole
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Dipyridamole myocardial contrast echocardiography
Accuracy of dipyridamole myocardial contrast echocardiography for the detection of residual stenosis of the infarct related artery and multivessel disease early after acute myocardial infarction, 2247
Diuretics
Diuretic use, progressive heart failure, and death in patients with SOLVD (letter), 1723
Effects of loop diuretics on myocardial fibrosis and collagen type I turnover in chronic heart failure, 2028
DNA
Transient and reversible deoxyribonucleic acid damage in human left ventricle under controlled ischemia and reperfusion, 1992
Dobutamine stress echocardiography
Clinical and echocardiographic score for assigning risk of major events after dobutamine echocardiograms, 2102
Dobutamine stress echocardiography for noninvasive assessment and risk stratification of patients with rheumatic mitral stenosis, 393
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Doppler echocardiography
Enhanced coronary flow velocity during intra-aortic balloon pumping assessed by transthoracic Doppler echocardiography, 368
Noninvasive assessment of ejection intraventricular pressure gradients, 1654
Pulmonary venous flow by Doppler echocardiography: usefulness of diastolic wave deceleration time in predicting filling pressure (letter), 925
Double-inlet left ventricle
Outcome of patients with double-inlet left ventricle or tricuspid atresia with transposed great arteries, 113
Drug reimportation
Drug reimportation: sitting in the middle, 149
Drug-eluting stents
Can we afford to eliminate restenosis?, 513
Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications, 684
Impact of final stent dimensions on long-term results following sirolimus-eluting stent implantation, 1959
Risk of noncardiac surgery in the months following placement of a drug-eluting coronary stent (letter), 713
Short- and long-term clinical benefit of sirolimus-eluting stents compared to conventional bare stents for patients with acute myocardial infarction, 704
Significant reduction in restenosis following the use of sirolimus-eluting stents in the treatment of chronic total occlusions, 1954
Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results, 1154
Year in interventional cardiology, 875
Dyskinesia
Akinesia becoming dyskinesia after exercise testing: prevalence and relationship to clinical outcome, 599
Dyspnea
Exercise echocardiographic findings and outcome of patients referred for evaluation of dyspnea, 2242
Dystrophin
Molecular normalization of dystrophin in the failing left and right ventricle of patients treated with either pulsatile or continuous flow-type ventricular assist devices, 811
Early afterdepolarization
Autoimmunity against the second extracellular loop of the $beta_1$-adrenergic receptors induces early afterdepolarization and decreases in K-channel density in rabbits, 1090
Echocardiography
Accuracy of dipyridamole myocardial contrast echocardiography for the detection of residual stenosis of the infarct related artery and multivessel disease early after acute myocardial infarction, 2247
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Clinical and echocardiographic score for assigning risk of major events after dobutamine echocardiograms, 2102
Differential diagnosis of cardiac masses using contrast echocardiographic perfusion imaging, 1412

Dobutamine stress echocardiography for noninvasive assessment and risk stratification of patients with rheumatic mitral stenosis, 393
Economic analysis of a transesophageal echocardiography-guided approach to cardioversion of patients with atrial fibrillation, 1217
Economic implications of transesophageal echocardiography-guided cardioversion of atrial fibrillation (editorial), 1225
Effects of glycoprotein IIb/IIIa inhibition on microvascular flow after coronary reperfusion, 276
Enhanced coronary flow velocity during intra-aortic balloon pumping assessed by transthoracic Doppler echocardiography, 368
Exercise echocardiographic findings and outcome of patients referred for evaluation of dyspnea, 2242
High-resolution transthoracic real-time three-dimensional echocardiography: quantification of cardiac volumes and function using semi-automatic border detection and comparison with cardiac magnetic resonance imaging, 2083
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Incremental value of parametric quantitative assessment of myocardial perfusion by triggered low-power myocardial contrast echocardiography, 1807
Left atrial thrombus associated with ablation for atrial fibrillation: identification with intracardiac echocardiography, 1861
Myocardial contrast echocardiography with a new calibration method can estimate myocardial viability in patients with myocardial infarction, 1799
Noninvasive assessment of ejection intraventricular pressure gradients, 1654
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299
Placing faith in numbers: quantification of perfusion with myocardial contrast echocardiography (editorial), 1814
Pulmonary venous flow by Doppler echocardiography: usefulness of diastolic wave deceleration time in predicting filling pressure (letter), 925
Real-time three-dimensional echocardiography for rheumatic mitral valve stenosis evaluation: an accurate and novel approach, 2091
Severity of left ventricular remodeling defines outcomes and response to therapy in heart failure: Val-HeFT echocardiography data, 2022
Stress echocardiography in mitral stenosis: when is it useful? (editorial), 402
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100
Tissue Doppler imaging predicts recovery of left ventricular function after recanalization of an occluded coronary artery, 85
Transesophageal echocardiography improves risk assessment of thrombolysis of prosthetic valve thrombosis: results of the International PRO-TEE Registry, 77
Year in echocardiography, 140

Echogenic immunoliposome
Intravascular ultrasound molecular imaging of atheroma components in vivo, 453

Editorials
Adverse outcomes from the use of older donor hearts in cardiac transplant recipients, 1562
Aspirin resistance: more than just a laboratory curiosity, 1127
Authors, industry, and review articles, 1130
Beta-blocker therapy and primary angioplasty, 1788
Blood pressure and the therapy of advanced heart failure, 1430
Can patients with implantable pacemakers safely undergo magnetic resonance imaging?, 1325
Case for an adverse interaction between aspirin and non-steroidal anti-inflammatory drugs, 991
Comorbidity and outcome in patients with coronary artery disease, 583
Coronary intervention at hospitals without on-site cardiac surgery: are we pushing the envelope too far?, 343
Cyclooxygenase inhibition in patients with coronary artery disease, 532
Depression: are we ignoring an important comorbidity in heart failure?, 1550
Detection of coronary stenoses by multidetector computed tomography: it's all about resolution, 84
Do we have a gold standard yet?, 662
Does hospital coronary intervention volume matter in predicting mortality, 1763
Don't blame the stents, 1355
Drug reimportation: sitting in the middle, 149
Economic implications of transesophageal echocardiography-guided cardioversion of atrial fibrillation, 1225
Editorials: why, when, and how, 709
Erectile dysfunction: the earliest sign of generalized vascular disease?, 185
Filling the need for new antiarrhythmic drugs to prevent shocks from implantable cardioverter defibrillators, 44
Glycoprotein IIb/IIIa inhibitors and no-reflow, 284
Heart hospitals: for better or worse, 1923
Heart transplantation: the increasing challenges of evidence-based decision-making, 803
Impact of asymptomatic atrial fibrillation, 53
Implications of estimating coronary heart disease risk in the U.S. population, 1797
Ischemic mitral regurgitation and ventricular remodeling, 384
Ischemic preconditioning in coronary heart disease: a therapeutic golden fleece?, 1515
Lessons from cardiopulmonary testing after device closure of secundum atrial septal defects, 1892
Left ventricular hypertrophy: a "factor of risk", 2216
Masses of the heart: perfusing the "good" from the bad, 1420
Metabolic syndrome, 1396
Monocyte: the key in the lock to reduce stent hyperplasia?, 24
Optimization of glycemic control and restenosis prevention in diabetic patients undergoing percutaneous coronary interventions, 15
Pacing the left ventricle: does underlying rhythm matter?, 239
Placing faith in numbers: quantification of perfusion with myocardial contrast echocardiography, 1814
Plaque characterization: surrogate markers or the real thing?, 1185
Postoperative atrial fibrillation: a billion-dollar problem, 1001
Postoperative atrial fibrillation and mortality: do the risks merit changes in clinical practice?, 749
Prepublication embargo of news release, 2359
Primary percutaneous coronary intervention at hospitals without on-site cardiac surgery: expanding the use of mechanical reperfusion for acute myocardial infarction, 1951
Pulmonary vein isolation for atrial fibrillation in low ejection fraction patients: the market is growing, 1010
QT interval prolongation and prognosis: further validation of the quantitative approach to electrocardiography, 572
Racing away from bias, 785
Renal artery stenosis: "fortuitous diagnosis," problematic therapy, 1614
Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables, 209
Self-referral in cardiology, 1500
Sirolimus-eluting stents: does a great stent still need a good interventionalist, 1116
Stress echocardiography in mitral stenosis: when is it useful?, 402
Stroke after percutaneous coronary interventions, 1168
Stroke and pacing mode: is pacing mode important?, 1623
Surgery, angioplasty, or medical therapy for symptomatic multivessel coronary artery disease, 1752
Transcatheter closure of atrial shunts, 310
Transcatheter valve replacement: a new era of percutaneous coronary intervention begins, 1088
Understanding the impact of abnormal cardiac activation on cardiac function, 1532
Vascular structure versus function: is endothelial dysfunction of independent prognostic importance or not?, 624
Visualizing coronary atherosclerosis in vivo: thinking big, imaging small, 461
What we're talking about when we talk about race, 436
Why is aortic sclerosis associated with adverse clinical outcomes?, 176
You only get so many heartbeats. . ., 1209

Education
President's page: continuing investment in "state-of-the-art" physician education—an ACCF program of high net worth, 313

E/e′ ratio
Noninvasive estimation of left ventricular filling pressure by E/e′ is a powerful predictor of survival after acute myocardial infarction, 360

Ejection fraction
Cost-effectiveness of screening with B-type natriuretic peptide to identify patients with reduced left ventricular ejection fraction, 1019
Effects of ramipril on left ventricular mass and function in cardiovascular patients with controlled blood pressure and with preserved left ventricular ejection fraction, 2200
Hospitalization for heart failure in the presence of a normal left ventricular ejection fraction, 1432
Increased left ventricular mass is a risk factor for the development of a depressed left ventricular ejection fraction within five years: the Cardiovascular Health Study, 2207
Pulmonary vein isolation for atrial fibrillation in low ejection fraction patients: the market is growing (editorial), 1010

Elderly
See also Age

Association of fasting glucose levels with congestive heart failure in diabetic adults >65 years: the Cardiovascular Health Study, 2236
Importance of increasing age on the presentation and outcome of acute coronary syndromes in elderly patients, 346
Prevalence of specific variant carotid geometric patterns and incidence of cardiovascular events in older persons, 187
Treadmill scores in elderly men, 606

Electrical stimulation
Long-term subthreshold electrical stimulation of the left stellate ganglion and a canine model of sudden cardiac death, 858

Electrocardiography
QT interval prolongation and prognosis: further validation of the quantitative approach to electrocardiography (editorial), 572

Electrode catheters
Radiofrequency catheter ablation of type 1 atrial flutter using large-tip 8- or 10-mm electrode catheters and a high-output radiofrequency energy generator, 1466

Electrograms
Characteristics of virtual unipolar electrograms for detecting isthmus block during radiofrequency ablation of typical atrial flutter, 2300

Electrolytes
What is the optimal serum potassium level in cardiovascular patients?, 155

Electrophysiology
Acute comparative effect of right and left ventricular pacing in patients with permanent atrial fibrillation, 234
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39
Filling the need for new antiarrhythmic drugs to prevent shocks from implantable cardioverter defibrillators (editorial), 44
Impact of asymptomatic atrial fibrillation (editorial), 53
Intra-left ventricular electromechanical asynchrony, 248
Long-term risk of recurrent atrial fibrillation as documented by an implantable monitoring device, 47
Year in electrophysiology, 1306

Embolism
See also Thrombosis
Embolic complications in *Streptococcus viridans* endocarditis (letter), 1133
Randomized trial of aspirin on the risk of embolic events in patients with infective endocarditis (letter), 1134

Endocarditis
Contemporary results of mitral valve repair for infective endocarditis, 386
Embolic complications in *Streptococcus viridans* endocarditis (letter), 1133
Randomized trial of aspirin on the risk of embolic events in patients with infective endocarditis (letter), 1134

Endostatin
Reduced pericardial levels of endostatin correlate with collateral development in patients with ischemic heart disease, 1383

Endothelial dysfunction
High lipoprotein(a) levels and small apolipoprotein(a) sizes are associated with endothelial dysfunction in a multiethnic cohort, 1828
Vascular structure versus function: is endothelial dysfunction of independent prognostic importance or not? (editorial), 624

Endothelial progenitor cells
Exercise acutely increases circulating endothelial progenitor cells and monocyte/macrophage derived angiogenic cells, 2314

Endothelium
Long-term effect of combined vitamins E and C on coronary and peripheral endothelial function, 629
Reactive hyperemia as a test of endothelial or microvascular function? (letter), 2147

End-stage calcific aortic stenosis
Early experience with percutaneous transcatheter implantation of heart valve prosthesis for the treatment of end-stage inoperable patients with calcific aortic stenosis, 698

Enoxaparin
Administration of eptifibatide to acute coronary syndrome patients receiving enoxaparin or unfractionated heparin, 966

Epicardial fat
Preservation of the anterior fat pad paradoxically decreases the incidence of postoperative atrial fibrillation in humans, 994

Eptifibatide
Administration of eptifibatide to acute coronary syndrome patients receiving enoxaparin or unfractionated heparin, 966
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162
Improved speed and stability of ST-segment recovery with reduced-dose tenecteplase and eptifibatide compared with full-dose tenecteplase for acute ST-segment elevation myocardial infarction, 549
Short-term intravenous eptifibatide infusion combined with reduced dose recombinant tissue plasminogen activator inhibits platelet recruitment at sites of coronary artery injury, 287

Erectile dysfunction
Erectile dysfunction: the earliest sign of generalized vascular disease? (editorial), 185
Heart disease risk factors predict erectile dysfunction 25 years later, 1405
Impaired brachial artery endothelium-dependent and -independent vasodilation in men with erectile dysfunction and no other clinical cardiovascular disease, 179

European Society of Cardiology Congress
News from the European Society of Cardiology Congress in Vienna, August 30 to September 3, 2003, 691

Evidence-based decision-making
Heart transplantation: the increasing challenges of evidence-based decision-making (editorial), 803

Evidence-based guidelines
Evidence-based guidelines for cardiovascular disease prevention in women, 900

Exercise
Exercise acutely increases circulating endothelial progenitor cells and monocyte/macrophage derived angiogenic cells, 2314
Exercise release of cardiac natriuretic peptides is markedly enhanced when patients with coronary artery disease are treated medically by beta-blockers, 353
Exercise training normalizes vascular dysfunction and improves central adiposity in obese adolescents, 1823
Heart rate recovery after exercise is not demonstrated as a predictor of mortality: maybe after treadmill-exercise (letter), 599
Reduction in C-reactive protein through cardiac rehabilitation and exercise training, 1056

Exercise echocardiography
Exercise echocardiographic findings and outcome of patients referred for evaluation of dyspnea, 2242

Exercise testing
Akinesia becoming dyskinesia after exercise testing: prevalence and relationship to clinical outcome, 599
Heart rate recovery after exercise is not demonstrated as a predictor of mortality: maybe after treadmill-exercise (letter), 599
Patients with a hypertensive response to exercise have impaired systolic function without diastolic dysfunction or left ventricular hypertrophy, 848
Prognostic significance of exercise-induced atrial arrhythmias, 1236
Treadmill scores in elderly men, 606

Exercise tolerance
Limitation of exercise tolerance in chronic heart failure: distinct effects of left bundle-branch block and coronary artery disease, 1524
Understanding the impact of abnormal cardiac activation on cardiac function (editorial), 1532

Experimental studies
Reduction of "no-reflow" phenomenon by intra-aortic balloon counterpulsation in a randomized magnetic resonance imaging experimental study, 1291

Familial combined hyperlipidemia
Decreased circulating Fas ligand in patients with familial combined hyperlipidemia or carotid atherosclerosis, 1188

Fas ligand
Decreased circulating Fas ligand in patients with familial combined hyperlipidemia or carotid atherosclerosis, 1188

Fasting glucose
Association of fasting glucose levels with congestive heart failure in diabetic adults >65 years: the Cardiovascular Health Study, 2236

Fat pad
Preservation of the anterior fat pad paradoxically decreases the incidence of postoperative atrial fibrillation in humans, 994

Fenofibrate
Myocardial fibrosis and diastolic dysfunction in deoxycorticosterone acetate-salt hypertensive rats is ameliorated by the peroxisome proliferator-activated receptor-alpha activator fenofibrate, partly by suppressing inflammatory responses associated with the nuclear factor-kappa-B pathway, 1481

Fetal tachycardia
Glucose-insulin infusion improves cardiac function during fetal tachycardia, 445

Fetus
Intrauterine pulmonary venous flow and restrictive foramen ovale in fetal hypoplastic left heart syndrome, 1902

Fibrinolytic therapy
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542

Fibrosis
Osteopontin modulates angiotensin II-induced fibrosis in the intact murine heart, 1698

Fluorine-18 fluoro-2-deoxyglucose positron emission tomography
Myocardial positron emission computed tomographic images obtained with fluorine-18 fluoro-2-deoxyglucose predict the response to idiopathic dilated cardiomyopathy patients to beta-blockers, 224
Fondaparinux
Dose finding study of fondaparinux in patients with non ST-segment elevation acute coronary syndromes: the PENTUA study, 2183
Fontan operation
The year in congenital heart disease, 2132
Foramen ovale
Intrauterine pulmonary venous flow and restrictive foramen ovale in fetal hypoplastic left heart syndrome, 1902
Framingham Heart Study
Hematocrit and left ventricular mass: the Framingham Heart Study, 1276
Gadolinium
Gadolinium delayed enhancement cardiovascular magnetic resonance correlates with clinical measures of myocardial infarction, 2253
Histological basis of late gadolinium enhancement cardiovascular magnetic resonance in hypertrophic cardiomyopathy, 2260
Gender
See also Women
Gender differences in ventricular arrhythmias in patients with coronary artery disease and implantable cardioverter-defibrillators, 2293
Influence of age, gender, and race on the prevalence of depression in heart failure patients, 1542
Influence of diabetes and diabetes-gender interaction on the risk of death in patients hospitalized with congestive heart failure, 771
Gene expression
Temporal patterns of gene expression after acute hindlimb ischemia in mice, 474
Genetics
The year in congenital heart disease, 2132
Glucose
Association of fasting glucose levels with congestive heart failure in diabetic adults >65 years: the Cardiovascular Health Study, 2236
Glucose intolerance
Glucose intolerance as reflected by hemoglobin A_{1c} level, is associated with the incidence and severity of transplant coronary artery disease, 1034
Glucose transporter-4
Delayed response to insulin-stimulated fluorine-18 deoxyglucose uptake in glucose transporter-4 null mice hearts, 1690
Glucose-insulin infusion
Glucose-insulin infusion improves cardiac function during fetal tachycardia, 445
Glycemic control
Optimal glycemic control is associated with a lower rate of target vessel revascularization in treated type II diabetic patients undergoing elective percutaneous coronary intervention, 8
Optimization of glycemic control and restenosis prevention in diabetic patients undergoing percutaneous coronary interventions (editorial), 15
Glycoprotein IIb/IIIa
Release of soluble CD40 ligand from platelets is regulated by GP IIb/IIIa and actin polymerization, 2319
Glycoprotein IIb/IIIa inhibition
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542
Glycoprotein IIb/IIIa inhibitors
Effects of glycoprotein IIb/IIIa inhibition on microvascular flow after coronary reperfusion, 276
Glycoprotein IIb/IIIa inhibitors and no-reflow (editorial), 284
Glycoprotein IIb/IIIa inhibitors and the guidelines for treatment of non–ST-elevation myocardial infarction (letter), 927
Glycoprotein IIb/IIIa receptors
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162
Health care
Impact of race on health care utilization and outcomes in veterans with congestive heart failure, 778
Paradigm shifts in cardiovascular medicine, 507
Physicians, coverage, quality, and cost: the intertwined caduceus (commentary), 6
U.S. healthcare: the intertwined caduceus of physicians, coverage, quality, and cost, 1
Heart failure
Association of fasting glucose levels with congestive heart failure in diabetic adults >65 years: the Cardiovascular Health Study, 2236
Blood pressure and the therapy of advanced heart failure (editorial), 1430
B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure, 1584
Cardiac atria are chambers of active remodeling and dynamic collagen turnover during evolving heart failure, 68
Depression: are we ignoring an important comorbidity in heart failure? (editorial), 1550
Diuretic use, progressive heart failure, and death in patients with SOLVD (letter), 1723
Effects of cardiac resynchronization therapy on left ventricular function, myocardial energetics, and metabolic reserve in patients with dilated cardiomyopathy and heart failure, 1027
Effects of loop diuretics on myocardial fibrosis and collagen type I turnover in chronic heart failure, 2028
Elevation of plasma brain natriuretic peptide is a hallmark of diastolic heart failure independent of ventricular hypertrophy, 55
Frequency and impact of delayed decisions regarding heart transplantation on long-term outcomes in patients with advanced heart failure, 794
Heart failure with preserved left ventricular systolic function, 317
Hemodynamic profiles in heart failure patients (letter), 151
Highlights of the 2003 scientific sessions of the Heart Failure Society of America, 1103
Hospitalization for heart failure in the presence of a normal left ventricular ejection fraction, 1432
Hydroxyl radical generation, levels of tumor necrosis factor-α and progression to heart failure after acute myocardial infarction, 2000
Impact of race on health care utilization and outcomes in veterans with congestive heart failure, 778
Incidence, predictors at admission, and impact of worsening renal function among patients hospitalized with heart failure, 61
Influence of age, gender, and race on the prevalence of depression in heart failure patients, 1542
Influence of diabetes and diabetes-gender interaction on the risk of death in patients hospitalized with congestive heart failure, 771
Influence of pretreatment systolic blood pressure on the effect of carvedilol in patients with severe chronic heart failure, 1423
Intra-left ventricular electromechanical asynchrony, 248
Left ventricular assist device malfunction: a systematic approach to diagnosis, 1574
Limitation of exercise tolerance in chronic heart failure: distinct effects of left bundle-branch block and coronary artery disease, 1524
Obesity and suppressed B-type natriuretic peptide levels in heart failure, 1590
Outpatient utilization of angiotensin converting enzyme inhibitors among heart failure patients after hospital discharge, 2036
Plasma angiopoietin-1, angiopoietin-2, and angiopoietin receptor tie-2 levels in congestive heart failure, 423
Plasma B-type natriuretic peptide levels in systolic heart failure, 416
Predischarge B-type natriuretic peptide assay for identifying patients at high risk of re-admission after decompensated heart failure, 635
Predischarge initiation of carvedilol in patients hospitalized for decompensated heart failure, 1534
Racial variation in the prevalence of atrial fibrillation among patients with heart failure, 429
Reverse epidemiology of conventional cardiovascular risk factors in patients with chronic heart failure, 1439
Role of angiotensin II type 2 receptors and kinins in the cardioprotective effect of angiotensin II type 1 receptor antagonists in rats with heart failure, 1473
Selection of patients for heart transplantation in the current era of heart failure therapy, 787
Severity of left ventricular remodeling defines outcomes and response to therapy in heart failure: Val-HeFT echocardiography data, 2022
Statin therapy is associated with improved survival in ischemic and non-ischemic heart failure, 642
Sympathetic nervous system activation in Chagasic patients with congestive heart failure (letter), 1723
Transplantation of cardiotrophin-1-expressing myoblasts to the left ventricular wall alleviates the transition from compensatory hypertrophy to congestive heart failure in Dahl salt-sensitive hypertensive rats, 2337
Urinary biopyrrins levels are elevated in relation to severity of heart failure, 1880
Heart rate
Heart rate recovery after exercise is not demonstrated as a predictor of mortality: maybe after treadmill-exercise (letter), 599
Heart rate-corrected QT interval prolongation predicts risk of coronary heart disease in black and white middle-aged men and women, 565
Heart rate variability
Acute aldosterone antagonism improves cardiac vagal control in humans, 1270
Dissection of long-range heart rate variability, 2271
Origin and significance of heart rate variability, 2278

Heart transplantation
Adverse outcomes from the use of older donor hearts in cardiac transplant recipients (editorial), 1562
Frequency and impact of delayed decisions regarding heart transplantation on long-term outcomes in patients with advanced heart failure, 794
Heart transplantation: the increasing challenges of evidence-based decision-making (editorial), 803
Outcomes in cardiac transplant recipients using allografts from older donors versus mortality on the transplant waiting list, 1553
Selection of patients for heart transplantation in the current era of heart failure therapy, 787
Heat shock protein-60
Neoangiogenesis, T-lymphocyte infiltration, and heat shock protein-60 are biological hallmarks of an immunomediated inflammatory process in end-stage calcified aortic valve stenosis, 1670
Hematocrit
Hematocrit and left ventricular mass: the Framingham Heart Study, 1276
Heme oxygenase-1
Heme oxygenase-1 genotype and restenosis after balloon angioplasty: a novel protective factor, 950
Hemodynamics
Estimation of myocardial hemodynamics before and after intervention in children with Kawasaki disease, 653
Hemodynamic profiles in heart failure patients (letter), 151
Hemoglobin
Hemoglobin level is an independent predictor of adverse cardiovascular outcomes in women undergoing evaluation for chest pain: results from the NHLBI WISE study, 2009
Hemoglobin A_{1c}
Glucose intolerance as reflected by hemoglobin A_{1c} level, is associated with the incidence and severity of transplant coronary artery disease, 1034
Hemorrhage
Intracranial hemorrhage and hyperperfusion syndrome following carotid artery stenting, 1596
Heparin
Administration of eptifibatide to acute coronary syndrome patients receiving enoxaparin or unfractionated heparin, 966
Hepatocyte growth factor
Powerful and controllable angiogenesis by using gene-modified cells expressing human hepatocyte growth factor and thymidine kinase, 1915
Hibernating myocardium
Human hibernating myocardium is jeopardized by apoptotic and autophagic cell death, 2191
Ultrastructural evidence of increased tolerance of hibernating myocardium to cardioplegic ischemic-reperfusion injury, 2329
High-density lipoprotein-cholesterol
Assessing low levels of high-density lipoprotein cholesterol as a risk factor in coronary heart disease, 717
High-protein diets
Diet–heart hypothesis: a critique, 731
Low-carbohydrate–high-protein diets, 724
Hippocrates paradox
Is Hippocrates paradox really a paradox? (letter), 505
Hospital(s)
Coronary intervention at hospitals without on-site cardiac surgery: are we pushing the envelope too far? (editorial), 343
Does hospital coronary intervention volume matter in predicting mortality (editorial), 1763
Heart hospitals: for better or worse, 1923
Hospital percutaneous coronary intervention volume and patient mortality, 1998 to 2000, 1755
Outpatient utilization of angiotensin converting enzyme inhibitors among heart failure patients after hospital discharge, 2036
Primary angioplasty in acute myocardial infarction at hospitals with no surgery on-site (PAMI No SOS) versus transfer to surgical centers for primary angioplasty, 1943
Primary percutaneous coronary intervention at hospitals without on-site cardiac surgery: expanding the use of mechanical reperfusion for acute myocardial infarction (editorial), 1951
Hospitalization
Hospitalization for heart failure in the presence of a normal left ventricular ejection fraction, 1432
Incidence, predictors at admission, and impact of worsening renal function among patients hospitalized with heart failure, 61
Predischarge initiation of carvedilol in patients hospitalized for decompensated heart failure, 1534
Hydroquinidine
Hydroquinidine therapy in Brugada syndrome, 1853
Hydroxyl radicals
Hydroxyl radical generation, levels of tumor necrosis factor-α and progression to heart failure after acute myocardial infarction, 2000
Hyperlipidemia
Decreased circulating Fas ligand in patients with familial combined hyperlipidemia or carotid atherosclerosis, 1188
Hyperperfusion syndrome
Intracranial hemorrhage and hyperperfusion syndrome following carotid artery stenting, 1596
Hypertension
Association between aldosterone synthase (CYP11B2) polymorphism and left ventricular mass in human essential hypertension, 265
Cardiovascular risk reduction in hypertensive black patients with left ventricular hypertrophy, 1047
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92
Patients with a hypertensive response to exercise have impaired systolic function without diastolic dysfunction or left ventricular hypertrophy, 848
Prognostic value of the metabolic syndrome in essential hypertension, 1817
Relationship to neurovascular compression to central sympathetic discharge and essential hypertension, 1453
Hypertrophic cardiomyopathy
Diastolic coronary vascular reserve: a new index to detect changes in the coronary microcirculation in hypertrophic cardiomyopathy, 670
Histological basis of late gadolinium enhancement cardiovascular magnetic resonance in hypertrophic cardiomyopathy, 2260
Myocardial bridging in adult and pediatric patients with hypertrophic cardiomyopathy is not associated with poor outcome (letter), 1133
Myocardial infarction after percutaneous transluminal septal myocardial ablation in hypertrophic obstructive cardiomyopathy: evaluation by contrast-enhanced magnetic resonance imaging, 27
Hypertrophy
See also Left ventricular hypertrophy
Infarct resorption, compensatory hypertrophy, and differing patterns of ventricular remodeling following myocardial infarctions of varying size, 2124
Transplantation of cardiotrophin-1-expressing myoblasts to the left ventricular wall alleviates the transition from compensatory hypertrophy to congestive heart failure in Dahl salt-sensitive hypertensive rats, 2337
Hypoplastic left heart syndrome
Intrauterine pulmonary venous flow and restrictive foramen ovale in fetal hypoplastic left heart syndrome, 1902
The year in congenital heart disease, 2132
Imaging
See also Computed tomography; Echocardiography; Magnetic resonance imaging, 257
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables (editorial), 209
Stress myocardial perfusion single-photon emission computed tomography is clinically effective and cost effective in risk stratification of patients with a high likelihood of coronary artery disease (CAD) but no known CAD, 200
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100
Technetium ^{99m} sestamibi myocardial perfusion imaging predicts clinical outcome in the community outpatient setting, 213
Tissue Doppler imaging predicts recovery of left ventricular function after recanalization of an occluded coronary artery, 85
Transesophageal echocardiography improves risk assessment of thrombolysis of prosthetic valve thrombosis: results of the International PRO-TEE Registry, 77
Utility of myocardial perfusion imaging in patients with low-risk treadmill scores, 194
Year in echocardiography, 140
Immunoliposomes
Preservation of ischemic myocardial function and integrity with targeted cytoskeleton-specific immunoliposomes, 1683
Implantable cardioverter-defibrillators
Analysis of mortality events in the Multicenter Automatic Defibrillator Implantation Trial (MADIT-II), 1459
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39
Filling the need for new antiarrhythmic drugs to

prevent shocks from implantable cardioverter defibrillators (editorial), 44
Gender differences in ventricular arrhythmias in patients with coronary artery disease and implantable cardioverter-defibrillators, 2293
Implantable cardioverter-defibrillators in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 1843

Indapamide
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92

Infective endocarditis
Contemporary results of mitral valve repair for infective endocarditis, 386
Randomized trial of aspirin on the risk of embolic events in patients with infective endocarditis (letter), 1134

Inflammation
Adverse outcomes in aortic sclerosis is associated with coronary artery disease and inflammation, 169
Peroxynitrite decomposition catalysts prevent myocardial dysfunction and inflammation in endotoxemic rats, 2348
Soluble CD40 ligand and platelets—self-perpetuating pathogenic loop in thrombosis and inflammation?, 2326

Inflammatory response
Myocardial fibrosis and diastolic dysfunction in deoxycorticosterone acetate-salt hypertensive rats is ameliorated by the peroxisome proliferator-activated receptor-alpha activator fenofibrate, partly by suppressing inflammatory responses associated with the nuclear factor-kappa-B pathway, 1481

In-stent neointima
Circulating monocytes and in-stent neointima after coronary stent implantation, 18
Monocyte: the key in the lock to reduce stent hyperplasia? (editorial), 24

In-stent restenosis
Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis, 949

Insurance
Medical malpractice insurance: a multifaceted problem (letter), 2366

Interleukin-6
Relationship of interleukin-6 and C-reactive protein to the prothrombotic state in chronic atrial fibrillation, 2075

Interleukin-1 receptor antagonist
Early interleukin-1 receptor antagonist elevation in patients with acute myocardial infarction, 35

Interventional cardiology
Circulating monocytes and in-stent neointima after coronary stent implantation, 18
Hospital percutaneous coronary intervention volume and patient mortality, 1998 to 2000, 1755
Impact of delays to cardiac surgery after failed angioplasty and stenting, 337
Myocardial infarction after percutaneous transluminal septal myocardial ablation in hypertrophic obstructive cardiomyopathy: evaluation by contrast-enhanced magnetic resonance imaging, 27
Optimal glycemic control is associated with a lower rate of target vessel revascularization in treated type II diabetic patients undergoing elective percutaneous coronary intervention, 8
Optimal suppression of thromboxane A_2 formation by aspirin during percutaneous transluminal coronary angioplasty: no additional effect of a selective cyclooxygenase-2 inhibitor, 526
Optimization of glycemic control and restenosis prevention in diabetic patients undergoing percutaneous coronary interventions (editorial), 15
Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results, 1154
Year in interventional cardiology, 875

Interventional catheterization
Interventional catheterization performed in the early postoperative period after congenital heart surgery in children, 1264

Intima-media thickness
Metabolic syndrome amplifies the age-associated increases in vascular thickness and stiffness, 1388

Intra-aortic balloon counterpulsation
Reduction of "no-reflow" phenomenon by intra-aortic balloon counterpulsation in a randomized magnetic resonance imaging experimental study, 1291

Intra-aortic balloon pumping
Enhanced coronary flow velocity during intra-aortic balloon pumping assessed by transthoracic Doppler echocardiography, 368

Intracranial hemorrhage
Intracranial hemorrhage and hyperperfusion syndrome following carotid artery stenting, 1596

Intra-left ventricular electromechanical asynchrony
Intra-left ventricular electromechanical asynchrony, 248

Intravascular ultrasound
Intravascular ultrasound molecular imaging of atheroma components in vivo, 453
Routine intravascular ultrasound guidance of percutaneous coronary intervention, 1335

Intraventricular pressure gradients
Noninvasive assessment of ejection intraventricular pressure gradients, 1654

Ischemia
See also Myocardial ischemia
Temporal patterns of gene expression after acute hindlimb ischemia in mice, 474
Transient and reversible deoxyribonucleic acid damage in human left ventricle under controlled ischemia and reperfusion, 1992

Ischemic cardiomyopathy
Cellular, but not direct, adenoviral delivery of vascular endothelial growth factor results in improved left ventricular function and neovascularization in dilated ischemic cardiomyopathy, 1908
Mode of initiation and ablation of ventricular fibrillation storms in patients with ischemic cardiomyopathy, 1715

Ischemic heart disease
Ischemic heart disease in women: facts and wishful thinking, 1727
Reduced pericardial levels of endostatin correlate with collateral development in patients with ischemic heart disease, 1383

Ischemic heart failure
Statin therapy is associated with improved survival in ischemic and non-ischemic heart failure, 642

Ischemic mitral regurgitation
Ischemic mitral regurgitation and ventricular remodeling (editorial), 384
Prevention of ischemic mitral regurgitation does not influence the outcome of remodeling after posterolateral myocardial infarction, 377

Ischemic preconditioning
Ischemic preconditioning in coronary heart disease: a therapeutic golden fleece? (editorial), 1515

Ischemic-reperfusion injury
Ultrastructural evidence of increased tolerance of hibernating myocardium to cardioplegic ischemic-reperfusion injury, 2329

Isovolumic myocardial acceleration
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100

Isthmus block
Characteristics of virtual unipolar electrograms for detecting isthmus block during radiofrequency ablation of typical atrial flutter, 2300

Kawasaki disease
Estimation of myocardial hemodynamics before and after intervention in children with Kawasaki disease, 653
Magnetic resonance angiography is equivalent to x-ray coronary angiography for the evaluation of coronary arteries in Kawasaki disease, 649
Novel and traditional cardiovascular risk factors in children with Kawasaki disease, 120

Kidneys
Incidence, predictors at admission, and impact of worsening renal function among patients hospitalized with heart failure, 61

Kinins
Role of angiotensin II type 2 receptors and kinins in the cardioprotective effect of angiotensin II type 1 receptor antagonists in rats with heart failure, 1473

Laser angioplasty
Meta-analysis of randomized trials of percutaneous transluminal coronary angioplasty versus atherectomy, cutting balloon atherotomy, or laser angioplasty, 936

Left atrial appendage
Left atrial structure and function after percutaneous left atrial appendage transcatheter occlusion (PLAATO), 1868

Left atrial thrombus
Left atrial thrombus associated with ablation for atrial fibrillation: identification with intracardiac echocardiography, 1861

Left atrium
Expression of angiotensin II receptors in human left and right atrial tissue in atrial fibrillation with and without underlying mitral valve disease (letter), 2363
Left atrial structure and function after percutaneous left atrial appendage transcatheter occlusion (PLAATO), 1868

Left bundle-branch block
Limitation of exercise tolerance in chronic heart failure: distinct effects of left bundle-branch block and coronary artery disease, 1524

Left stellate ganglion
Long-term subthreshold electrical stimulation of the left stellate ganglion and a canine model of sudden cardiac death, 858

Left ventricle
Acute comparative effect of right and left ventricular pacing in patients with permanent atrial fibrillation, 234
Alterations in left ventricular structure and function in young healthy obese women, 1399
Cellular, but not direct, adenoviral delivery of vascular endothelial growth factor results in improved left ventricular function and neovascularization in dilated ischemic cardiomyopathy, 1908

Intra-left ventricular electromechanical asynchrony, 248
Left ventricular mechanics during right ventricular apical or left ventricular-based pacing in patients with chronic atrial fibrillation after atrioventricular junction ablation, 1013
Long-term caspase inhibition ameliorates apoptosis, reduces myocardial troponin-I cleavage, protects left ventricular function, and attenuates remodeling in rats with myocardial infarction, 295
Molecular normalization of dystrophin in the failing left and right ventricle of patients treated with either pulsatile or continuous flow-type ventricular assist devices, 811
Pacing the left ventricle: does underlying rhythm matter? (editorial), 239
Tissue Doppler imaging predicts recovery of left ventricular function after recanalization of an occluded coronary artery, 85
Transient and reversible deoxyribonucleic acid damage in human left ventricle under controlled ischemia and reperfusion, 1992
Transplantation of cardiotrophin-1-expressing myoblasts to the left ventricular wall alleviates the transition from compensatory hypertrophy to congestive heart failure in Dahl salt-sensitive hypertensive rats, 2337

Left ventricular assist devices
Left ventricular assist device malfunction: a systematic approach to diagnosis, 1574
Molecular normalization of dystrophin in the failing left and right ventricle of patients treated with either pulsatile or continuous flow-type ventricular assist devices, 811

Left ventricular diastolic function
Aortic elastic properties and left ventricular diastolic function in patients with Adamantiades-Behcet's disease, 1075
Clinical validity of measuring time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity in the evaluation of left ventricular diastolic function, 2097

Left ventricular dysfunction
Ischemic and viable myocardium in patients with non–Q-wave or Q-wave myocardial infarction and left ventricular dysfunction, 592
Predictors of left ventricular dysfunction following mitral valve repair for mitral regurgitation (letter), 1925

Left ventricular ejection fraction
Cost-effectiveness of screening with B-type natriuretic peptide to identify patients with reduced left ventricular ejection fraction, 1019
Effects of ramipril on left ventricular mass and function in cardiovascular patients with controlled blood pressure and with preserved left ventricular ejection fraction, 2200
Hospitalization for heart failure in the presence of a normal left ventricular ejection fraction, 1432
Impact of tricuspid regurgitation on long-term survival, 405
Increased left ventricular mass is a risk factor for the development of a depressed left ventricular ejection fraction within five years: the Cardiovascular Health Study, 2207

Left ventricular filling pressure
Noninvasive estimation of left ventricular filling pressure by E/e′ is a powerful predictor of survival after acute myocardial infarction, 360

Left ventricular function
Effects of cardiac resynchronization therapy on left ventricular function, myocardial energetics, and metabolic reserve in patients with dilated cardiomyopathy and heart failure, 1027
Short- and long-term recovery of left ventricular function predicted at the time of primary percutaneous coronary intervention in anterior myocardial infarction, 534

Left ventricular hypertrophy
Cardiovascular risk reduction in hypertensive black patients with left ventricular hypertrophy, 1047
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116
Elevation of plasma brain natriuretic peptide is a hallmark of diastolic heart failure independent of ventricular hypertrophy, 55
Left ventricular hypertrophy: a "factor of risk" (editorial), 2216
Patients with a hypertensive response to exercise have impaired systolic function without diastolic dysfunction or left ventricular hypertrophy, 848

Left ventricular mass
Association between aldosterone synthase (CYP11B2) polymorphism and left ventricular mass in human essential hypertension, 265
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116
Effects of ramipril on left ventricular mass and function in cardiovascular patients with controlled blood pressure and with preserved left ventricular ejection fraction, 2200
Hematocrit and left ventricular mass: the Framingham Heart Study, 1276
Increased left ventricular mass is a risk factor for the development of a depressed left ventricular ejection fraction within five years: the Cardiovascular Health Study, 2207

Left ventricular remodeling
Angina pectoris prior to myocardial infarction protects against subsequent left ventricular remodeling, 1511
Angiotensin receptor blockade improves myocardial beta-adrenergic receptor signaling in postinfarction left ventricular remodeling, 125
Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction, 1646
Severity of left ventricular remodeling defines outcomes and response to therapy in heart failure: Val-HeFT echocardiography data, 2022

Left ventricular systolic dysfunction
Alcohol consumption and prognosis in patients with left ventricular systolic dysfunction after a myocardial infarction, 2015
Efficacy of azimilide in the treatment of atrial fibrillation in the presence of left ventricular systolic dysfunction, 1211

Left ventricular systolic function
Heart failure with preserved left ventricular systolic function, 317
Pulmonary vein isolation for the treatment of atrial fibrillation in patients with impaired systolic function, 1004

Letters to the editor
Angiotensin-converting enzyme inhibitors, beta-blockers, and mortality in systolic heart failure, 1333
Assessment of diastolic function using myocardial velocity gradient, 1724
Characteristics of a great review, 1927
Composite confusion, 1926
From controlled trials to clinical practice: transmyocardial revascularization use and outcomes, 2364
Diuretic use, progressive heart failure, and death in patients with SOLVD, 1723
Embolic complications in *Streptococcus viridans* endocarditis, 1133
Expression of angiotensin II receptors in human left and right atrial tissue in atrial fibrillation with and without underlying mitral valve disease, 2363
"From bedside to bench," 928
Glycoprotein IIb/IIIa inhibitors and the guidelines for treatment of non–ST-elevation myocardial infarction, 927
Heart disease in diabetes—resist the beginnings, 315
Heart rate recovery after exercise is not demonstrated as a predictor of mortality: maybe after treadmill-exercise, 599
Hemodynamic profiles in heart failure patients, 151
For how long should treatment with clopidogrel be continued after coronary stent implantation, 1331
Is Hippocrates paradox really a paradox?, 505
Magnetic resonance to assess the aortic valve area in aortic stenosis, 2148
Matrix metalloproteinases in atrial fibrillation, 152
Myocardial bridging in adult and pediatric patients with hypertrophic cardiomyopathy is not associated with poor outcome, 1133
Percutaneous coronary intervention before noncardiac surgery: more threat than benefit?, 713
Predictors of left ventricular dysfunction following mitral valve repair for mitral regurgitation, 1925
Pulmonary veins in the substrate for atrial fibrillation: the "venous wave" hypothesis (editorial), 2290
Pulmonary venous flow by Doppler echocardiography: usefulness of diastolic wave deceleration time in predicting filling pressure, 925
Randomized trial of aspirin on the risk of embolic events in patients with infective endocarditis, 1134
Reactive hyperemia as a test of endothelial or microvascular function?, 2147
Risk of noncardiac surgery in the months following placement of a drug-eluting coronary stent, 713
Statins to reduce risk of depression, 1132
Sympathetic nervous system activation in Chagasic patients with congestive heart failure, 1723
Therapeutic failure or resistance to aspirin, 1332
Therapy of recurrent pericarditis, 2149
Time course of the interaction between tadalafil and nitrates (letter), 2150
Why is chronic kidney disease the "spoiler" for cardiovascular outcomes: an alternative take from a generalist, 924

Leukocytes
Clopidogrel inhibits platelet-leukocyte interactions and TRAP-induced platelet activation in patients with an acute coronary syndrome, 1982

Levosimendan
Calcium sensitizer levosimendan improves the function of stunned myocardium after percutaneous transluminal coronary angioplasty in acute myocardial ischemia, 2177
Lipoprotein(s)
Optimal LDL is 50 to 70: lower is better and physiologically normal, 2142
Prognostic value of remnant-like lipoprotein particles levels in patients with coronary artery disease and type 2 diabetes mellitus, 2219
Triglyceride-rich lipoprotein remnant levels and metabolism: time to adopt these orphan risk factors?, 2233
Lipoprotein(a)
High lipoprotein(a) levels and small apolipoprotein(a) sizes are associated with endothelial dysfunction in a multiethnic cohort, 1828
Long QT syndrome
Long QT syndrome in neonates, 826
Loop diuretics
Effects of loop diuretics on myocardial fibrosis and collagen type I turnover in chronic heart failure, 2028
Low-carbohydrate diet
Diet–heart hypothesis: a critique, 731
Low-carbohydrate–high-protein diets, 724
Low-density lipoprotein
Cardiology management improves secondary prevention measures among patients with coronary artery disease, 1517
Optimal LDL is 50 to 70: lower is better and physiologically normal, 2142
Macrophages
Exercise acutely increases circulating endothelial progenitor cells and monocyte/macrophage derived angiogenic cells, 2314
Magnetic resonance angiography
Magnetic resonance angiography is equivalent to x-ray coronary angiography for the evaluation of coronary arteries in Kawasaki disease, 649
Magnetic resonance imaging
Can patients with implantable pacemakers safely undergo magnetic resonance imaging? (editorial), 1325
Cardiac magnetic resonance imaging and Core Cardiology Training II (COCATS-2): can we get there from here?, 2113
Factors associated with impaired clinical status in long-term survivors of tetralogy of Fallot repair evaluated by magnetic resonance imaging, 1068
Gadolinium delayed enhancement cardiovascular magnetic resonance correlates with clinical measures of myocardial infarction, 2253
High-resolution transthoracic real-time three-dimensional echocardiography: quantification of cardiac volumes and function using semi-automatic border detection and comparison with cardiac magnetic resonance imaging, 2083
Histological basis of late gadolinium enhancement cardiovascular magnetic resonance in hypertrophic cardiomyopathy, 2260
Magnetic resonance imaging and cardiac pacemaker safety at 1.5-tesla, 1315
Magnetic resonance to assess the aortic valve area in aortic stenosis (letter), 2148
Myocardial infarction after percutaneous transluminal septal myocardial ablation in hypertrophic obstructive cardiomyopathy: evaluation by contrast-enhanced magnetic resonance imaging, 27
Reduction of "no-reflow" phenomenon by intra-aortic balloon counterpulsation in a randomized magnetic resonance imaging experimental study, 1291
Selective peroxisomal proliferator-activated receptor-gamma agonist has an additive effect on plaque regression in combination with simvastatin in experimental atherosclerosis, 464
Training cardiovascular fellows in cardiovascular magnetic resonance and vascular imaging: current status following the Core Cardiovascular Training Symposium (COCATS-2) guidelines, 2108
Visualizing coronary atherosclerosis in vivo: thinking big, imaging small (editorial), 461
Malpractice insurance
Medical malpractice insurance: a multifaceted problem (letter), 2366
Matrix metalloproteinase-9
Matrix metalloproteinase-9 contributes to human atrial remodeling during atrial fibrillation, 818
Matrix metalloproteinases
Matrix metalloproteinases in atrial fibrillation (letter), 152
Meetings
Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications, 684
Metabolic syndrome
Adiponectin I164T mutation is associated with the metabolic syndrome and coronary artery disease, 1195
Metabolic syndrome amplifies the age-associated increases in vascular thickness and stiffness, 1388
Metabolic syndrome (editorial), 1396
Prognostic value of the metabolic syndrome in essential hypertension, 1817
Metabolism
Triglyceride-rich lipoprotein remnant levels and metabolism: time to adopt these orphan risk factors?, 2233
Minocycline
Minocycline inhibits caspase activation and reactivation, increases the ratio of XIAP to Smac/DIABLO, and reduces the mitochondrial leakage of cytochrome C and Smac/DIABLO, 865
Mitral annulus
Clinical validity of measuring time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity in the evaluation of left ventricular diastolic function, 2097
"From bedside to bench" (letter), 928
Mitral inflow
Clinical validity of measuring time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity in the evaluation of left ventricular diastolic function, 2097
Mitral regurgitation
Importance of mitral regurgitation in patients undergoing percutaneous coronary intervention for acute myocardial infarction, 1368
Ischemic mitral regurgitation and ventricular remodeling (editorial), 384
Predictors of left ventricular dysfunction following mitral valve repair for mitral regurgitation (letter), 1925
Prevention of ischemic mitral regurgitation does not influence the outcome of remodeling after posterolateral myocardial infarction, 377
Year in valvular heart disease, 491
Mitral stenosis
Dobutamine stress echocardiography for noninvasive assessment and risk stratification of patients with rheumatic mitral stenosis, 393
Stress echocardiography in mitral stenosis: when is it useful? (editorial), 402
Year in valvular heart disease, 491
Mitral valve disease
Expression of angiotensin II receptors in human left and right atrial tissue in atrial fibrillation with and without underlying mitral valve disease (letter), 2363
Mitral valve repair
Contemporary results of mitral valve repair for infective endocarditis, 386
Predictors of left ventricular dysfunction following mitral valve repair for mitral regurgitation (letter), 1925
Year in valvular heart disease, 491
Mitral valve replacement
Clinical significance of early thrombosis after prosthetic mitral valve replacement, 1283
Mitral valve stenosis
Real-time three-dimensional echocardiography for rheumatic mitral valve stenosis evaluation: an accurate and novel approach, 2091
Monocytes
Circulating monocytes and in-stent neointima after coronary stent implantation, 18
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116
Exercise acutely increases circulating endothelial progenitor cells and monocyte/macrophage derived angiogenic cells, 2314
Monocyte: the key in the lock to reduce stent hyperplasia? (editorial), 24
Mortality
Analysis of mortality events in the Multicenter Automatic Defibrillator Implantation Trial (MADIT-II), 1459
Angiotensin-converting enzyme inhibitors, beta-blockers, and mortality in systolic heart failure (letter), 1333
Diuretic use, progressive heart failure, and death in patients with SOLVD (letter), 1723
Does hospital coronary intervention volume matter in predicting mortality, 1763
Heart rate recovery after exercise is not demonstrated as a predictor of mortality: maybe after treadmill-exercise (letter), 599
Hospital percutaneous coronary intervention volume and patient mortality, 1998 to 2000, 1755
Influence of diabetes and diabetes-gender interaction on the risk of death in patients hospitalized with congestive heart failure, 771
Outcomes in cardiac transplant recipients using allografts from older donors versus mortality on the transplant waiting list, 1553
Postoperative atrial fibrillation and mortality: do the risks merit changes in clinical practice? (editorial), 749
Postoperative atrial fibrillation and mortality after coronary artery bypass surgery, 742
Preprocedural TIMI flow and mortality in patients with acute myocardial infarction treated by primary angioplasty, 1363
Prognostic importance of comorbidity for mortality

in patients with stable coronary artery disease, 576

Multidetector computed tomography
Accuracy of multidetector spiral computed tomography in identifying and differentiating the composition of coronary atherosclerotic plaques, 1241
Assessment of coronary remodeling in stenotic and nonstenotic coronary atherosclerotic lesions by multidetector spiral computed tomography, 842
Detection of coronary stenoses by multidetector computed tomography: it's all about resolution (editorial), 84
Diagnostic accuracy of multidetector computed tomography coronary angiography in patients with angiographically proven coronary artery disease, 831

Multielectrode basket catheter
Electrophysiological properties of pulmonary veins assessed using a multielectrode basket catheter, 2281

Multislice spiral computed tomography coronary angiography
Multislice spiral CT coronary angiography in patients with stable angina pectoris, 2265

Murine models
Delayed response to insulin-stimulated fluorine-18 deoxyglucose uptake in glucose transporter-4 null mice hearts, 1690
Osteopontin modulates angiotensin II-induced fibrosis in the intact murine heart, 1698
Peroxynitrite decomposition catalysts prevent myocardial dysfunction and inflammation in endotoxemic rats, 2348
Temporal patterns of gene expression after acute hindlimb ischemia in mice, 474

Myocardial bridging
Myocardial bridging in adult and pediatric patients with hypertrophic cardiomyopathy is not associated with poor outcome (letter), 1133

Myocardial contrast echocardiography
Incremental value of parametric quantitative assessment of myocardial perfusion by triggered low-power myocardial contrast echocardiography, 1807
Myocardial contrast echocardiography with a new calibration method can estimate myocardial viability in patients with myocardial infarction, 1799
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299
Placing faith in numbers: quantification of perfusion with myocardial contrast echocardiography (editorial), 1814

Myocardial dysfunction
Peroxynitrite decomposition catalysts prevent myocardial dysfunction and inflammation in endotoxemic rats, 2348

Myocardial fibrosis
Effects of loop diuretics on myocardial fibrosis and collagen type I turnover in chronic heart failure, 2028
Myocardial fibrosis and diastolic dysfunction in deoxycorticosterone acetate-salt hypertensive rats is ameliorated by the peroxisome proliferator-activated receptor-alpha activator fenofibrate, partly by suppressing inflammatory responses associated with the nuclear factor-kappa-B pathway, 1481

Myocardial glucose uptake
Delayed response to insulin-stimulated fluorine-18 deoxyglucose uptake in glucose transporter-4 null mice hearts, 1690

Myocardial infarction
See also Non–ST-segment elevation myocardial infarction
Accuracy of dipyridamole myocardial contrast echocardiography for the detection of residual stenosis of the infarct related artery and multivessel disease early after acute myocardial infarction, 2247
Alcohol consumption and prognosis in patients with left ventricular systolic dysfunction after a myocardial infarction, 2015
Angina pectoris prior to myocardial infarction protects against subsequent left ventricular remodeling, 1511
Aspirin dose and six-month outcome after an acute coronary syndrome, 972
Association of a pulsatile blood flow pattern on coronary arteriography and short-term clinical outcomes in acute myocardial infarction, 1170
Does beta-blocker therapy improve clinical outcomes of acute myocardial infarction after successful primary angioplasty?, 1773
Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction, 1646
Early interleukin-1 receptor antagonist elevation in patients with acute myocardial infarction, 35
Effects of nonselective non-aspirin non-steroidal anti-inflammatory medications on the risk of nonfatal myocardial infarction and their interaction with aspirin, 985
Enhancing quality of care for acute myocardial infarction: shifting the focus of improvement from key indicators to process of care and tool use, 2166
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162
Gadolinium delayed enhancement cardiovascular magnetic resonance correlates with clinical measures of myocardial infarction, 2253
Glycoprotein IIb/IIIa inhibitors and the guidelines for treatment of non–ST-elevation myocardial infarction (letter), 927
Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications, 684
Hydroxyl radical generation, levels of tumor necrosis factor-α and progression to heart failure after acute myocardial infarction, 2000
Impact of intravenous beta-blockade before primary angioplasty on survival in patients undergoing mechanical reperfusion therapy for acute myocardial infarction, 1780
Importance of mitral regurgitation in patients undergoing percutaneous coronary intervention for acute myocardial infarction, 1368
Improved speed and stability of ST-segment recovery with reduced-dose tenecteplase and eptifibatide compared with full-dose tenecteplase for acute ST-segment elevation myocardial infarction, 549
Infarct resorption, compensatory hypertrophy, and differing patterns of ventricular remodeling following myocardial infarctions of varying size, 2124
Ischemic and viable myocardium in patients with non–Q-wave or Q-wave myocardial infarction and left ventricular dysfunction, 592
Long-term caspase inhibition ameliorates apoptosis, reduces myocardial troponin-I cleavage, protects left ventricular function, and attenuates remodeling in rats with myocardial infarction, 295
Myocardial contrast echocardiography with a new calibration method can estimate myocardial viability in patients with myocardial infarction, 1799
Myocardial infarction after percutaneous transluminal septal myocardial ablation in hypertrophic obstructive cardiomyopathy: evaluation by contrast-enhanced magnetic resonance imaging, 27
Myocardial wall thickness predicts recovery of contractile function after primary coronary intervention for acute myocardial infarction, 1489
Natriuretic peptides as predictors of non-sudden and sudden cardiac death after acute myocardial infarction in the beta-blocking era, 757
Noninvasive estimation of left ventricular filling pressure by E/e′ is a powerful predictor of survival after acute myocardial infarction, 360
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542
Preprocedural TIMI flow and mortality in patients with acute myocardial infarction treated by primary angioplasty, 1363
Prevention of ischemic mitral regurgitation does not influence the outcome of remodeling after posterolateral myocardial infarction, 377
Primary angioplasty in acute myocardial infarction at hospitals with no surgery on-site (PAMI No SOS) versus transfer to surgical centers for primary angioplasty, 1943
Primary percutaneous coronary intervention at hospitals without on-site cardiac surgery: expanding the use of mechanical reperfusion for acute myocardial infarction (editorial), 1951
Randomized trial comparing myocardial salvage achieved by coronary stenting versus balloon angioplasty in patients with acute myocardial infarction considered ineligible for reperfusion therapy, 734
Rationale and strategies for implementing community-based transfer protocols for primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction, 2153
Short- and long-term clinical benefit of sirolimus-eluting stents compared to conventional bare stents for patients with acute myocardial infarction, 704
Short- and long-term recovery of left ventricular function predicted at the time of primary percutaneous coronary intervention in anterior myocardial infarction, 534
Year in interventional cardiology, 875

Myocardial ischemia
See also Ischemia
Calcium sensitizer levosimendan improves the function of stunned myocardium after percutaneous transluminal coronary angioplasty in acute myocardial ischemia, 2177

Myocardial perfusion imaging
Myocardial perfusion imaging following percutaneous coronary intervention, 328

Technetium ^{99m} sestamibi myocardial perfusion imaging predicts clinical outcome in the community outpatient setting, 213
Utility of myocardial perfusion imaging in patients with low-risk treadmill scores, 194

Myocardial salvage
Randomized trial comparing myocardial salvage achieved by coronary stenting versus balloon angioplasty in patients with acute myocardial infarction considered ineligible for reperfusion therapy, 734

Myocardial velocity gradient
Assessment of diastolic function using myocardial velocity gradient (letter), 1724

Myocardial viability
Ischemic and viable myocardium in patients with non–Q-wave or Q-wave myocardial infarction and left ventricular dysfunction, 592
Myocardial contrast echocardiography with a new calibration method can estimate myocardial viability in patients with myocardial infarction, 1799

Myocardial wall thickness
Myocardial wall thickness predicts recovery of contractile function after primary coronary intervention for acute myocardial infarction, 1489

Myonecrosis
Aspirin resistance is associated with a high incidence of myonecrosis after non-urgent percutaneous coronary intervention despite clopidogrel pretreatment, 1122

Myopericarditis
Smallpox vaccination and myopericarditis: a clinical review, 1503

Natriuretic peptides
Cost-effectiveness of screening with B-type natriuretic peptide to identify patients with reduced left ventricular ejection fraction, 1019
Exercise release of cardiac natriuretic peptides is markedly enhanced when patients with coronary artery disease are treated medically by beta-blockers, 353
Natriuretic peptides as predictors of non-sudden and sudden cardiac death after acute myocardial infarction in the beta-blocking era, 757
Plasma B-type natriuretic peptide levels in systolic heart failure, 416
Predischarge B-type natriuretic peptide assay for identifying patients at high risk of re-admission after decompensated heart failure, 635

Neoangiogenesis
Cellular, but not direct, adenoviral delivery of vascular endothelial growth factor results in improved left ventricular function and neovascularization in dilated ischemic cardiomyopathy, 1908
Neoangiogenesis, T-lymphocyte infiltration, and heat shock protein-60 are biological hallmarks of an immunomediated inflammatory process in end-stage calcified aortic valve stenosis, 1670

Neointima
Circulating monocytes and in-stent neointima after coronary stent implantation, 18
Monocyte: the key in the lock to reduce stent hyperplasia? (editorial), 24

Neonates
Long QT syndrome in neonates, 826
Stenting the neonatal arterial duct in duct-dependent pulmonary circulation: new techniques, better results, 107

Neurovascular compression
Relationship to neurovascular compression to central sympathetic discharge and essential hypertension, 1453

Nitrates
Time course of the interaction between tadalafil and nitrates (letter), 2150

Noncardiac surgery
Percutaneous coronary intervention before noncardiac surgery: more threat than benefit? (letter), 713
Risk of noncardiac surgery in the months following placement of a drug-eluting coronary stent (letter), 713

Non–Q-wave myocardial infarction
Ischemic and viable myocardium in patients with non–Q-wave or Q-wave myocardial infarction and left ventricular dysfunction, 592

Non–ST-elevation myocardial infarction
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162

Nonsteroidal anti-inflammatory drugs
Case for an adverse interaction between aspirin and non-steroidal anti-inflammatory drugs (editorial), 991
Effects of nonselective non-aspirin non-steroidal anti-inflammatory medications on the risk of nonfatal myocardial infarction and their interaction with aspirin, 985
Nonsteroidal anti-inflammatory drugs and cardiovascular risk, 519

No-reflow phenomenon
Glycoprotein IIb/IIIa inhibitors and no-reflow (editorial), 284
Reduction of "no-reflow" phenomenon by intra-aortic balloon counterpulsation in a randomized magnetic resonance imaging experimental study, 1291

Nuclear factor-kappaB
Myocardial fibrosis and diastolic dysfunction in deoxycorticosterone acetate-salt hypertensive rats is ameliorated by the peroxisome proliferator-activated receptor-alpha activator fenofibrate, partly by suppressing inflammatory responses associated with the nuclear factor-kappa-B pathway, 1481

Obesity
Alterations in left ventricular structure and function in young healthy obese women, 1399
Exercise training normalizes vascular dysfunction and improves central adiposity in obese adolescents, 1823
Obesity and suppressed B-type natriuretic peptide levels in heart failure, 1590

Occlusions
Significant reduction in restenosis following the use of sirolimus-eluting stents in the treatment of chronic total occlusions, 1954

Off-pump coronary artery bypass grafting
See also Coronary artery bypass grafting
Comparison of short- and long-term outcomes after off-pump and on-pump coronary artery bypass graft surgery with sternotomy, 557

On-pump coronary artery bypass grafting
See also Coronary artery bypass grafting
Chronologic distribution of stroke after minimally invasive versus conventional coronary artery bypass, 752
Comparison of short- and long-term outcomes after off-pump and on-pump coronary artery bypass graft surgery with sternotomy, 557

Open-heart surgery
Utility of B-type natriuretic peptide in predicting postoperative complications and outcomes in patients undergoing heart surgery, 1873

Osteopontin
Osteopontin modulates angiotensin II-induced fibrosis in the intact murine heart, 1698

Outcomes
Adverse outcomes from the use of older donor hearts in cardiac transplant recipients (editorial), 1562
Adverse outcomes in aortic sclerosis is associated with coronary artery disease and inflammation, 169
Akinesia becoming dyskinesia after exercise testing: prevalence and relationship to clinical outcome, 599
Association of a pulsatile blood flow pattern on coronary arteriography and short-term clinical outcomes in acute myocardial infarction, 1170
Cholesteryl ester transfer protein (CETP) TaqIB polymorphism in the Cholesterol and Recurrent Events Study: no interaction with the response to pravastatin therapy and no effects on cardiovascular outcome, 854
Comorbidity and outcome in patients with coronary artery disease (editorial), 583
Does beta-blocker therapy improve clinical outcomes of acute myocardial infarction after successful primary angioplasty?, 1773
Evaluation of the effect of oral verapamil on clinical outcome and angiographic restenosis after percutaneous coronary intervention, 2160
Exercise echocardiographic findings and outcome of patients referred for evaluation of dyspnea, 2242
Frequency and impact of delayed decisions regarding heart transplantation on long-term outcomes in patients with advanced heart failure, 794
From controlled trials to clinical practice: transmyocardial revascularization use and outcomes (letter), 2364
Hemoglobin level is an independent predictor of adverse cardiovascular outcomes in women undergoing evaluation for chest pain: results from the NHLBI WISE study, 2009
Impact of race on health care utilization and outcomes in veterans with congestive heart failure, 778
Implication of different cardiac troponin I levels for clinical outcomes and prognosis of acute chest pain patients, 958
Importance of increasing age on the presentation and outcome of acute coronary syndromes in elderly patients, 346
Incidence, predictors at admission, and impact of worsening renal function among patients hospitalized with heart failure, 61
Long-term outcome (up to 15 years) of balloon angioplasty of discrete native coarctation of the aorta in adolescents and adults, 1062
Long-term outcomes of cardiac pacing in adults with congenital heart disease, 1894
Myocardial bridging in adult and pediatric patients with hypertrophic cardiomyopathy is not associated with poor outcome (letter), 1133
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542
Outcome of patients with double-inlet left ventricle

or tricuspid atresia with transposed great arteries, 113
Outcomes in cardiac transplant recipients using allografts from older donors versus mortality on the transplant waiting list, 1553
Prevention of ischemic mitral regurgitation does not influence the outcome of remodeling after posterolateral myocardial infarction, 377
Relative importance of vascular structure and function in predicting cardiovascular events, 616
Severity of left ventricular remodeling defines outcomes and response to therapy in heart failure: Val-HeFT echocardiography data, 2022
Utility of B-type natriuretic peptide in predicting postoperative complications and outcomes in patients undergoing heart surgery, 1873
Why is aortic sclerosis associated with adverse clinical outcomes? (editorial), 176
Why is chronic kidney disease the "spoiler" for cardiovascular outcomes: an alternative take from a generalist (letter), 924

Outpatients
Outpatient utilization of angiotensin converting enzyme inhibitors among heart failure patients after hospital discharge, 2036

Oxidative stress
Hydroxyl radical generation, levels of tumor necrosis factor-α and progression to heart failure after acute myocardial infarction, 2000

Oxygen consumption
B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure, 1584

Pacemaker
Can patients with implantable pacemakers safely undergo magnetic resonance imaging? (editorial), 1325
Magnetic resonance imaging and cardiac pacemaker safety at 1.5-tesla, 1315

Pacemaker syndrome
High incidence of pacemaker syndrome in patients with sinus node dysfunction treated with VVIR pacing in MOST, 2066

Pacing
Acute comparative effect of right and left ventricular pacing in patients with permanent atrial fibrillation, 234
High incidence of pacemaker syndrome in patients with sinus node dysfunction treated with VVIR pacing in MOST, 2066
Left ventricular mechanics during right ventricular apical or left ventricular-based pacing in patients with chronic atrial fibrillation after atrioventricular junction ablation, 1013
Long-term outcomes of cardiac pacing in adults with congenital heart disease, 1894
Pacing the left ventricle: does underlying rhythm matter? (editorial), 239
Single lead ventricular pacing is no longer an option for sick sinus syndrome, 2072
Stroke and pacing mode: is pacing mode important? (editorial), 1623

Patent foramen ovale
Incidence and clinical course of thrombus formation on atrial septal defect and patent foramen ovale closure devices in 1,000 consecutive patients, 302

Peak oxygen consumption
B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure, 1584

Peer review
Characteristics of a great review (letter), 1927

Percutaneous coronary interventions
Aspirin resistance is associated with a high incidence of myonecrosis after non-urgent percutaneous coronary intervention despite clopidogrel pretreatment, 1122
Beta-blocker therapy and primary angioplasty (editorial), 1788
Characteristics of cerebrovascular accidents after percutaneous coronary interventions, 1161
Coronary intervention at hospitals without on-site cardiac surgery: are we pushing the envelope too far? (editorial), 343
Does beta-blocker therapy improve clinical outcomes of acute myocardial infarction after successful primary angioplasty?, 1773
Does hospital coronary intervention volume matter in predicting mortality (editorial), 1763
Evaluation of the effect of oral verapamil on clinical outcome and angiographic restenosis after percutaneous coronary intervention, 2160
Hospital percutaneous coronary intervention volume and patient mortality, 1998 to 2000, 1755
Impact of delays to cardiac surgery after failed angioplasty and stenting, 337
Impact of intravenous beta-blockade before primary angioplasty on survival in patients undergoing mechanical reperfusion therapy for acute myocardial infarction, 1780
Importance of mitral regurgitation in patients undergoing percutaneous coronary intervention for acute myocardial infarction, 1368
Myocardial perfusion imaging following percutaneous coronary intervention, 328
Myocardial wall thickness predicts recovery of contractile function after primary coronary intervention for acute myocardial infarction, 1489
Optimal glycemic control is associated with a lower rate of target vessel revascularization in treated type II diabetic patients undergoing elective percutaneous coronary intervention, 8
Optimization of glycemic control and restenosis prevention in diabetic patients undergoing percutaneous coronary interventions (editorial), 15
Percutaneous coronary intervention before noncardiac surgery: more threat than benefit? (letter), 713
Primary percutaneous coronary intervention at hospitals without on-site cardiac surgery: expanding the use of mechanical reperfusion for acute myocardial infarction (editorial), 1951
Rationale and strategies for implementing community-based transfer protocols for primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction, 2153
Routine intravascular ultrasound guidance of percutaneous coronary intervention, 1335
Short- and long-term recovery of left ventricular function predicted at the time of primary percutaneous coronary intervention in anterior myocardial infarction, 534
Stroke after percutaneous coronary interventions (editorial), 1168
Sustained ventricular tachycardia or fibrillation in the cardiac catheterization laboratory among patients receiving primary percutaneous coronary intervention, 1765
Transcatheter valve replacement: a new era of percutaneous coronary intervention begins (editorial), 1088

Percutaneous heart valve prosthesis
Early experience with percutaneous transcatheter implantation of heart valve prosthesis for the treatment of end-stage inoperable patients with calcific aortic stenosis, 698

Percutaneous left atrial appendage transcatheter occlusion
Left atrial structure and function after percutaneous left atrial appendage transcatheter occlusion (PLAATO), 1868

Percutaneous transluminal coronary angioplasty
Calcium sensitizer levosimendan improves the function of stunned myocardium after percutaneous transluminal coronary angioplasty in acute myocardial ischemia, 2177
Composite confusion (letter), 1926
Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis, 949
Meta-analysis of randomized trials of percutaneous transluminal coronary angioplasty versus atherectomy, cutting balloon atherotomy, or laser angioplasty, 936
Optimal suppression of thromboxane A_2 formation by aspirin during percutaneous transluminal coronary angioplasty: no additional effect of a selective cyclooxygenase-2 inhibitor, 526
Palliation of allograft vasculopathy with transluminal angioplasty: a decade of experience, 1973

Percutaneous transluminal septal myocardial ablation
Myocardial infarction after percutaneous transluminal septal myocardial ablation in hypertrophic obstructive cardiomyopathy: evaluation by contrast-enhanced magnetic resonance imaging, 27

Perfusion imaging
Differential diagnosis of cardiac masses using contrast echocardiographic perfusion imaging, 1412
Incremental value of parametric quantitative assessment of myocardial perfusion by triggered low-power myocardial contrast echocardiography, 1807
Placing faith in numbers: quantification of perfusion with myocardial contrast echocardiography (editorial), 1814

Pericardial disease
Transient constrictive pericarditis: causes and natural history, 271

Pericardiectomy
Constrictive pericarditis: etiology and cause-specific survival after pericardiectomy, 1445

Pericarditis
Constrictive pericarditis: etiology and cause-specific survival after pericardiectomy, 1445
Day-hospital treatment of acute pericarditis, 1042
Therapy of recurrent pericarditis (letter), 2149

Pericardium
Reduced pericardial levels of endostatin correlate with collateral development in patients with ischemic heart disease, 1383

Perindopril
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92

Peripheral vascular disease
Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications, 684
Peroxisomal proliferator-activated receptor-alpha
Myocardial fibrosis and diastolic dysfunction in deoxycorticosterone acetate-salt hypertensive rats is ameliorated by the peroxisome proliferator-activated receptor-alpha activator fenofibrate, partly by suppressing inflammatory responses associated with the nuclear factor-kappa-B pathway, 1481
Peroxisomal proliferator-activated receptor-gamma agonist
Selective peroxisomal proliferator-activated receptor-gamma agonist has an additive effect on plaque regression in combination with simvastatin in experimental atherosclerosis, 464
Peroxynitrite
Peroxynitrite decomposition catalysts prevent myocardial dysfunction and inflammation in endotoxemic rats, 2348
Physicians
Physicians, coverage, quality, and cost: the intertwined caduceus (commentary), 6
President's page: continuing investment in "state-of-the-art" physician education—an ACCF program of high net worth, 313
U.S. healthcare: the intertwined caduceus of physicians, coverage, quality, and cost, 1
Plaque
Accuracy of multidetector spiral computed tomography in identifying and differentiating the composition of coronary atherosclerotic plaques, 1241
Echolucent carotid plaques predict future coronary events in patients with coronary artery disease, 1177
Plaque characterization: surrogate markers or the real thing? (editorial), 1185
Selective peroxisomal proliferator-activated receptor-gamma agonist has an additive effect on plaque regression in combination with simvastatin in experimental atherosclerosis, 464
Platelets
Clopidogrel inhibits platelet-leukocyte interactions and TRAP-induced platelet activation in patients with an acute coronary syndrome, 1982
Inhibition of platelet aggregation by aspirin progressively decreases in long-term treated patients, 979
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542
Platelets, the cardiologist, and coronary artery disease: moving beyond aggregation, 1989
Release of soluble CD40 ligand from platelets is regulated by GP IIb/IIIa and actin polymerization, 2319
Short-term intravenous eptifibatide infusion combined with reduced dose recombinant tissue plasminogen activator inhibits platelet recruitment at sites of coronary artery injury, 287
Soluble CD40 ligand and platelets—self-perpetuating pathogenic loop in thrombosis and inflammation?, 2326
Porcine models
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299
Positron emission tomography
Myocardial positron emission computed tomographic images obtained with fluorine-18 fluoro-2-deoxyglucose predict the response to idiopathic dilated cardiomyopathy patients to beta-blockers, 224
Postmortem molecular screening
Postmortem molecular screening in unexplained sudden death, 1625
Postoperative period
Interventional catheterization performed in the early postoperative period after congenital heart surgery in children, 1264
Potassium
What is the optimal serum potassium level in cardiovascular patients?, 155
Potassium channels
Autoimmunity against the second extracellular loop of the $beta_1$-adrenergic receptors induces early afterdepolarization and decreases in K-channel density in rabbits, 1090
Pravastatin
Cholesteryl ester transfer protein (CETP) TaqIB polymorphism in the Cholesterol and Recurrent Events Study: no interaction with the response to pravastatin therapy and no effects on cardiovascular outcome, 854
Preconditioning
Ischemic preconditioning in coronary heart disease: a therapeutic golden fleece? (editorial), 1515
Prescription drugs
Drug reimportation: sitting in the middle, 149
Primary angioplasty
See also Angioplasty
Primary angioplasty in acute myocardial infarction at hospitals with no surgery on-site (PAMI No SOS) versus transfer to surgical centers for primary angioplasty, 1943
Primary pulmonary hypertension
Clinical efficacy of sildenafil in primary pulmonary hypertension, 1149
Clinical significance of brain natriuretic peptide in primary pulmonary hypertension, 764
Prosthetic heart valves
Clinical significance of early thrombosis after prosthetic mitral valve replacement, 1283
Early experience with percutaneous transcatheter implantation of heart valve prosthesis for the treatment of end-stage inoperable patients with calcific aortic stenosis, 698
Transesophageal echocardiography improves risk assessment of thrombolysis of prosthetic valve thrombosis: results of the International PRO-TEE Registry, 77
Year in valvular heart disease, 491
Pulmonary atresia
The year in congenital heart disease, 2132
Pulmonary circulation
Stenting the neonatal arterial duct in duct-dependent pulmonary circulation: new techniques, better results, 107
Pulmonary valve replacement
Percutaneous pulmonary valve replacement in a large right ventricular outflow tract, 1082
Transcatheter valve replacement: a new era of percutaneous coronary intervention begins (editorial), 1088
Pulmonary vein isolation
Clinical significance of inducible atrial flutter during pulmonary vein isolation in patients with atrial fibrillation, 2057
Pulmonary vein isolation for atrial fibrillation in low ejection fraction patients: the market is growing (editorial), 1010
Pulmonary vein isolation for the treatment of atrial fibrillation in patients with impaired systolic function, 1004
Pulmonary veins
Electrophysiological properties of pulmonary veins assessed using a multielectrode basket catheter, 2281
Pulmonary veins in the substrate for atrial fibrillation: the "venous wave" hypothesis (editorial), 2290
Pulmonary venous flow
Intrauterine pulmonary venous flow and restrictive foramen ovale in fetal hypoplastic left heart syndrome, 1902
Pulmonary venous flow by Doppler echocardiography: usefulness of diastolic wave deceleration time in predicting filling pressure (letter), 925
Pulsatile blood flow pattern
Association of a pulsatile blood flow pattern on coronary arteriography and short-term clinical outcomes in acute myocardial infarction, 1170
QT interval
Heart rate-corrected QT interval prolongation predicts risk of coronary heart disease in black and white middle-aged men and women, 565
QT interval prolongation and prognosis: further validation of the quantitative approach to electrocardiography (editorial), 572
Quality of life
Clinical efficacy of sildenafil in primary pulmonary hypertension, 1149
Effect of rate or rhythm control on quality of life in persistent atrial fibrillation, 241
Quantitative myocardial contrast echocardiography
Effects of glycoprotein IIb/IIIa inhibition on microvascular flow after coronary reperfusion, 276
Quinidine
Short QT syndrome: pharmacological treatment, 1494
Race
See also African Americans
Impact of race on health care utilization and outcomes in veterans with congestive heart failure, 778
Influence of age, gender, and race on the prevalence of depression in heart failure patients, 1542
Racial variation in the prevalence of atrial fibrillation among patients with heart failure, 429
Racing away from bias (editorial), 785
What we're talking about when we talk about race (editorial), 436
Radiofrequency ablation
See also Ablation
Characteristics of virtual unipolar electrograms for detecting isthmus block during radiofrequency ablation of typical atrial flutter, 2300
Endocardial and epicardial radiofrequency ablation of ventricular tachycardia associated with dilated cardiomyopathy, 1834
Functional characterization of the crista terminalis in patients with atrial flutter: implications for radiofrequency ablation, 1639
Radiofrequency catheter ablation of type 1 atrial flutter using large-tip 8- or 10-mm electrode catheters and a high-output radiofrequency energy generator, 1466
Ramipril
Effects of ramipril on left ventricular mass and

JACC Vol. 43, No. 12, 2004
June 16, 2004:2374–95

function in cardiovascular patients with controlled blood pressure and with preserved left ventricular ejection fraction, 2200

Ranolazine
Anti-ischemic effects and long-term survival during ranolazine monotherapy in patients with chronic severe angina, 1375

Reactive hyperemia
Reactive hyperemia as a test of endothelial or microvascular function? (letter), 2147

Reactive oxygen species
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116

Rehabilitation
Reduction in C-reactive protein through cardiac rehabilitation and exercise training, 1056

Remodeling
Angina pectoris prior to myocardial infarction protects against subsequent left ventricular remodeling, 1511
Angiotensin receptor blockade improves myocardial beta-adrenergic receptor signaling in postinfarction left ventricular remodeling, 125
Assessment of coronary remodeling in stenotic and nonstenotic coronary atherosclerotic lesions by multidetector spiral computed tomography, 842
Cardiac atria are chambers of active remodeling and dynamic collagen turnover during evolving heart failure, 68
Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction, 1646
Infarct resorption, compensatory hypertrophy, and differing patterns of ventricular remodeling following myocardial infarctions of varying size, 2124
Ischemic mitral regurgitation and ventricular remodeling (editorial), 384
Long-term caspase inhibition ameliorates apoptosis, reduces myocardial troponin-I cleavage, protects left ventricular function, and attenuates remodeling in rats with myocardial infarction, 295
Prevention of ischemic mitral regurgitation does not influence the outcome of remodeling after posterolateral myocardial infarction, 377
Severity of left ventricular remodeling defines outcomes and response to therapy in heart failure: Val-HeFT echocardiography data, 2022

Renal artery stenosis
Profile of cardiac patients with renal artery stenosis, 1606
Renal artery stenosis: "fortuitous diagnosis," problematic therapy (editorial), 1614

Renal function
Incidence, predictors at admission, and impact of worsening renal function among patients hospitalized with heart failure, 61

Reperfusion
Primary percutaneous coronary intervention at hospitals without on-site cardiac surgery: expanding the use of mechanical reperfusion for acute myocardial infarction (editorial), 1951
Transient and reversible deoxyribonucleic acid damage in human left ventricle under controlled ischemia and reperfusion, 1992

Reperfusion therapy
Impact of intravenous beta-blockade before primary angioplasty on survival in patients undergoing mechanical reperfusion therapy for acute myocardial infarction, 1780
Randomized trial comparing myocardial salvage achieved by coronary stenting versus balloon angioplasty in patients with acute myocardial infarction considered ineligible for reperfusion therapy, 734

Research
Eptifibatide provides additional platelet inhibition in non–ST-elevation myocardial infarction patients already treated with aspirin and clopidogrel, 162
Optimal glycemic control is associated with a lower rate of target vessel revascularization in treated type II diabetic patients undergoing elective percutaneous coronary intervention, 8

Restenosis
See also Stenosis
Can we afford to eliminate restenosis?, 513
Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis, 949
Evaluation of the effect of oral verapamil on clinical outcome and angiographic restenosis after percutaneous coronary intervention, 2160
Heme oxygenase-1 genotype and restenosis after balloon angioplasty: a novel protective factor, 950
Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications, 684
Monocyte: the key in the lock to reduce stent hyperplasia? (editorial), 24
Optimization of glycemic control and restenosis prevention in diabetic patients undergoing percutaneous coronary interventions (editorial), 15
Significant reduction in restenosis following the use of sirolimus-eluting stents in the treatment of chronic total occlusions, 1954

Revascularization
Diabetes mellitus: the major risk factor in unstable coronary artery disease even after consideration of the extent of coronary artery disease and revascularization, 585
Optimal glycemic control is associated with a lower rate of target vessel revascularization in treated type II diabetic patients undergoing elective percutaneous coronary intervention, 8

Rheumatic mitral stenosis
Dobutamine stress echocardiography for noninvasive assessment and risk stratification of patients with rheumatic mitral stenosis, 393

Right atrium
Expression of angiotensin II receptors in human left and right atrial tissue in atrial fibrillation with and without underlying mitral valve disease (letter), 2363

Right ventricle
Acute comparative effect of right and left ventricular pacing in patients with permanent atrial fibrillation, 234
Left ventricular mechanics during right ventricular apical or left ventricular-based pacing in patients with chronic atrial fibrillation after atrioventricular junction ablation, 1013
Molecular normalization of dystrophin in the failing left and right ventricle of patients treated with either pulsatile or continuous flow-type ventricular assist devices, 811
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100

Right ventricular outflow tract
Percutaneous pulmonary valve replacement in a large right ventricular outflow tract, 1082

Risk assessment and stratification
B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure, 1584
Cardiovascular risk reduction in hypertensive black patients with left ventricular hypertrophy, 1047
Catheter ablation of atrial fibrillation: what is the best technique for achieving a high cure rate with acceptable risk?, 2054
Clinical and echocardiographic score for assigning risk of major events after dobutamine echocardiograms, 2102
Dobutamine stress echocardiography for noninvasive assessment and risk stratification of patients with rheumatic mitral stenosis, 393
Effect of sleep loss on C-reactive protein, an inflammatory marker of cardiovascular risk, 678
Heart disease risk factors predict erectile dysfunction 25 years later, 1405
Heart rate-corrected QT interval prolongation predicts risk of coronary heart disease in black and white middle-aged men and women, 565
Increased left ventricular mass is a risk factor for the development of a depressed left ventricular ejection fraction within five years: the Cardiovascular Health Study, 2207
Nonsteroidal anti-inflammatory drugs and cardiovascular risk, 519
Predischarge B-type natriuretic peptide assay for identifying patients at high risk of re-admission after decompensated heart failure, 635
Reverse epidemiology of conventional cardiovascular risk factors in patients with chronic heart failure, 1439
Risk of noncardiac surgery in the months following placement of a drug-eluting coronary stent (letter), 713
Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables (editorial), 209
Stress myocardial perfusion single-photon emission computed tomography is clinically effective and cost effective in risk stratification of patients with a high likelihood of coronary artery disease (CAD) but no known CAD, 200
Transesophageal echocardiography improves risk assessment of thrombolysis of prosthetic valve thrombosis: results of the International PRO-TEE Registry, 77
Triglyceride-rich lipoprotein remnant levels and metabolism: time to adopt these orphan risk factors?, 2233

Risk factors
Assessing low levels of high-density lipoprotein cholesterol as a risk factor in coronary heart disease, 717
Diabetes mellitus: the major risk factor in unstable coronary artery disease even after consideration of the extent of coronary artery disease and revascularization, 585
Novel and traditional cardiovascular risk factors in children with Kawasaki disease, 120

Rostral ventrolateral medulla
Relationship to neurovascular compression to central sympathetic discharge and essential hypertension, 1453
Saphenous vein graft
Severe ostial saphenous vein graft disease leading to acute coronary syndromes following proximal aorto-saphenous anastomoses with the Symmetry Bypass Connector device, 133
Scar thickness
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Screenings
Cost-effectiveness of screening with B-type natriuretic peptide to identify patients with reduced left ventricular ejection fraction, 1019
Postmortem molecular screening in unexplained sudden death, 1625
Prognostic value of coronary artery calcium screening in subjects with and without diabetes, 1663
Shocks
Filling the need for new antiarrhythmic drugs to prevent shocks from implantable cardioverter defibrillators (editorial), 44
Short QT syndrome
Short QT syndrome: pharmacological treatment, 1494
Shunts
Transcatheter closure of atrial shunts (editorial), 310
Sick sinus syndrome
Predictors of stroke in patients paced for sick sinus syndrome, 1617
Single lead ventricular pacing is no longer an option for sick sinus syndrome, 2072
Sildenafil
Clinical efficacy of sildenafil in primary pulmonary hypertension, 1149
Time course of the interaction between tadalafil and nitrates (letter), 2150
Simvastatin
Selective peroxisomal proliferator-activated receptor-gamma agonist has an additive effect on plaque regression in combination with simvastatin in experimental atherosclerosis, 464
Single-photon emission computed tomography
See also Computed tomography
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Incremental value of parametric quantitative assessment of myocardial perfusion by triggered low-power myocardial contrast echocardiography, 1807
Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables (editorial), 209
Stress myocardial perfusion single-photon emission computed tomography is clinically effective and cost effective in risk stratification of patients with a high likelihood of coronary artery disease (CAD) but no known CAD, 200
Technetium 99m sestamibi myocardial perfusion imaging predicts clinical outcome in the community outpatient setting, 213
Sinus node dysfunction
High incidence of pacemaker syndrome in patients with sinus node dysfunction treated with VVIR pacing in MOST, 2066
Sirolimus-eluting stents
Canadian study of the sirolimus-eluting stent in the treatment of patients with long de novo lesions in small native coronary arteries (C-SIRIUS), 1110
Impact of final stent dimensions on long-term results following sirolimus-eluting stent implantation, 1959
Short- and long-term clinical benefit of sirolimus-eluting stents compared to conventional bare stents for patients with acute myocardial infarction, 704
Significant reduction in restenosis following the use of sirolimus-eluting stents in the treatment of chronic total occlusions, 1954
Sirolimus-eluting stents: does a great stent still need a good interventionalist (editorial), 1116
Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results, 1154
Sleep deprivation
Effect of sleep loss on C-reactive protein, an inflammatory marker of cardiovascular risk, 678
Smac/DIABLO
Minocycline inhibits caspase activation and reactivation, increases the ratio of XIAP to Smac/DIABLO, and reduces the mitochondrial leakage of cytochrome C and Smac/DIABLO, 865
Smallpox
Smallpox vaccination and myopericarditis: a clinical review, 1503
Smoking
Pathophysiology of cigarette smoking and cardiovascular disease, 1731
Statins
Statin therapy is associated with improved survival in ischemic and non-ischemic heart failure, 642
Statins to reduce risk of depression (letter), 1132
Stenosis
See also Restenosis
Accuracy of dipyridamole myocardial contrast echocardiography for the detection of residual stenosis of the infarct related artery and multivessel disease early after acute myocardial infarction, 2247
Assessment of coronary remodeling in stenotic and nonstenotic coronary atherosclerotic lesions by multidetector spiral computed tomography, 842
Profile of cardiac patients with renal artery stenosis, 1606
Real-time three-dimensional echocardiography for rheumatic mitral valve stenosis evaluation: an accurate and novel approach, 2091
Renal artery stenosis: "fortuitous diagnosis," problematic therapy (editorial), 1614
Severe bilateral carotid stenosis, 1358
Stents and stenting
Can we afford to eliminate restenosis?, 513
Canadian study of the sirolimus-eluting stent in the treatment of patients with long de novo lesions in small native coronary arteries (C-SIRIUS), 1110
Circulating monocytes and in-stent neointima after coronary stent implantation, 18
Combined stenting versus balloon angioplasty in small vessels, 1964
Don't blame the stents (editorial), 1355
First human experience with the 17-beta-estradiol–eluting stent, 1118
Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications, 684
For how long should treatment with clopidogrel be continued after coronary stent implantation (letter), 1331
Impact of delays to cardiac surgery after failed angioplasty and stenting, 337
Impact of final stent dimensions on long-term results following sirolimus-eluting stent implantation, 1959
Intracranial hemorrhage and hyperperfusion syndrome following carotid artery stenting, 1596
Randomized trial comparing myocardial salvage achieved by coronary stenting versus balloon angioplasty in patients with acute myocardial infarction considered ineligible for reperfusion therapy, 734
Risk of noncardiac surgery in the months following placement of a drug-eluting coronary stent (letter), 713
Severe bilateral carotid stenosis, 1358
Short- and long-term clinical benefit of sirolimus-eluting stents compared to conventional bare stents for patients with acute myocardial infarction, 704
Short- and long-term results after multivessel stenting in diabetic patients, 1348
Significant reduction in restenosis following the use of sirolimus-eluting stents in the treatment of chronic total occlusions, 1954
Sirolimus-eluting stents: does a great stent still need a good interventionalist (editorial), 1116
Stenting the neonatal arterial duct in duct-dependent pulmonary circulation: new techniques, better results, 107
Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results, 1154
Year in interventional cardiology, 875
Sternotomy
Comparison of short- and long-term outcomes after off-pump and on-pump coronary artery bypass graft surgery with sternotomy, 557
Streptococcus viridans endocarditis
Embolic complications in *Streptococcus viridans* endocarditis (letter), 1133
Stress echocardiography
Clinical and echocardiographic score for assigning risk of major events after dobutamine echocardiograms, 2102
Dobutamine stress echocardiography for noninvasive assessment and risk stratification of patients with rheumatic mitral stenosis, 393
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Stress echocardiography in mitral stenosis: when is it useful? (editorial), 402
Stress myocardial perfusion imaging
Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables (editorial), 209
Stress myocardial perfusion single-photon emission computed tomography is clinically effective and cost effective in risk stratification of patients with a high likelihood of coronary artery disease (CAD) but no known CAD, 200

JACC Vol. 43, No. 12, 2004
June 16, 2004:2374–95

Stress testing
Akinesia becoming dyskinesia after exercise testing: prevalence and relationship to clinical outcome, 599
Treadmill scores in elderly men, 606
Stroke
Characteristics of cerebrovascular accidents after percutaneous coronary interventions, 1161
Chronologic distribution of stroke after minimally invasive versus conventional coronary artery bypass, 752
Comparing the guidelines: anticoagulation therapy to optimize stroke prevention in patients with atrial fibrillation, 929
Predictors of stroke in patients paced for sick sinus syndrome, 1617
Stroke after percutaneous coronary interventions (editorial), 1168
Stroke and pacing mode: is pacing mode important? (editorial), 1623
ST-segment
Improved speed and stability of ST-segment recovery with reduced-dose tenecteplase and eptifibatide compared with full-dose tenecteplase for acute ST-segment elevation myocardial infarction, 549
ST-segment elevation myocardial infarction
Improved speed and stability of ST-segment recovery with reduced-dose tenecteplase and eptifibatide compared with full-dose tenecteplase for acute ST-segment elevation myocardial infarction, 549
Outcome of acute ST-segment elevation myocardial infarction in diabetics treated with fibrinolytic or combination reduced fibrinolytic therapy and platelet glycoprotein IIb/IIIa inhibition, 542
Rationale and strategies for implementing community-based transfer protocols for primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction, 2153
Stunned myocardium
Calcium sensitizer levosimendan improves the function of stunned myocardium after percutaneous transluminal coronary angioplasty in acute myocardial ischemia, 2177
Sudden cardiac death
Analysis of mortality events in the Multicenter Automatic Defibrillator Implantation Trial (MADIT-II), 1459
Long-term subthreshold electrical stimulation of the left stellate ganglion and a canine model of sudden cardiac death, 858
Natriuretic peptides as predictors of non-sudden and sudden cardiac death after acute myocardial infarction in the beta-blocking era, 757
Postmortem molecular screening in unexplained sudden death, 1625
Sudden death in patients without structural heart disease, 1137
Surgery
See also Ablation; Cardiac surgery; Coronary artery bypass grafting; Radiofrequency ablation
Predictors of new malignant ventricular arrhythmias after coronary surgery, 1630
Surgery, angioplasty, or medical therapy for symptomatic multivessel coronary artery disease (editorial), 1752
Year in cardiovascular surgery, 1706
Symmetry Bypass Connector
Severe ostial saphenous vein graft disease leading to acute coronary syndromes following proximal aorto-saphenous anastomoses with the Symmetry Bypass Connector device, 133
Sympathetic nervous system
Sympathetic nervous system activation in Chagasic patients with congestive heart failure (letter), 1723
Systolic blood pressure
Influence of pretreatment systolic blood pressure on the effect of carvedilol in patients with severe chronic heart failure, 1423
Mechanism(s) of selective systolic blood pressure reduction after low-dose combination of perindopril/indapamide in hypertensive subjects: comparison with atenolol, 92
Systolic function
Patients with a hypertensive response to exercise have impaired systolic function without diastolic dysfunction or left ventricular hypertrophy, 848
Pulmonary vein isolation for the treatment of atrial fibrillation in patients with impaired systolic function, 1004
Systolic heart failure
Angiotensin-converting enzyme inhibitors, beta-blockers, and mortality in systolic heart failure (letter), 1333
Plasma B-type natriuretic peptide levels in systolic heart failure, 416
T cells
Neoangiogenesis, T-lymphocyte infiltration, and heat shock protein-60 are biological hallmarks of an immunomediated inflammatory process in end-stage calcified aortic valve stenosis, 1670
Tachyarrhythmias
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39
Tachycardia
See also Atrial tachycardia; Ventricular tachycardia
Clinical course of atrial ectopic tachycardia is age-dependent: results and treatment in children 3 or 3 years of age, 438
Glucose-insulin infusion improves cardiac function during fetal tachycardia, 445
Tadalafil
Time course of the interaction between tadalafil and nitrates (letter), 2150
Technetium-^{99m} sestamibi
Assessment of the physiologic significance of coronary disease with dipyridamole real-time myocardial contrast echocardiography, 257
Technetium ^{99m} sestamibi myocardial perfusion imaging predicts clinical outcome in the community outpatient setting, 213
Tenecteplase
Improved speed and stability of ST-segment recovery with reduced-dose tenecteplase and eptifibatide compared with full-dose tenecteplase for acute ST-segment elevation myocardial infarction, 549
Tetralogy of Fallot
Factors associated with impaired clinical status in long-term survivors of tetralogy of Fallot repair evaluated by magnetic resonance imaging, 1068
The year in congenital heart disease, 2132
Thallium single-photon emission computed tomography
Impact of scar thickness on the assessment of viability using dobutamine echocardiography and thallium single-photon emission computed tomography, 1248
Thrombin receptor agonist peptide
Clopidogrel inhibits platelet-leukocyte interactions and TRAP-induced platelet activation in patients with an acute coronary syndrome, 1982
Thrombolysis In Myocardial Infarction flow
Preprocedural TIMI flow and mortality in patients with acute myocardial infarction treated by primary angioplasty, 1363
Thrombosis
Clinical significance of early thrombosis after prosthetic mitral valve replacement, 1283
Soluble CD40 ligand and platelets—self-perpetuating pathogenic loop in thrombosis and inflammation?, 2326
Transesophageal echocardiography improves risk assessment of thrombolysis of prosthetic valve thrombosis: results of the International PRO-TEE Registry, 77
Thromboxane A_2
Optimal suppression of thromboxane A_2 formation by aspirin during percutaneous transluminal coronary angioplasty: no additional effect of a selective cyclooxygenase-2 inhibitor, 526
Thrombus
Incidence and clinical course of thrombus formation on atrial septal defect and patent foramen ovale closure devices in 1,000 consecutive patients, 302
Left atrial thrombus associated with ablation for atrial fibrillation: identification with intracardiac echocardiography, 1861
Thymidine kinase
Powerful and controllable angiogenesis by using gene-modified cells expressing human hepatocyte growth factor and thymidine kinase, 1915
Tissue Doppler imaging
Noninvasive estimation of left ventricular filling pressure by E/e' is a powerful predictor of survival after acute myocardial infarction, 360
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100
Tissue Doppler imaging predicts recovery of left ventricular function after recanalization of an occluded coronary artery, 85
Tissue plasminogen activator
Short-term intravenous eptifibatide infusion combined with reduced dose recombinant tissue plasminogen activator inhibits platelet recruitment at sites of coronary artery injury, 287
Training
Training cardiovascular fellows in cardiovascular magnetic resonance and vascular imaging: current status following the Core Cardiovascular Training Symposium (COCATS-2) guidelines, 2108
Transesophageal echocardiography
Economic analysis of a transesophageal echocardiography-guided approach to cardioversion of patients with atrial fibrillation, 1217
Economic implications of transesophageal echocardiography-guided cardioversion of atrial fibrillation (editorial), 1225
Transesophageal echocardiography improves risk assessment of thrombolysis of prosthetic valve thrombosis: results of the International PRO-TEE Registry, 77
Transmyocardial revascularization
From controlled trials to clinical practice:

transmyocardial revascularization use and outcomes (letter), 2364

Transplantation
Angiotensin II receptors from peritransplantation through first-year post-transplantation and the risk of transplant coronary artery disease, 1565
Frequency and impact of delayed decisions regarding heart transplantation on long-term outcomes in patients with advanced heart failure, 794
Glucose intolerance as reflected by hemoglobin A_{1c} level, is associated with the incidence and severity of transplant coronary artery disease, 1034
Heart transplantation: the increasing challenges of evidence-based decision-making (editorial), 803
Novel application of myocardial contrast echocardiography to evaluate angiogenesis by autologous bone marrow cell transplantation in chronic ischemic pig model, 1299
Selection of patients for heart transplantation in the current era of heart failure therapy, 787
Transplantation of cardiotrophin-1-expressing myoblasts to the left ventricular wall alleviates the transition from compensatory hypertrophy to congestive heart failure in Dahl salt-sensitive hypertensive rats, 2337

Transposition of the great arteries
Outcome of patients with double-inlet left ventricle or tricuspid atresia with transposed great arteries, 113
Systemic ventricular function in patients with transposition of the great arteries after atrial repair: a tissue Doppler and conductance catheter study, 100
The year in congenital heart disease, 2132

Transthoracic Doppler echocardiography
Enhanced coronary flow velocity during intra-aortic balloon pumping assessed by transthoracic Doppler echocardiography, 368

Transthoracic echocardiography
High-resolution transthoracic real-time three-dimensional echocardiography: quantification of cardiac volumes and function using semi-automatic border detection and comparison with cardiac magnetic resonance imaging, 2083

Tricuspid atresia
Outcome of patients with double-inlet left ventricle or tricuspid atresia with transposed great arteries, 113

Tricuspid regurgitation
Impact of tricuspid regurgitation on long-term survival, 405

Triglyceride lipolysis
Impaired intravascular triglyceride lipolysis constitutes a marker of clinical outcome in patients with stable angina under secondary prevention treatment: a long-term follow-up, 2225

Triglycerides
Triglyceride-rich lipoprotein remnant levels and metabolism: time to adopt these orphan risk factors?, 2233

Troponin-I
Implication of different cardiac troponin I levels for clinical outcomes and prognosis of acute chest pain patients, 958
Long-term caspase inhibition ameliorates apoptosis, reduces myocardial troponin-I cleavage, protects left ventricular function, and attenuates remodeling in rats with myocardial infarction, 295

Tumor necrosis factor-α
Hydroxyl radical generation, levels of tumor necrosis factor-α and progression to heart failure after acute myocardial infarction, 2000

Ultrasound
See Intravascular ultrasound

Unfractionated heparin
Administration of eptifibatide to acute coronary syndrome patients receiving enoxaparin or unfractionated heparin, 966

Unstable angina
Diabetes mellitus: the major risk factor in unstable coronary artery disease even after consideration of the extent of coronary artery disease and revascularization, 585

Vaccinations
Smallpox vaccination and myopericarditis: a clinical review, 1503

Valsartan
Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy, 2116

Valvular heart disease
Year in valvular heart disease, 491

Vascular dysfunction
Exercise training normalizes vascular dysfunction and improves central adiposity in obese adolescents, 1823

Vascular endothelial growth factor
Cellular, but not direct, adenoviral delivery of vascular endothelial growth factor results in improved left ventricular function and neovascularization in dilated ischemic cardiomyopathy, 1908

Vascular structure
Relative importance of vascular structure and function in predicting cardiovascular events, 616
Vascular structure versus function: is endothelial dysfunction of independent prognostic importance or not? (editorial), 624

Vasculopathy
Impact of mode of donor brain death on cardiac allograft vasculopathy, 806
Palliation of allograft vasculopathy with transluminal angioplasty: a decade of experience, 1973

Vasodilation
Impaired brachial artery endothelium-dependent and -independent vasodilation in men with erectile dysfunction and no other clinical cardiovascular disease, 179

Ventricles
See Left ventricle; Right ventricle

Ventricular arrhythmias
Gender differences in ventricular arrhythmias in patients with coronary artery disease and implantable cardioverter-defibrillators, 2293

Ventricular assist devices
Molecular normalization of dystrophin in the failing left and right ventricle of patients treated with either pulsatile or continuous flow-type ventricular assist devices, 811

Ventricular fibrillation
Effects of biphasic waveform design on post-resuscitation myocardial function, 1228
Mode of initiation and ablation of ventricular fibrillation storms in patients with ischemic cardiomyopathy, 1715
Predictors of new malignant ventricular arrhythmias after coronary surgery, 1630
Sudden death in patients without structural heart disease, 1137
Sustained ventricular tachycardia or fibrillation in the cardiac catheterization laboratory among patients receiving primary percutaneous coronary intervention, 1765

Ventricular pacing
Single lead ventricular pacing is no longer an option for sick sinus syndrome, 2072

Ventricular remodeling
Infarct resorption, compensatory hypertrophy, and differing patterns of ventricular remodeling following myocardial infarctions of varying size, 2124

Ventricular septal defects
Device closure of muscular ventricular septal defects using the Amplatzer muscular ventricular septal defect occluder, 1257
The year in congenital heart disease, 2132

Ventricular tachyarrhythmias
Azimilide decreases recurrent ventricular tachyarrhythmias in patients with implantable cardioverter defibrillators, 39

Ventricular tachycardia
Endocardial and epicardial radiofrequency ablation of ventricular tachycardia associated with dilated cardiomyopathy, 1834
Predictors of new malignant ventricular arrhythmias after coronary surgery, 1630
Sustained ventricular tachycardia or fibrillation in the cardiac catheterization laboratory among patients receiving primary percutaneous coronary intervention, 1765

Verapamil
Evaluation of the effect of oral verapamil on clinical outcome and angiographic restenosis after percutaneous coronary intervention, 2160

Vitamin C
Long-term effect of combined vitamins E and C on coronary and peripheral endothelial function, 629

Vitamin E
Long-term effect of combined vitamins E and C on coronary and peripheral endothelial function, 629

Volunteerism
Power of volunteerism, 1101

Women
See also Gender
Alterations in left ventricular structure and function in young healthy obese women, 1399
Evidence-based guidelines for cardiovascular disease prevention in women, 900
Heart rate-corrected QT interval prolongation predicts risk of coronary heart disease in black and white middle-aged men and women, 565
Hemoglobin level is an independent predictor of adverse cardiovascular outcomes in women undergoing evaluation for chest pain: results from the NHLBI WISE study, 2009
Ischemic heart disease in women: facts and wishful thinking, 1727

XIAP
Minocycline inhibits caspase activation and reactivation, increases the ratio of XIAP to Smac/DIABLO, and reduces the mitochondrial leakage of cytochrome C and Smac/DIABLO, 865